

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
08.8.14	812	蔬菜		7.14	1.8085	121	356	2207	204	496	148	4.2	18	140	1.2
108..11.27	1336	香蕉	0508-001	7.43	2.76	1.0351	37.824	1578.9	173.91	93.913	17.479	0.8923	1.1556	5.7547	0.05
108..11.27	1337		力里段1008	7.08	4.35	72.013	103.36	1036.6	242.82	114.54	35.373	0.9259	3.208	5.7402	0.06
108..11.27	1338		力里段1649	6.34	4.5	148.36	101.42	955.29	266.64	107.46	24.072	1.1152	2.492	6.7792	0.07
108..3.28	301	水	B	7.07		0.5	6.6	51	18	0	0	0	0	12	1.77
108..3.28	305	水	建安段661	8.06		1.2	119	30	51	0.13	0.01	0	0	206	1.78
108.1.10	62		384	6.18	2.64	63	51	3317	335	945	210	7.6	35	76	0.08
108.1.10	62		1320	6.6	1.61	20	44	7139	271	763	247	6.7	21	48	0.11
108.1.10	63	芒果	惠農段	6.84	1.4	5	27	3813	334	975	258	6.2	13	34	0.08
108.1.10	64	檳榔	1213-1223	6.97	2.87	175	172	6336	461	1206	152	12	52	245	0.2
108.1.10	65	敏豆	美濃	6.51	9.46	83	69	2882	239	1890	54	12	11	70	0.12
108.1.10	66	芭樂	龍肚	6	1.54	89	81	1643	161	1571	71	8.5	13	66	0.2
108.1.10	66		新成1	6.78	1.38	13	33	6669	374	1022	399	9.2	18	53	0.16
108.1.10	66	蓮霧	新寮1	7.57	1.72	49	231	1694	214	1069	271	6.1	9.2	23	0.11
108.1.10	67		新寮2	6.92	1.75	55	44	3278	201	1078	172	8.3	11	57	0.14
108.1.10	67		新寮3	6.88	1.88	23	40	2514	273	1728	335	15	26	41	0.1
108.1.10	88	木瓜		6.87	1.44	34	12	2821	119	890	132	12	18	30	0.04
108.1.11	68	鳳梨	表土	3.76	3.8	107	9.23	112	3.87	142	4.5	3.1	2.9	9.4	0.05
108.1.11	69	芭蕉	表土	5.89	1.1	27	12	2016	200	626	71	2	6.7	32	0.04
108.1.11	69	芭蕉	底土	6.29	0.91	27	728	1876	187	572	59	1.5	6.9	27	0.04
108.1.11	70	香檬	1328	5.76	2.51	108	120	2204	219	847	89	9.1	9.5	41	0.17
108.1.14	71	芭樂	表土	3.42	1.19	119	75	236	67	757	23	22	12	29	0.19
108.1.14	71		底土	6.19	1.12	18	142	5692	92	885	17	16	20	27	0.19
108.1.14	71	紅龍果	321A	5.14	3.25	139	447	1495	75	824	30	24	31	32	0.5
108.1.14	71		312B	6.59	1.66	45	389	4557	265	481	108	3.9	15	90	0.71
108.1.14	72	水稻		7.06	1.39	77	40	2196	133	365	107	6.2	46	65	0.09
108.1.14	73	扁實檸檬	519A	7.12	6.04	138	179	5608	355	1226	55	53	39	105	0.14
108.1.14	73	果樹	519B區	7.28	5.04	132	107	6089	372	315	104	14	140	80	0.11
108.1.14	73	果樹	510	7.03	5.93	131	337	5827	373	1407	44	37	44	86	0.14
108.1.14	73		511	6.84	5.25	145	120	2957	197	926	55	39	100	50	0.18
108.1.14	73		512	7.12	2.52	125	72	2217	159	1383	107	10	27	112	0.05
108.1.14	74	玉米	3377	7.33	3.21	162	80	4558	197	1559	232	17	16	119	0.28
108.1.14	74	玉米	3378	4.62	2.96	137	130	1632	111	1783	177	14	16	84	0.12
108.1.14	74	玉米	3379	6.11	3.32	152	104	3927	185	1713	131	18	21	94	0.19
108.1.14	75		277	6.54	0.91	5	75	5640	918	1928	105	19	19	101	1.17
108.1.14	98			6.5	1.53	144	81	1371	132	237	60	5.8	65	56	0.1
108.1.15	76	香蕉	德榮段.	7.4	1.61	66	95	5503	176	1483	88	19	17	116	0.13
108.1.15	76	水		6.85		1.6	15	180	21	0	1.7	0.01	0.01	45	0.76
108.1.15	77	水	華城	7.28		2.1	15	84	59	0	0.45	0.01	0.01	233	1.07
108.1.15	78	芭樂	美崙段.	6.2	3.85	121	48	2526	126	332	63	3.4	5.2	18	0.12
108.1.15	79	香草	玉泉段	6.99	2.14	136	90	6218	210	315	35	5.3	13	22	0.13
108.1.15	80	玉荷包	表土	3.91	3.13	91	25	266	39	1711	235	14	15	263	0.05
108.1.15	80	玉荷包	底土	4.31	1.97	153	39	331	62	1159	64	12	39	33	0.03
108.1.15	80	水		6.25		2.4	0.72	6.8	12	0	0.23	0	0.02	34	0.17
108.1.15	81		壽比段	5.77	2.5	135	46	1230	73	243	20	3.6	13	12	0.05
108.1.15	82	水稻	美濃段	6.39	3.67	48	25	2123	202	251	11	3	6.2	12	0.56

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.1.15	82	水		7.75		1.2	2.5	71	20	0	0	0.01	0.01	45	0.42
108.1.15	83	蓮霧	內	6.11	1.26	46	31	626	88	179	187	12	78	152	0.13
108.1.15	83	蓮霧	外	4.92	1.11	128	45	155	35	1721	117	13	21	74	0.13
108.1.16	87	水	A	7.2		1.9	0.64	139	21	0.04	1.7	0.01	0.02	23	0.59
108.1.16	87	水	B	7.12		1.5	3.4	127	21	0	1.7	0.01	0.05	20	0.57
108.1.16	87	水	C	7.29		2.0	0.39	64	12	0	0	0.01	0.02	24	0.35
108.1.18	84	玉米.白龍王	.0201-0206	5.39	2.54	67	64	1334	162	581	250	14	23	56	0.19
108.1.18	84	玉米.白龍王	.0201-0190	5.3	2.65	62	128	1601	186	1825	553	10	17	126	0.28
108.1.18	85	水稻	0216-0219	6.13	2.06	59	39	1862	92	1534	184	21	53	120	0.22
108.1.18	85	水稻	.0212-0216	6.52	2.14	41	39	2265	140	1899	78	92	99	79	0.27
108.1.18	86	水稻	田寮段	6.42	3.07	39	42	3361	209	1718	214	23	60	178	0.3
108.1.18	86	檳榔	田寮段	5.4	3.48	139	145	1783	154	874	112	12	57	47	0.33
108.1.19	89	薑黃.葉菜	橋中段.35	6.69	2.46	42	60	3517	253	526	203	8.6	57	88	0.08
108.1.19	89	水		7.43		1.2	2.9	85	19	0	0	0.07	0.02	38	0.44
108.1.19	90			6.65	1.48	139	53	2194	106	322	207	4.4	75	114	0.15
108.1.19	91			6.73	2.03	136	110	4804	474	186	237	3.4	98	141	0.17
108.1.19	92			4.7	3.39	129	360	2173	169	133	252	2.3	97	143	0.8
108.1.19	93		B2	5.96	1.95	117	92	1646	193	1412	76	6.9	27	74	0.27
108.1.19	93		B3	6.37	1.68	122	97	2237	264	2000	170	15	21	69	0.4
108.1.19	94	芭樂	竹仔腳里	7.16	1.46	98	61	1653	95	339	192	9.8	13	300	0.1
108.1.19	94	水		7.16		2.2	2.5	70	26	0.06	0.2	0.07	0.02	181	1.07
108.1.19	95	水		7.02		2.2	3.9	178	63	0	0.13	0.02	0.02	125	1.17
108.1.2	1	檸檬		5.52	1.55	100	24	1576	105	704	44	6.2	15	27	0.33
108.1.2	2	檸檬		6.65	2.1	122	25	497	28	1137	54	38	99	34	0.18
108.1.2	3	檸檬		7.13	0.84	126	25	282	15	955	22	6.4	2.6	17	0.04
108.1.2	4	檸檬		7.18	1.32	76	23	562	48	622	65	16	18	26	0.07
108.1.2	5	檸檬		5.15	1.32	156	36	860	67	961	39	14	62	30	0.12
108.1.2	6	檸檬		4.74	1.18	167	110	663	29	1839	45	77	69	36	0.09
108.1.2	7	檸檬		5.09	1.19	127	39	645	45	2056	23	25	21	24	0.05
108.1.2	8	檸檬		4.52	2.57	159	116	521	43	1045	183	7.7	28	46	0.62
108.1.2	9	檸檬		4	1.73	149	41	685	60	1188	74	16	40	98	0.7
108.1.2	10	檸檬		6.68	1.93	159	95	466	25	1386	176	7.6	14	29	0.19
108.1.2	11	檸檬		5.58	1.39	123	50	386	34	1321	35	18	37	29	0.12
108.1.2	12	檸檬		5.27	1.93	128	82	2145	128	1074	82	37	58	106	1.17
108.1.2	13	檸檬		5.53	1.25	155	75	2551	147	1685	55	28	70	64	0.11
108.1.2	14	檸檬		6.83	1.04	88	87	2513	103	931	128	23	29	41	0.05
108.1.2	15	檸檬		7.01	1.72	128	59	2014	91	1306	349	16	31	56	0.23
108.1.2	16	檸檬		4.84	1.59	129	186	1024	49	1472	82	16	37	39	0.24
108.1.2	17	檸檬.芒果		4.82	3.94	43	121	1190	52	71	26	6.8	3.9	24	0.12
108.1.2	18	檸檬		4.1	3.08	17	137	1487	70	60	21	1.8	3.4	9	0.03
108.1.2	19	檸檬		4.72	4.84	96	102	2320	92	96	23	3.4	4.8	11	0.04
108.1.2	20	檸檬		4.14	3.5	43	300	2018	168	90	13	4.3	3.1	8.5	0.03
108.1.2	21	蓮霧	1.2.3	8.01	1.74	19	56	1799	80	993	688	90	40	7887	3.85
108.1.2	21		4.6	8.07	1.59	15	39	667	61	1106	732	64	31	9688	4.29
108.1.2	21	水	右1	7.31		1.7	1045	296	262	0	0	0	0.01	6775	55.2
108.1.2	21	水	中2	7.52		0.4	855	278	261	0	0	0.01	0.01	6839	47.2

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.1.2	21	水	水庫	7.26		0.6	919	277	261	0	0	0	0.01	6907	42.8
108.1.2	22	水	A土庫段	7.62		1.4	2.6	131	26	0	0	0.01	0.01	33	0.75
108.1.2	22	水	B土庫段	7.7		0.9	2.3	137	26	0	0	0.01	0.01	29	0.71
108.1.2	22	水	C中和段	7.74		1.4	2.1	124	21	0	0	0.01	0.01	34	0.62
108.1.2	23	蜜棗	中埔上段	5.91	1.05	109	31	1130	83	556	31	3.9	9.3	33	0.09
108.1.2	23	小黃瓜	大埔中段	6.63	1.52	155	31	987	91	997	139	9.3	80	86	0.19
108.1.2	23	苦瓜	大埔上段	6.64	1.47	122	41	881	86	1092	88	10	46	64	0.19
108.1.2	23	青龍椒	大埔上段	7.01	1.87	66	64	950	40	1085	198	16	25	60	0.11
108.1.2	24	檳榔	大同段	7.08	5.92	136	93	798	35	6.5	180	1.2	51	367	0.7
108.1.2	25	荖葉	社上段	7.46	1.13	137	68	1072	60	1284	401	7.2	15	164	0.73
108.1.2	26	檳榔	0117-0120	4.61	2.15	130	41	851	62	1520	28	6.2	6.8	50	0.2
108.1.2	26		00110-00106	6.68	1.88	90	41	1107	78	898	54	10	11	59	0.09
108.1.21	96		1	5.91	2.36	99	78	2521	104	2348	113	19	15	57	0.36
108.1.21	96		2	6.81	2.56	123	48	3315	145	1684	100	40	42	95	0.34
108.1.21	96		3	7.07	1.38	115	28	1842	51	2201	165	11	16	69	0.12
108.1.21	97	茄子	1 阿拔泉段	7.68	1.1	112	75	4975	208	1685	331	14	25	42	0.1
108.1.21	97		2 阿拔泉段	7.41	1.27	134	141	3737	161	1697	327	16	25	42	0.1
108.1.21	99	糯米椒	新興段	6.24	2.32	123	691	4984	254	2015	220	34	47	333	1.09
108.1.21	100		崁27	7.61	1.41	125	288	6041	351	387	294	16	31	380	0.48
108.1.21	100		崁31	7.59	1.39	86	226	4576	295	595	225	14	16	237	0.48
108.1.21	100		崁44	7.13	2.16	141	130	3587	215	1253	441	35	74	208	0.74
108.1.21	100		崁8	6.93	2.64	118	220	5310	287	550	259	16	42	158	0.46
108.1.21	100		崁14	6.54	2.47	118	220	4152	238	1028	281	23	34	138	0.35
108.1.21	100		崁9	6.69	2.74	100	207	4720	244	613	274	16	28	132	0.57
108.1.21	100		崁16	6.43	2.3	140	351	4460	274	1096	286	23	35	170	0.53
108.1.21	100		崁45	7.6	1.41	140	297	6516	371	367	276	17	24	229	0.5
108.1.22	101	芒果.蔬菜	美崙段687	6.35	2.72	132	49	3696	247	1224	105	16	23	116	0.26
108.1.22	102	苦瓜	見月段533 534	6.36	1.25	57	12	1745	154	710	46	6.9	8.2	35	0.03
108.1.22	103		楓林段0041	6.48	2.3	41	88	1315	311	288	93	4.1	11	68	0.07
108.1.22	104		楓林段0046	6.16	2.38	32	63	1304	278	258	90	3.2	7.3	36	0.04
108.1.22	105		楓林段0052	6.68	2.07	48	79	1259	316	300	118	2.9	6.9	61	0.05
108.1.22	105		楓林段0054	6.61	2.45	59	81	1352	323	472	100	4.4	9.1	50	0.07
108.1.22	105		楓林段0070	6.31	2.14	63	39	848	232	408	87	3.3	9.2	80	0.08
108.1.22	106		新路段71	6.44	2.48	104	159	2135	325	557	156	4.4	14	113	0.3
108.1.22	107		楓林段0099	6.64	2.61	99	58	2193	374	299	158	3.6	17	107	0.15
108.1.22	107		楓林段0120	7.26	>6	10	87	4236	995	194	143	2.04	14	92	0.08
108.1.22	108		南世段0127-2	7.02	4.8	80	148	3382	432	142	204	2.9	29	73	0.08
108.1.22	109		丹路段0267	6.87	5.58	8	102	2426	599	185	232	4.7	14	49	0.06
108.1.22	110		丹路段0274	6.43	4.53	21	76	2896	541	198	153	3.7	14	54	0.04
108.1.22	110		巴士墨段0441-5	6.96	>6	21	121	3331	719	47	268	1.7	13	87	0.08
108.1.22	111		南世段0441-5	6.22	3.73	9	37	1561	537	419	179	2.4	8.7	47	0.03
108.1.24	112	南瓜	A	7.14	2.45	95	60	2797	196	696	183	8.9	21	34	0.07
108.1.24	112		B	7.05	2.03	67	35	2958	166	829	172	9.7	24	44	0.09
108.1.25	113	香蕉	0032-0000	7.29	1.32	83	50	3083	179	914	293	5.7	16	44	0.03
108.1.25	114		697	7	1.52	133	12	3358	124	533	159	8.7	133	54	0.06
108.1.25	114	水		7.73		2.6	1.3	92	17	0	0	0	0.01	0	0.49

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.1.25	115	茄子	896	5.7	1.81	92	52	1459	128	805	86	12	23	33	0.03
108.1.25	116		0695-0000	6.82	1.82	127	32	2582	198	2104	50	14	18	52	0.05
108.1.25	117	檸檬	1176-0000	6.05	1.38	129	7.2	1328	98	2198	26	13	12	67	0.04
108.1.25	118	檸檬	新田段	4.79	1.47	140	12	1196	95	1193	12	8.9	5.03	80	0.08
108.1.28	119		新路段0455-0000	6.92	4.19	11	13	1947	369	208	126	3.3	68	39	0.08
108.1.28	119		新路段0456-0000	6.05	2.37	15	78	1876	406	169	42	2.6	4.4	18	0.02
108.1.28	120		楓林段0414-0000	6.32	2.38	19	44	1056	230	467	29	4.6	5.3	35	0.08
108.1.28	120		楓林段0400-0000	6.62	2.1	9	16	1163	324	413	89	3.8	3.6	104	0.51
108.1.28	120		楓林段0413-0000	6.1	3.06	32	69	1553	327	572	46	4.6	5.1	32	0.11
108.1.28	121		南世段0441-0001	5.74	2.84	47	16	894	193	59	27	2.8	3.1	17	0.03
108.1.28	122		新路段0435-0000	7.36	>6	10	54	4923	855	22	129	1.7	13	69	0.14
108.1.28	122		新路段0301-0000	7.43	3.25	21	269	5974	464	139	142	3.9	42	51	0.15
108.1.28	122		楓林段0088-0000	5.58	2.1	21	29	1262	241	247	19	3.1	2.5	41	0.09
108.1.28	122		楓林段0094-0000	6.59	2.15	46	33	707	163	181	58	2.6	4.3	42	0.13
108.1.28	123		楓林段0018-0000	7.15	4.09	28	84	2433	498	108	79	2.4	5.9	33	0.05
108.1.28	123		楓林段0018-0001	6.31	3.86	21	97	2166	364	181	77	2.8	7.6	23	0.11
108.1.28	124		楓林段0091-0001	6.21	2.42	23	37	1411	279	656	74	4.2	5.3	24	0.05
108.1.28	125		新路段0448-0000	6.64	2.73	36	29	2113	390	314	49	5.8	8.5	29	0.04
108.1.28	125		新路段0454-0000	6.61	2.22	21	24	1616	373	183	57	3.9	3.1	25	0.04
108.1.28	125		新路段0463-0000	6.32	3.87	6	74	2532	463	139	112	2.7	6.3	20	0.04
108.1.28	126		楓林段0053-0000	6.54	2.03	27	83	1223	326	367	40	3.6	5.1	25	0.07
108.1.28	127		楓林段0047-0000	6.35	3.06	17	90	1670	343	259	65	3	7.5	18	0.08
108.1.28	128	番石榴	萬巒段	6.27	2.36	52	28	2293	239	566	39	6.4	9.5	27	0.06
108.1.28	128	香蕉	泗水段	6.81	2.17	141	47	5403	244	827	56	8.1	23	54	0.05
108.1.28	129	檸檬	表土	6.74	1.88	95	34	1256	92	303	46	8.1	9.9	18	0.06
108.1.28	129	檸檬	底土	6.82	1.62	95	30	1310	95	297	51	7.3	11	20	0.05
108.1.28	130	檸檬	底土	6.89	0.9	39	35	1045	77	327	92	4	5.4	20	0.08
108.1.28	130	檸檬	底土.鴨寮	6.77	1.96	151	236	3371	188	282	60	6.3	30	33	0.12
108.1.28	130	檸檬	表土	7.17	3.35	178	244	7370	366	38	105	3	85	70	0.12
108.1.28	130	檸檬	表土.鳳梨園	7.63	1.05	42	32	2699	147	845	165	4.9	10	22	0.08
108.1.28	131	毛豆	1區	7.02	3.24	126	314	4126	294	463	137	9.1	20	141	1.33
108.1.28	131	毛豆	2區	7.53	2.35	61	233	5115	333	275	165	7.8	13	107	0.5
108.1.28	131	毛豆	3區	6.65	2.65	69	242	3613	308	549	115	7.6	9.2	111	0.85
108.1.28	131	毛豆.紅豆.南瓜.美濃瓜	24區	6.85	2.02	125	229	2376	209	892	136	7	14	42	0.41
108.1.28	131	毛豆	28區	7.63	2.02	74	212	4704	336	356	189	16	16	98	0.4
108.1.28	131	檸檬	頂孝段表土	7.65	2.3	69	56	4955	176	460	168	17	51	56	0.11
108.1.28	131	檸檬	頂孝段底土	7.53	2.39	97	75	4662	217	364	151	15	32	45	0.1
108.1.28	132	檸檬	表土	7.07	1.53	142	56	1294	102	493	56	5.3	8.1	28	0.06
108.1.28	132	檸檬	底土	6.78	1.6	110	122	1658	150	280	32	4.4	4	24	0.06
108.1.28	133		土庫段1728	7.18	1.73	67	20	7586	181	11	6.5	1.5	0.38	38	0.88
108.1.28	133		瀾力肚段1162	6.99	1.8	72	30	7521	226	24	9.6	1.5	0.38	38	1.06
108.1.29	134	苦瓜	園1	5.27	2.22	141	463	1907	199	353	83	5.5	15	51	1.09
108.1.29	134	苦瓜	園2	4.87	2.16	151	1716	3078	495	570	110	4.6	22	87	3.52
108.1.29	134	苦瓜	園3	6.89	2.09	127	554	4460	505	762	223	7.5	29	115	2.38
108.1.29	135	苦瓜	園1	5.65	1.8	65	290	1834	383	432	71	4.6	5.3	40	0.76
108.1.29	135	苦瓜	園2	6.11	3	37	109	2098	414	471	100	5	6.9	43	0.56

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.1.29	136	菠菜	445	7.63	1.33	136	96	7976	456	139	97	6.7	34	328	0.81
108.1.29	136	菠菜	446	7.5	1.19	143	159	6858		211	92	5.6	33	142	0.3
108.1.29	136	菠菜	446-1	7.68	1.26	134	92	6306	293	167	86	4.9	35	128	0.33
108.1.29	137	香蕉	海豐	8.36	0.77	26	57	5639	316	1598	209	4.8	8.3	306	0.41
108.1.29	138	茄子	茄苳段	6.78	2.71	134	276	4139	348	775	138	9.4	30	43	0.21
108.1.29	139	香蕉	822-91	6.23	1.67	109	56	2637	198	261	29	9.3	31	17	0.09
108.1.29	139	香蕉	822-48	6.43	2.46	110	73	3535	130	409	47	9.8	43	30	0.23
108.1.3	27	木瓜	仙人圳	7.12	1.32	163	94	1069	94	1522	277	11	42	95	0.35
108.1.3	27	花胡瓜	仙人圳	6.88	1.74	140	37	1402	102	1025	261	9.3	50	41	0.17
108.1.3	28	花卉		4.82	1.6	169	38	957	62	1838	42	8.5	22	50	0.12
108.1.3	29	芭樂	阿蓮	6.98	1.34	114	34	1406	74	612	184	15	52	85	0.14
108.1.3	30	芭樂		7.82	1.25	118	31	995	47	546	324	6.3	49	775	1.09
108.1.3	31	芭樂.鳳梨	萬丹	9.83	1.25	8.9	41	695	24	4072	399	6.9	19	2707	0.66
108.1.3	32	香蕉		7.23	1.74	47	40	788	30	666	164	25	29	32	0.06
108.1.3	32	黑豆		7.03	1.96	49	127	1131	124	536	176	17	24	25	0.06
108.1.3	33	金桔	麟洛 上面	5.28	2.28	38	88	1235	101	1850	74	28	56	104	0.35
108.1.3	33		麟洛 下面	3.37	2.02	102	166	1829	166	2034	38	26	34	79	0.54
108.1.30	140			7.61	1.73	35	81	3539	171	282	151	5.0	38	36	0.12
108.1.30	141		龍肚段	6.81	1.53	124	106	3501	162	1,146	76	5.6	8	35	0.51
108.1.30	141		龍肚段	5.7	1.96	118	100	1841	191	1,564	30	5.7	7	38	0.65
108.1.30	142	鳳梨	大響營段一小段	5.2	1.53	17	33	632	124	110	43	3.2	37	21	0.1
108.1.30	142	水		6.54		2.4	1.34	24	10	0	0.03	0.2	0.06	8	0.25
108.1.30	143	鳳梨	新厝一小段0089-0000	6.89	2.08	58	64	3677	111	140	122	4.9	7	17	0.15
108.1.30	143	水		6.49		2.2	1.8	24	11	0.09	0.03	0.2	0.05	8	0.23
108.1.31	144	香蕉	9	6.96	3.85	20	106	4120	378	212	94	5.2	37	23	0.14
108.1.31	144	香蕉	10	7.34	3.78	60	126	6563	385	154	102	5.0	24	28	0.17
108.1.31	144	香蕉	11	6.94	2.46	131	114	2751	252	299	92	6.1	23	24	0.12
108.1.31	144	香蕉	12	6.5	3.54	147	55	2703	259	348	86	5.2	18	20	0.09
108.1.31	144	香蕉	13	6.55	2.56	153	80	2197	272	450	60	5.6	14	23	0.08
108.1.31	144	香蕉	14	6.51	1.46	49	49	1314	81	117	32	2.9	4	16	0.04
108.1.31	144	香蕉	15	6.58	1.85	61	105	1403	123	130	43	3.1	5	31	0.05
108.1.31	144	香蕉	16	6.85	1.69	29	147	1859	152	137	75	5.0	6	19	0.08
108.1.31	144	香蕉	17	6.75	2.88	132	51	2895	263	368	94	4.7	16	26	0.1
108.1.31	144	香蕉	18	5.81	2.07	145	257	2377	131	381	52	7.0	13	24	0.27
108.1.31	144	香蕉	19	6.45	2.01	160	210	2105	198	399	59	7.1	28	20	0.08
108.1.31	145	茶	1表土	4.7	1.95	95	212	673	151	63	24	2.2	10	14	0.12
108.1.31	145		底土	4.82	1.79	97	75	1071	215	134	25	2.4	10	14	0.06
108.1.31	145		2表土	4.51	1.82	65	182	540	156	49	21	2.2	8	15	0.12
108.1.31	145		底土	4.66	1.47	31	36	399	320	52	16	2.0	7	15	0.03
108.1.31	145		3表土	4.45	2.43	73	346	576	287	43	31	1.9	10	40	0.5
108.1.31	145		底土	4.66	1.82	44	71	508	216	44	19	2.4	15	14	0.06
108.1.31	145		4表土	4.51	1.05	7	7	116	44	21	8	1.7	2	12	0.01
108.1.31	145		底土	5.22	0.9	42	30	645	221	35	3	1.7	1	12	0.02
108.1.31	146	苦瓜	右C 1340-1018	5.08	2.73	180	1,511	2528	448	1,068	267	9.1	51	199	1.94
108.1.31	146		左T 1340-1018	5.47	1.79	179	1,094	2341	292	1,060	128	8.5	36	79	1.26
108.1.31	147	水稻.紅豆	龍中段1428	7.16	1.53	33	105	6424	196	325	283	6.6	10	38	0.23

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.1.31	148	水稻.紅豆	龍中段1428~5	7.67	1.2	18	102	6536	165	309	337	4.0	7.0	25	0.14
108.1.4	32	水		7.31		1.4	1.8	134	24	0	0	0.01	0.01	27	0.71
108.1.7	35	胡麻	381	5.2	1.47	20	60	348	59	257	47	1.7	2.7	41	0.04
108.1.7	35	胡麻	189(1~6)	5.48	1.33	23	55	403	74	242	48	2.5	3	50	0.07
108.1.7	35	胡麻	764~769 775	6.05	1.25	51	42	686	61	460	43	3.9	3.9	40	0.03
108.1.7	35	胡麻	924.926	4.94	1.55	29	17	419	44	68	52	1	2.6	32	0.06
108.1.7	35	胡麻	19(3-6)	4.96	1.31	39	12	380	33	95	45	1.6	2.6	31	0.04
108.1.7	35	胡麻	80	4.74	0.98	21	49	210	42	141	15	1.3	1.5	28	0.02
108.1.7	35	胡麻	109-1 110	4.75	0.97	19	32	160	33	257	26	1.6	2.2	31	0.0.3
108.1.7	35	胡麻	375 363 358 325 329 324	6.26	1.31	51	87	1031	85	338	58	3.4	15	44	0.04
108.1.7	36		723	7.39	2.43	60	77	5663	256	629	515	6.1	22	42	0.17
108.1.7	36	水	723	7.62		1.1	2.12	97	21	0	0	0.02	0.03	21	0.57
108.1.7	37	印度棗	(1328)151號T區	6.34	3.76	176	608	6404	424	991	204	15	217	113	0.47
108.1.7	37		(1328)151號C區	5.1	3.24	177	285	3374	205	2742	166	25	151	77	0.37
108.1.7	49	水	932	7.26		1.3	2.68	142	42	0	0	2.1	0.03	79	0.99
108.1.7	49	水	520	6.95		0.8	2.43	139	41	0	0.1	0.7	0.02	76	0.97
108.1.7	50	水	水洗EFB	5.27		19.9	895	18	12	52	0.5	0.1	0.5	22	1.83
108.1.7	51	水	蘭園	7.63		1.8	1.58	89	23	0	0.1	0.02	0.01	23	0.62
108.1.8	38	洋蔥	429	5.99	1.88	54	49	1848	284	530	172	7.6	9.6	107	0.17
108.1.8	38	洋蔥	424	6.44	1.66	47	33	3043	239	549	174	6	8.6	113	0.34
108.1.8	38	洋蔥	387	6.99	2.06	59	64	2789	463	1346	249	12	18	212	0.31
108.1.8	39	洋蔥	0350-0000	6.84	1.87	20	62	1464	289	770	143	7.1	11	78	0.05
108.1.8	40	洋蔥	701	7.29	1.83	31	105	4138	582	549	421	11	9.2	299	0.21
108.1.8	40	洋蔥	424	6.6	1.72	46	66	2354	295	533	84	5.7	7.1	123	0.24
108.1.8	41	洋蔥	55	6.66	2.23	35	74	2332	456	1450	279	10	11	168	0.09
108.1.8	41	洋蔥	219	6.68	1.39	41	57	2238	261	530	118	6.2	8.2	107	0.11
108.1.8	41	洋蔥	166	7.34	1.69	27	41	3603	231	668	225	6.6	6.5	142	0.11
108.1.8	42	洋蔥	田中央段	6.56	2.32	103	90	2659	519	1424	107	11	16	437	0.48
108.1.8	43	蕃茄	1433-1	6.79	1.96	77	154	4533	524	467	207	18	16	150	0.59
108.1.8	44	薑	381	5	5.01	47	36	339	46	63	36	1.6	2.4	22	0.04
108.1.8	45	李	963	4.35	8.59	58	145	2234	334	60	57	1.4	5.3	27	0.27
108.1.8	46	李	高中段78	5.42	5.68	15	148	1578	490	92	169	2.4	44	22	0.05
108.1.8	47	木瓜	687	5.99	2.32	102	68	3522	273	1744	138	11	21	63	0.29
108.1.8	48	龍鬚菜	88	5.29	2.85	120	105	1702	214	451	54	5	9.9	24	0.11
108.1.8	48		Feb-88	6.44	3.7	144	120	4533	313	325	164	5.3	22	52	0.23
108.1.8	49	辣椒	932	6.71	1.89	41	64	1880	283	394	108	5.9	18	39	0.06
108.1.8	49	南瓜.芭樂	520	6.62	1.69	39	41	1797	266	466	101	6.9	10	67	0.12
108.1.8	52	檸檬		6.22	1.82	189	25	2375	130	1552	166	13	30	42	0.08
108.1.8	53	檸檬		6.53	1.32	151	25	1966	116	1081	45	15	20	45	0.06
108.1.9	54	紅龍果	A區	6.85	3.49	159	101	4222	266	1380	122	60	74	131	0.09
108.1.9	54	紅龍果	B區	6.96	5.7	164	176	5764	418	1063	143	27	151	204	0.14
108.1.9	55	紅龍果		6.87	2.62	126	13	2900	101	1674	86	24	48	59	0.06
108.1.9	56	葉菜		6.33	3.15	6.6	34	2221	313	983	39	12	21	116	0.13
108.1.9	57	稻米	84	6.16	2.27	19	15	1887	181	1595	78	14	14	64	0.04
108.1.9	57	水	84	7.73		1.4	0.77	60	12	0	0.1	0.02	0.01	34	0.35
108.1.9	58	荔枝	表土	5.1	2.62	66	19	675	109	667	18	5.6	11	18	0.02

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.1.9	58	荔枝	底土	4.96	1.75	63	2.41	489	74	805	8.9	4.5	5.4	19	0.01
108.1.9	58	水	0245-0000	7.96		1.8	0.05	3.33	1.19	0	0	0.04	0.01	21	0.08
108.1.9	59	荔枝	表土	4.47	1.94	30	26	205	89	63	46	2	5.2	14	0.04
108.1.9	59	荔枝	底土	4.34	1.8	18	14	111	43	84	28	1.6	4.1	17	0.01
108.1.9	59	水	0935-0515	6.22		2.4	0.8	4.86	5.7	0	0	0.02	0.5	37	0.29
108.1.9	60	芒果	0527表土	5.51	2.38	104	160	1974	297	586	105	14	19	44	0.04
108.1.9	60	芒果	0527底土	5.87	2.9	146	216	3646	356	1000	100	9.2	26	72	0.03
108.1.9	60	水	527	7.82		1.0	20	42	24	0	0.1	0.02	0.02	123	0.07
108.1.9	61	芒果	0568表土	5.9	1.66	127	67	1723	296	708	63	8.9	12	32	0.02
108.1.9	61	芒果	0568底土	6.02	2.04	130	82	2883	284	768	88	10	27	46	0.02
108.1.9	61	水	568	8.16		0.6	0.65	40	18	0	0	0.02	0.01	23	0.15
108.10.1	1012	蓮霧	玄聖段364~2號表土	7.14	1.3958	263.48	48.044	993.37	110.29	492.32	18.675	9.18	7.8681	9.7513	0.03
108.10.1	1012		玄聖段364~2號底土	7.11	0.7701	61.03	25.62	394.21	64.213	228.74	35.372	1.4418	1.8724	5.7149	0.01
108.10.1	1013	馬鈴薯		8.1	0.8416	14.698	21.246	649.81	161.73	275.74	38.657	0	1.1698	26.457	0.05
108.10.1	1014	洋蔥	保新段870-2	7.98	2.1506	17.945	35.141	907.41	264.92	356.68	30.185	1.4107	1.3122	16.673	0.03
108.10.1	1014		保新段870-1	7.92	2.0297	14.167	46.175	1273.3	348.12	399.39	24.413	1.9196	1.5431	23.148	0.03
108.10.1	1014		保力段保力小段875	7.89	2.5275	18.584	65.458	1432.5	432.66	626.2	49.822	2.2215	2.6113	31.047	0.05
108.10.1	1014		保力段保力小段231-1表土	7.48	2.2953	24.382	70.094	951.62	294.99	395.9	82.326	1.6487	1.916	11.998	0.04
108.10.1	1014		保力段保力小段202-1表土	7.47	2.4108	43.401	67.831	1007	266.13	609.7	34.605	1.9057	2.0071	11.512	0.04
108.10.1	1015	苦瓜	新林段0107.0412	6.8	2.0795	127.43	59.063	741.05	85.494	566.71	18.866	1.3045	2.6475	11.285	0.05
108.10.1	1015	無	0149頂新段0213	7.05	2.3108	108.89	37.183	947.87	96.692	831.25	40.804	2.657	3.9006	14.457	0.09
108.10.1	1015		0516新利段0253	6.82	2.5578	86.032	47.71	949.98	136.41	690.51	19.928	2.0815	3.4494	14.665	0.08
108.10.1	1015		0513新洋段0212	7.02	2.6167	106.91	41.907	1331.1	185.94	966.62	37.503	1.4137	4.8689	16.78	0.06
108.10.1	1015		0513新洋段0213	6.92	2.3556	108.8	51.663	1749	242.83	1026.9	41.714	1.3873	6.0536	22.658	0.07
108.10.1	1016			7.32	1.2524	23.217	52.061	868.4	252.94	440.12	38.981	1.1956	3.6323	34.812	0.05
108.10.1	1017	小黃瓜	田庄段516	7.1	1.5302	263.61	76.985	1073.3	125.99	466.59	29.406	2.1994	4.3385	9.5295	0.03
108.10.1	1017	水	田庄段516	8.09		0.0322	1.5975	142.47	21.895	-0.4085	0	0	0	10.265	0.63
108.10.1	1018		木柵段455-1.460.459.72-9	6.61	1.8	70.797	45.469	1185.7	254	255.04	24.943	0.8031	3.8951	14.949	0.02
108.10.1	1019		頂寮段787.810	6.43	2.4108	30.64	47.271	1465.3	231.66	304.78	36.894	1.2162	3.2303	8.9364	0.02
108.10.1	1020		高鳳段35.坪北段642-2	7.09	2.6342	159.27	49.89	1741.9	233.43	241.85	23.814	2.2208	14.109	11.006	0.04
108.10.1	1021	芭蕉.紅龍果.蔬菜	紫竹段453	6.33	1.6844	60.163	36.883	757.02	192.93	292.84	15.413	1.2694	2.2435	9.4411	0.02
108.10.1	1021		頂寮段700.701.702.703-699	7.47	2.7163	51.069	60.935	1668.9	292.44	554.17	35.6	0.9545	2.905	7.6121	0.03
108.10.14	1062	鳳梨	四春段1063-0000號	4.2	1.1183	43.207	17.118	80.793	26.125	229.79	17.148	0.4687	1.0747	4.4434	0.02
108.10.14	1063	鳳梨	鹿寮段0057-0000	3.82	1.6099	92.39	17.565	92.938	8.0463	390.9	11.522	1.5858	0.9511	6.0843	0.02
108.10.14	1064	香蕉	四青段0150-000	5.14	1.2535	104.99	29.048	278.82	40.994	429.23	10.509	1.026	1.2164	5.0008	0.01
108.10.14	1065	鳳梨	鹿寮段0063-0000	5.02	0.9769	58.857	48.428	465.41	70.998	208.87	33.225	0.8408	1.3355	4.5709	0.04
108.10.14	1065	鳳梨	四春段0589,四塊厝0589 0587號	4.36	1.8867	57.418	23.93	357.49	45.287	261.5	10.456	1.1522	1.1339	6.328	0.04
108.10.14	1066	香蕉	繁華	6.39	1.4665	42.806	67.394	699.23	70.543	265.25	24.628	2.7446	2.4273	10.902	0.11
108.10.15	1067	蓮霧	1140號	7.4	4.113	917	850.6	4352.1	625.17	359.35	98.195	22.694	73.022	135	0.35
108.10.15	1067	水		8.24		0.0016	0.9559	14.775	5.6116	0.0175	0.0103	0	0	14.515	0.18
108.10.15	1068	台灣藜.小米	中山段165號	6.04	2.0336	47.46	80.609	827.87	137.04	222.26	92.948	1.7127	2.504	6.8579	0.05
108.10.15	1069	敏豆	高樹段534號	5.27	1.6876	281.03	131.38	592.84	90.457	532.13	11.667	4.0526	5.2899	10.363	0.15
108.10.15	1070	木瓜	民意段0232-0001	7.13	1.1071	140.33	45.63	849.51	73.338	296.86	30.531	3.1996	3.686	6.241	0.07
108.10.15	1071	絲瓜	永隆段0634號	4.7	1.3239	322.88	104.58	736.25	56.664	394.68	27.678	3.8522	10.029	14.786	0.19
108.10.15	1072	木瓜	民意段0232-0000	7.13	1.2559	151.17	80.266	1454	91.868	286.2	28.48	3.3461	5.5962	8.983	0.13
108.10.15	1073	檸檬	永隆段0641號	7.42	1.2641	172.66	40.228	1290.1	62.591	287.24	34.15	3.3495	5.9712	4.5121	0.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.10.15	1074			5.85	1.5302	132.47	149.95	932.95	115.19	209.17	60.069	3.2772	6.7532	10	0.2
108.10.15	1075	水稻	龍肚段3996號	6.63	1.8742	136.7	44.727	1036.9	118.73	746.33	23.085	1.7794	3.7368	7.0579	0.05
108.10.16	1076	蓮霧	同安段0360	4.95	2.6393	400.8	795.6	1114	308.47	716.15	24.628	2.503	7.4613	74.139	0.42
108.10.16	1076	蓮霧	同安段0134	3.31	1.3958	208.16	504.33	319.43	108.64	767.66	10.416	0.713	1.5505	20.131	0.37
108.10.16	1076	水	同安段0360	7.59		0.0705	0.8651	51.016	11.04	0.0061	0.2249	0	0	15.003	0.32
108.10.16	1076	水	同安段0134	7.64		0.1432	1.0012	51.207	10.62	0.0058	0.225	0	0	15.191	0.32
108.10.16	1077	蓮霧	同安段0873	6.61	2.3175	488.41	265.99	1958.4	321.26	709.24	35.693	2.496	5.4059	69.64	0.19
108.10.16	1077	水	0873-0000	7.1		0.1	8.5504	151.28	34.932	1.268	0.9359	0	0	43.021	0.95
108.10.16	1078	紅豆.南瓜	彭新段1091內1092內 56-A	6.64	2.1465	11.695	45.303	819.01	77.145	221.89	71.043	2.3532	1.7783	5.9664	0.04
108.10.16	1078	紅豆.南瓜	彭新段1091內1092內 56-B	6.9	2.3019	10.029	30.973	1137.8	76.484	188.77	67.39	2.6786	1.8297	5.9097	0.05
108.10.16	1078	紅豆.南瓜	彭新段1091內1092內 56-C	6.74	1.947	15.072	34.876	1102.9	88.672	215.07	68.222	2.5526	1.8069	6.0943	0.04
108.10.16	1078	紅豆.南瓜	彭新段1091內1092內 56-D	6.89	1.9581	11.809	35.289	1221.2	101.39	224.48	73.929	2.8959	2.1439	5.8558	0.05
108.10.16	1078	紅豆.水稻	香社段245	5.9	2.9022	100.34	124	1206.6	133.18	521.42	26.952	2.7863	3.6722	17.154	0.14
108.10.16	1078	紅豆.水稻	香社段248	7.09	2.0954	407.44	115.82	1988.4	197.57	258.84	32.927	3.8863	21.548	9.5823	0.07
108.10.16	1079	鳳梨.香蕉	安坡段587A	4.33	5.7771	17.075	90.58	352.49	90.974	87.798	180.2	1.0637	2.5844	3.6565	0.06
108.10.16	1079	鳳梨.香蕉	安坡段588B	4.71	>6	35.729	116.55	599.63	152.5	108.45	181.09	0.9818	4.4492	7.7761	0.13
108.10.16	1080	水	中路段2909 2910	7.32		0	4.5707	175.8	38.492	0.0048	0.3417	0	0	27.442	0.94
108.10.16	1081	檸檬	新莊段1025-0000	6.39	1.3276	77.776	17.289	659.22	54.431	256.45	36.995	2.4396	2.7056	6.4812	0.03
108.10.16	1082	香蕉	繁華813-0	5.89	1.1822	160.8	26.98	483.4	58.322	727.81	33.62	1.868	1.9952	6.9843	0.02
108.10.16	1082	香蕉	繁華815-0	5.83	1.1965	84.144	27.656	435.53	49.114	424.18	22.323	1.571	1.4971	5.6513	0.01
108.10.16	1082	蓮霧(大果品)	水門風景段0632-0000	6.73	1.4776	269.12	43.387	1016.4	80.707	506.07	16.077	2.4809	4.0149	5.3836	0.06
108.10.16	1082	蓮霧(台農2號)	水門風景段0643-0000	6.18	1.9488	179.12	33.815	1283.3	88.175	300.08	19.573	3.0441	7.1217	5.6764	0.04
108.10.16	1082	蓮霧(台農3號)	水門風景段0644-0000	6.45	1.4023	107.94	27.681	1546.2	68.874	357.18	51.624	3.9991	9.1455	3.8228	0.05
108.10.16	1082	蓮霧(大果種)	振北段1028-0000	6.1	2.2346	301.73	69.315	1192.8	136.73	530.39	37.061	3.9664	13.08	6.1355	0.04
108.10.16	1082	蓮霧(南洋種)	高朗段0486-0000	6.04	1.7393	128.64	37.122	729.99	97.785	408.07	9.861	3.9096	4.2327	6.2496	0.03
108.10.16	1082	蓮霧(巴掌香水)	隘寮段0167-0006	6.16	1.1866	78.409	49.271	500.86	78.295	396.73	18.664	2.181	1.9522	4.5328	0.04
108.10.16	1083	百香果	大區	6.41	1.795	133.73	95.457	2378.8	79.218	207.91	14.341	2.2537	3.0167	4.7369	0.06
108.10.16	1083		小區	6.2	1.8724	209.78	147.47	521.49	56.979	374.84	13.162	0.9154	2.9721	4.642	0.03
108.10.17	1084	洋香瓜	振北段127號(1-1)	7.19	3.1482	120.13	310.54	2206.1	529.8	213.16	36.701	1.0744	3.6528	118.7	0.24
108.10.17	1084	洋香瓜	振北段127號(1-2)	6.04	2.4363	157.25	73.095	1244.5	198.9	301.25	49.526	1.402	4.5649	12.803	0.12
108.10.17	1084	洋香瓜	振北段127號(2)	7.43	2.4131	157.15	73.657	1149.6	183.02	329.77	37.236	1.4645	3.3436	10.619	0.13
108.10.17	1084	洋香瓜	振北段127號(3)	7.13	1.8	150.83	134.67	1319.1	239.29	330.91	28.22	1.3486	3.2269	25.676	0.52
108.10.17	1084	洋香瓜	振北段127號(4)	7.94	2.6982	142.87	154.91	1044.5	191.2	271.76	14.62	0.989	3.1653	24.463	0.53
108.10.17	1085			6.25	3.8051	10.631	43.239	594.24	108.01	101.11	6.3491	0.5404	0.9541	8.663	0.03
108.10.18	1086	鳳梨	上萬安段164	6.03	1.616	182.87	53.128	386.49	104.04	404.55	26.178	1.9345	2.7499	4.0661	0.03
108.10.18	1087	檸檬	大港洋段0000-69	5.11	1.8813	217.64	81.85	1208.1	118.24	360.23	23.419	3.1898	5.0074	5.3774	0.04
108.10.18	1088	苦瓜	佳和段0822-0828	6.85	2.5275	77.242	152.06	869.06	154.73	287.04	28.69	1.9784	4.6755	11.667	0.16
108.10.18	1089	苦瓜	三民段0168-0000	4.86	3.863	551.59	133.23	1725	296.7	392.47	58.652	5.3348	26.73	8.2459	0.02
108.10.18	1089	苦瓜	三民段0168-0001	5.48	4.273	499.9	121.61	1739.2	272	321.58	54.121	4.8866	25.202	7.5005	0.1
108.10.18	1090	馬鈴薯		5.2	0.9037	16.023	40.148	712.39	90.197	142.08	40.543	0	0.702	14.427	0.03
108.10.18	1091	敏豆	吉東段900	6.15	1.6764	192.71	74.801	1229.3	114.43	588.12	6.9931	1.8541	3.4596	7.5943	0.05
108.10.18	1091	豇豆	吉東段893	6.95	1.3919	95.631	58.455	1081.5	118.86	354.46	22.246	3.1418	2.0615	11.554	0.08
108.10.18	1092	葉菜.瓜果	月眉一小段2014-0000 A08	7.2	5.467	150.21	155.82	2000.7	490.54	154.88	31.52	0.4844	3.1978	44.231	0.53
108.10.18	1092	葉菜.瓜果	月眉一小段2014-0000 A10	5.91	4.2316	120.06	85.001	1447.5	377.49	122.95	25.796	0.337	2.2061	20.512	0.06
108.10.18	1092	葉菜.瓜果	月眉一小段2014-0000 A11	5.32	6.0492	174.92	134.83	1856.4	456.66	182.86	34.662	0.4672	3.4978	37.644	0.58
108.10.18	1092	葉菜.瓜果	月眉一小段2014-0000 A12	7.69	5.6854	155.07	150.22	1761.6	441.38	145.52	30.49	0.4275	3.1407	40.366	0.53

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.10.18	1093	葉菜.瓜果	月眉一小段2025-0000 7A3	6.19	3.2148	11.26	65.774	940.93	310.76	520.92	58.382	0.9078	0.9267	19.803	0.07
108.10.18	1093	葉菜.瓜果	月眉一小段2032-0000 7C1	6.45	3.4239	11.271	58.785	584.32	173.64	414.44	50.203	0.7729	0.7736	13.934	0.08
108.10.18	1093	葉菜.瓜果	月眉一小段2032-0000 7C2	6.12	3.0606	8.9961	47.321	728.62	252.22	491.32	78.744	0.8065	0.8107	15.794	0.06
108.10.18	1093	葉菜.瓜果	月眉一小段2032-0000 7C3	7.28	3.4074	9.2212	56.001	1061.1	324.71	423.76	100.15	1.3721	0.8378	20.253	0.06
108.10.18	1093	葉菜.瓜果	月眉一小段2032-0000 7B2	6.84	3.2941	9.6528	57.774	664.47	234.7	422.29	48.941	0.6725	0.6711	11.918	0.06
108.10.18	1093	葉菜.瓜果	月眉一小段2032-0000 7B3	5.82	3.2718	13.206	48.292	723.86	265.98	710.39	45.894	0.6509	0.8625	18.036	0.07
108.10.18	1093	葉菜.瓜果	月眉一小段2032-0000 7B4	6.15	3.2242	11.986	59.491	939.3	321.6	558.24	60.837	1.0247	0.7753	19.559	0.07
108.10.2	1022	水	振北段127	8.31		0.0356	1.5455	86.366	21.615	-0.4058	0	0	0	5.3329	0.43
108.10.2	1023	葉菜	玉泉段424	7.48	3.4768	185.1	47.199	1725	164.44	163.69	92.606	3.2307	4.3968	13.219	0.11
108.10.2	1024	檸檬	華錦段133.129	7.17	1.4515	157.89	25.165	965.74	108.08	328.65	37.549	2.7148	5.8796	8.8898	0.03
108.10.2	1025	鳳梨	大樹區和山段482	4.57	1.6576	33.595	23.829	56.915	21.289	246.12	4.5517	0.0065	1.2111	7.4593	0.02
108.10.2	1025		溪埔段310-182	4.86	1.8724	120.59	47.45	147.51	23.634	247.57	14.388	0.8117	1.8219	7.0148	0.03
108.10.21	1094	紅龍果	菜公坑段489	7.18	3.6085	125.19	79.974	626.2	183.06	635.68	6.1744	3.6035	4.5063	13.864	0.06
108.10.21	1095	黃瓜		6.92	2.3086	344.38	1207	3294.4	980.91	458.77	34.342	3.9095	8.5347	527.65	3.9
108.10.21	1096	蔬菜	玉泉段0424-0000之9區	7.01	1.6008	35.784	43.325	856.31	99.276	180.65	60.075	3.8329	2.2642	13.427	0.17
108.10.21	1097	鳳梨	口社1	6.09	0.9778	97.234	32.931	331.75	54.963	380.5	45.673	2.0349	3.1579	4.474	0.03
108.10.21	1097	鳳梨	埔羌段1230號	7.23	0.9778	198.49	38.254	824.76	70.27	443.37	53.588	4.0852	7.0544	3.3772	0.04
108.10.21	1097	鳳梨	廣興段三甲	4.36	3.1931	28.934	43.258	138.52	2.973	152.29	8.8457	0.7174	0.7224	3.6481	0.06
108.10.21	1097	鳳梨	泰和段1327	5.27	1.2582	38.246	63.528	273.77	48.114	208.99	21.869	0.7375	1.7762	12.786	0.16
108.10.21	1097	鳳梨	新泰山段791	5.43	1.3932	160.98	28.303	259.85	25.2	435.7	50.785	2.1417	2.9613	3.8901	0.02
108.10.21	1097	鳳梨	舊場段745-747	6.17	1.3932	184.32	79.851	645.2	78.259	314.34	30.426	1.6044	7.8564	4.4771	0.06
108.10.22	1098		A1表土	7.23	1.9581	403.32	104.01	1174.7	148.77	339.49	56.627	5.4766	51.722	33.153	0.4
108.10.22	1098		A2表土	7.03	1.8849	386.67	160.35	1498.5	211.85	284.01	52.662	6.3638	50.048	69.266	0.64
108.10.22	1098		B1表土	7.13	1.4762	120.94	106.6	674.25	99.234	187.84	43.693	1.2935	11.802	18.632	0.52
108.10.22	1098		B2表土	7.21	1.5963	127.98	109.92	833.93	108.8	172.86	36.556	1.8665	18.836	12.902	0.47
108.10.22	1098		B6表土	7.2	1.5889	264.78	156.57	1232.6	185.36	422.22	39.748	2.8895	19.387	25.417	0.46
108.10.22	1099	青苔	三隆段135	7.18	1.8154	383.88	175.22	946.04	166.62	588.08	33.698	2.969	6.0719	42.873	0.42
108.10.22	1100	絲瓜	港東段972	7.24	2.0336	352.64	77.153	1312.3	187.72	616.54	30.057	3.7979	9.5515	13.243	0.15
108.10.22	1101	水	深1	8.4		0.1984	17.669	76.455	88.055	0	0.1027	0	0.0075	424.67	3.08
108.10.22	1101	水	深2	8.29		0.1012	19.845	84.832	90.416	0	0.2775	0	0.0052	544.54	3.95
108.10.22	1101	水	新井	8.21		0.08	7.0151	108.32	63.604	0	1.9995	0	0.0068	167.2	1.54
108.10.22	1101	水	臨井	8.03		0.0616	5.2903	147.77	63.857	0	0.083	0	0	115.82	1.34
108.10.22	1102			7.3	1.1183	335.55	215.25	1069.7	99.574	501.1	37.753	1.7225	4.3955	11.076	0.1
108.10.22	1103	果樹	滿林段0553-0000	7.35	2.5874	56.228	66.618	1019.5	275.15	396.57	27.238	2.2702	3.6882	10.451	0.06
108.10.22	1114	水	上	8.15		0.0563	1.0981	165.63	50.462	0	0.5136	0	0	78.831	1.08
108.10.22	1114	水	下	8.19		0.0586	1.358	174.78	42.758	0	0.789	0	0	34.87	1.02
108.10.22	1117	水	頭前溪	8.24		0.1	12	49	22	0	0	0	0	23	0.54
108.10.22	1117	水	頂柳	8.14		0	1.5	73	21	0	0	0	0	9	0.48
108.10.23	1104	芭樂	彭厝段0152	7.3	1.613	426.54	48.219	1088.3	99.178	532.59	26.894	4.4742	10.319	7.3355	0.05
108.10.23	1104		彭厝段0153	7.34	1.5202	609.77	79.779	1895	148.16	745.45	24.686	2.6591	9.4181	10.787	0.05
108.10.23	1105	米.雜糧	R100-(A.B.1B.2A.2B)	7.19	1.6732	9.4914	40.463	2035	154.34	413.93	92.542	4.4425	3.9073	8.2223	0.09
108.10.23	1105	瓜菜	R100-1(A.1B)R101(A.1A)	7.3	1.5188	35.509	33.638	1767	110.37	369.46	36.052	3.3464	3.4707	4.0304	0.06
108.10.23	1106	酪梨	表土泰和段156.156-1 156-2	7.52	0.9012	181.93	34.541	150.4	33.895	542.09	17.746	3.2371	1.4978	3.8105	0.03
108.10.23	1106	酪梨	底土泰和段156156.-1 156-2	7.44	0.9751	176.56	30.66	308.08	33.089	544.46	14.608	1.9448	1.7398	4.5095	0.02
108.10.23	1106	酪梨	表土泰和段156(-3-4-5)	7.31	1.2443	236.1	51.805	268.11	32.293	548.33	18.433	9.0503	2.2938	4.18	0.06
108.10.23	1106	酪梨	底土泰和段156(-3-4-5)	7.32	0.8423	165.15	37.176	148.61	33.045	453.73	17.211	7.479	2.1284	3.573	0.03

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷(ppm)	鉀(ppm)	鈣(ppm)	鎂(ppm)	鐵(ppm)	錳(ppm)	銅(ppm)	鋅(ppm)	鈉(ppm)	電導度
108.10.23	1106	酪梨	表土泰和段156(-6-7-8)	7.14	1.1204	308.97	43.727	154.19	33.654	714.03	13.285	4.9824	1.8438	3.9801	0.04
108.10.23	1106	酪梨	底土泰和段156(-6-7-8)	7.01	1.1132	288.57	49.79	157.92	39.228	682.34	15.619	4.0287	2.0994	4.4061	0.03
108.10.23	1106	酪梨	表土泰和段156(-9 -16)	7.26	1.3142	218.35	37.988	144.62	25.353	523.22	8.8647	1.986	1.2432	3.4337	0.03
108.10.23	1106	酪梨	底土泰和段156(-9 -16)	7.31	1.047	294.23	36.73	178.92	28.132	722.72	8.6483	5.2484	1.4168	4.9648	0.02
108.10.23	1107	芭樂	曹金段19號	7.3	0.9152	6.2479	64.246	2186.9	380.47	880.76	88.058	2.0789	4.2955	88.859	0.53
108.10.23	1107	鳳梨	湖底段781	7.37	0.976	3.6387	122.25	2425.2	354.39	898.71	113.53	2.364	4.5771	90.121	0.56
108.10.24	1108	酪梨	土庫段929-17	7.33	1.9378	260.81	59.631	1967.1	193.06	620.24	70.603	10.655	17.168	7.8594	0.04
108.10.24	1108	酪梨	土庫段929-82	7.17	0.9778	17.201	43.686	2628.8	140.96	552.46	122.26	2.0195	4.5589	16.315	0.1
108.10.24	1108	酪梨	土庫段1728	7.03	2.5104	1.7	58	36766	610	41	44	4.8	15	42	0.71
108.10.24	1108	酪梨	土庫段1729-0000	7.01	3.3188	3	88	37013	585	56	26	4.5	19	52	0.82
108.10.24	1109	葉菜.瓜果	月眉一小段2014-0000 A14	7.04	5.8931	314.77	197.84	3852.5	801.67	285.26	65.687	1.0412	5.8847	61.42	0.83
108.10.24	1109	葉菜.瓜果	月眉一小段2014-0000 A15	7	5.7267	385.75	178.69	2926.9	723.01	467.79	71.992	1.2504	6.2653	45.589	0.52
108.10.24	1109	葉菜.瓜果	月眉一小段2014-0000 A16	7.08	4.3302	148.29	98.024	3491.1	562.22	211.34	69.425	0.7484	3.221	40.758	0.46
108.10.24	1109	葉菜.瓜果	月眉一小段2014-0000 B01	6.98	6.0433	357.86	156.93	2647	587.37	294.01	71.669	1.4532	6.7191	43.925	0.35
108.10.24	1110	葉菜.瓜果	月眉一小段2025-0000 7D1	7.28	1.8	9.6882	52.927	1380.8	461.21	208.86	160.8	1.6927	1.4492	18.088	0.04
108.10.24	1110	葉菜.瓜果	月眉一小段2025-0000 7D1	7.29	2.9883	12.198	48.487	1207.7	398.32	589.78	173.5	1.4006	1.2845	22.33	0.08
108.10.24	1110	葉菜.瓜果	月眉一小段2025-0000 7D3	7.34	3.0606	18.402	58.632	1295.1	361.19	795.94	118.4	1.2076	1.4753	19.811	0.1
108.10.24	1110	葉菜.瓜果	月眉一小段2024-0000 7D5	7.51	2.9474	32.347	67.597	1432.2	428.68	720.72	117.05	2.135	2.0071	21.114	0.08
108.10.24	1110	葉菜.瓜果	月眉一小段2025-0000 7C4	7.52	3.4937	15.88	60.031	1426.9	508.05	771.2	148.24	0.9796	1.5491	21.445	0.07
108.10.24	1111	龍鬚菜	霧台段4號	7.41	3.5564	252.82	94.16	532.98	65.998	400.2	31.251	0.7895	1.1756	6.5669	0.07
108.10.24	1111	薑	霧台段4號	7.6	2.7007	141.73	95.676	1367.8	174.97	215.35	112.18	1.9933	5.3485	3.6295	0.06
108.10.24	1111	地瓜	霧台段4號	7.55	3.3092	196.83	178.1	1798.6	214.94	233.47	136.32	4.8166	7.088	3.8732	0.07
108.10.25	1112	葉菜	新二段103號	7.35	1.4638	25.182	35.864	3073.9	117.07	558.18	116.78	3.5919	5.3281	2.4559	0.07
108.10.25	1113	茄子	耆老段103	7.4	1.9619	417.89	91.479	2153.4	198.31	766.58	38.122	5.7113	11.142	13.876	0.12
108.10.25	1114		上	7.51	1.3803	30.613	21.298	717.84	185.4	417.17	92.085	1.7632	1.876	10.933	0.06
108.10.25	1114		下	7.28	2.3669	70.036	29.597	1104	180.24	596.08	55.272	2.423	2.8227	82.131	0.31
108.10.25	1115		香潭段0567-0000	7.63	2.8497	130.07	74.517	2110.1	154.83	433.96	22.482	3.4482	5.1945	5.578	0.05
108.10.25	1116	桑椹	新吉段2439	7.57	1.6039	118.63	49.851	1263.3	216.68	555.34	56.975	3.0409	5.6284	8.2103	0.02
108.10.25	1116	桑椹	新吉段2425	7.29	1.9507	79.161	24.318	1309.5	174.41	341.69	125.8	4.0192	5.709	6.2105	0.03
108.10.25	1117	辣椒	頭前溪	7.15	2.6142	293.32	70.664	1553.8	119.51	516.51	67.57	2.8653	21.53	9.3956	0.12
108.10.25	1117	茄子	頭前溪	7.23	1.678	225.25	124.8	1212.4	132.46	565.28	50.498	2.2361	7.4216	8.6346	0.1
108.10.25	1117	茄子	頂柳	7.22	3.0086	290.16	136	2696.5	261.42	815.51	34.701	3.633	10.64	17.237	0.1
108.10.25	1118	紅豆	新興段	7.23	2.35	184.21	97.867	1542.4	159.91	799.82	36.896	3.6571	5.1315	14.466	0.15
108.10.28	1119	荔枝 鳳梨	水廠段0012-0000 表土	5.79	3.4633	411	125	533	49	275	12	2.3	10	7.5	0.07
108.10.28	1119	荔枝 鳳梨	水廠段0012-0000 底土	5.78	1.4693	236	123	119	4.8	159	5	0.9	1.5	3.4	0.03
108.10.28	1119	荔枝 鳳梨	龍目段1097-0000 表土	5.76	1.9544	140	72	364	78	202	4.9	0.3	3	4.4	0.02
108.10.28	1119	荔枝 鳳梨	龍目段1097-0000 底土	5.78	1.6069	206	84	236	50	268	3.2	0.3	1.4	4.3	0.02
108.10.28	1120	檸檬	玉水段384-1號	5.75	0.7046	108	39	358	36	176	32	1.3	2.8	3.9	0.02
108.10.28	1120	檸檬	東庄段1074 1078號	6.79	0.7077	71	61	399	56	277	43	1.8	2.6	4.6	0.03
108.10.29	1121	咖啡	泰武段674	6.59	4.4997	14	74	389	159	180	100	1.9	2.6	5.3	0.02
108.10.29	1122	咖啡	泰武段200號	5.35	>6	53	319	656	118	366	80	2.1	23	11	0.18
108.10.29	1123	咖啡	泰武段276	7.04	5.7771	31	144	3577	759	205	110	2.3	21	17	0.16
108.10.29	1124	咖啡	泰武段0791	7.05	3.8015	16	55	756	349	179	91	1.8	5	9.5	0.04
108.10.29	1125	咖啡	泰武段202. 示範區	5.69	>6	29	122	213	44	271	20	2	2.4	8.6	0.09
108.10.29	1126	小黃瓜	A1中路段2100 2111	6.86	3.3477	231	234	1865	383	247	91	3.3	6.7	29	0.12
108.10.29	1126	小黃瓜	A2	6.89	3.0635	236	253	1641	317	284	66	2.8	6.7	30	0.18

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.10.29	1126	小黃瓜	A3	6.91	3.2718	245	241	1625	337	314	75	2.9	7.5	27	0.25
108.10.29	1126	番茄	B	6.87	0.9168	62	119	714	157	258	37	0.5	4	28	0.17
108.10.29	1126	番茄	C1	6.92	2.7295	29	219	1395	218	247	50	2.6	8.3	16	0.25
108.10.29	1126	番茄	C2	7.02	1.6054	95	133	971	150	118	29	1.3	5.9	7.1	0.07
108.10.29	1126	小黃瓜	D	6.87	2.6469	138	170	1480	391	297	24	2	3.3	91	0.56
108.10.29	1127	番茄	中路段2330號 前	7.06	1.4502	201	176	2594	402	284	83	2.5	7.3	74	0.34
108.10.29	1127	番茄	中路段2330號 後	7.1	1.3997	94	129	2091	382	249	58	1.7	3.7	96	0.54
108.10.29	1128		吉安991號	7.59	1.7459	26	44	1281	180	272	74	1.2	4.7	5.4	0.07
108.10.29	1129	番茄	彭新段663-762	7.1	1.5963	90	37	701	109	344	35	2.2	4.5	8.1	0.13
108.10.29	1129	芭樂	新二段16	7.36	1.191	74	44	1515	72	436	52	2.5	4.8	7.2	0.06
108.10.3	1024	水		8.48		0.0669	1.7291	111.73	26.871	-0.4082	0	0	0	7.7542	0.53
108.10.3	1026	香蕉	竹葉林段0197地號496	5.29	1.7328	77.26	32.922	1197.6	83.093	294.12	34.294	2.7177	5.5307	9.4536	0.05
108.10.3	1026	檸檬	新德段0250地號430	4.65	1.6176	894.1	138.12	1291.3	83.152	702.15	21.28	8.283	12.829	21.589	0.23
108.10.3	1026		新高段0251 地號803-2	4.48	1.191	207.98	44.998	260.86	53.985	594.99	9.5421	1.7343	2.0102	8.5692	0.07
108.10.3	1027	火龍果	北勢段167號	7.36	2.3063	262.16	23.646	1726.3	122.68	306.06	32.697	2.835	12.146	9.783	0.04
108.10.3	1028	苦瓜	月見段251	6.25	2.1465	204.55	54.991	859.46	134.24	487.7	16.093	2.3859	4.6261	10.725	0.04
108.10.3	1029	苦瓜	佳和段861	6.56	1.7409	159.3	48.291	725.88	92.334	645.68	32.45	2.3258	3.1461	7.2107	0.02
108.10.3	1029		佳和段859	6.93	1.6039	142.41	43.599	934.18	96.702	519.56	87.332	2.4822	3.9689	10.759	0.05
108.10.3	1030	檸檬	九塊段528-1號.531號	5.02	1.1877	292.44	80.161	400.12	73.595	694.2	45.67	4.3532	4.815	9.3576	0.08
108.10.3	1031	小黃瓜	美濃段4399號	8.28	0.9769	72.168	335.74	3076.3	490.89	346.77	61.794	3.0492	4.5899	133.36	0.74
108.10.3	1032		老埤段23號	9.07	0.704	16.724	62.513	5561.1	181.21	400.28	44.037	2.1598	2.3879	61.395	0.16
108.10.30	1130	蓮霧	A表土	7	4.6	517	544	1732	499	408	11	4.5	9.7	16	0.08
108.10.30	1130	柑桔	A1表土	6.98	4.3008	71	81	1833	254	356	26	7.4	6.5	21	0.06
108.10.30	1130	荔枝	B表土	6.83	4.0538	187	137	1295	282	338	19	1.9	6	8.1	0.06
108.10.30	1130	荔枝	C表土	6.6	5.8466	460	159	2022	406	466	12	2.3	9.1	13	0.08
108.10.30	1131	蓮霧	A底土	6.79	3.0665	468	615	919	265	422	7.1	1.9	4.8	18	0.07
108.10.30	1131	柑桔	A1底土	6.84	3.7941	63	62	1682	219	277	29	5.4	5.6	15	0.07
108.10.30	1131	荔枝	B底土	6.98	2.7321	197	123	1198	245	363	24	2.2	4.9	9.7	0.04
108.10.30	1131	荔枝	C底土	6.6	3.3542	502	137	1515	286	561	8.5	2.2	4.5	14	0.04
108.10.31	1132	香蕉 百香果	A	6.61	1.5417	191	32	427	58	333	18	1.2	3	3.5	0.02
108.10.31	1132	香蕉 百香果	B	6.35	1.5993	279	38	385	48	367	14	1.3	3.5	5.5	0.02
108.10.31	1132	香蕉	C	6.24	2.1485	244	49	3335	117	225	8.7	3	9.5	4.4	0.06
108.10.31	1132	香蕉	D	6.69	2.241	456	55	3557	114	368	6.2	5.1	9.3	4.3	0.05
108.10.31	1133	鳳梨	賽嘉段713-4	6.62	2.313	5.7	21	1900	144	151	74	2.2	2.8	5.7	0.11
108.10.31	1133	鳳梨	賽嘉段713	6.68	3.2623	8.1	64	1397	140	201	97	1.9	3.9	4.3	0.07
108.10.31	1134	鳳梨	賽嘉段391-4	6.67	2.1424	33	92	1778	152	139	76	1.2	2.2	14	0.32
108.10.31	1135	鳳梨	廣興段2分	6.21	4.2842	50	37	54	-3.8	97	3.5	0.4	0.4	2.5	0.04
108.10.31	1136	鳳梨	舊庄華	5.96	1.1081	90	65	797	48	199	46	2.2	4.3	35	0.33
108.10.31	1137		東港段369號	9.89	1.8	9.5	672	25010	859	149	35	358	494	1155	1.96
108.10.31	1137	水		8.64		0	39	59	57	0	0	0	0	119	1.17
108.10.31	1138	芒果	圓潭子段399-53 A表土	7.62	2.9474	5.1	44	577	170	81	25	2.8	3.5	8.3	0.03
108.10.31	1138		圓潭子段399-53 A底土	7.46	2.3152	2.2	44	686	366	105	28	0.9	1.4	13	0.01
108.10.31	1138		圓潭子段399-54 A表土	6.71	2.575	7.5	49	1920	281	163	68	2.5	2.8	12	0.07
108.10.31	1138		圓潭子段399-54 A底土	6.97	2.2155	1.1	49	3997	386	150	118	1	1.1	17	0.09
108.10.31	1138		圓潭子段399-53 B表土	6.07	2.5104	5.8	63	1058	290	97	29	1.8	2	14	0.02
108.10.31	1138		圓潭子段399-53 B底土	6.12	1.9323	3.5	46	1508	412	152	41	0.7	1.1	23	0.05

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.10.31	1138		圓潭子段399-53 C表土	6.29	2.3467	8.7	50	1629	285	175	72	1.7	1.8	9.4	0.02
108.10.31	1138		圓潭子段399-53 C底土	7.83	2.6267	5.9	49	2257	250	118	51	2	2.3	9.7	0.08
108.10.31	1138		圓潭子段399-53 D表土	6.93	2.508	5.1	49	1499	299	126	46	1.5	1.8	11	0.03
108.10.31	1138		圓潭子段399-53 D底土	6.63	2.0201	2.8	46	2519	342	118	71	0.6	0.8	13	0.07
108.10.31	1138		圓潭子段399-53 E表土	6.74	2.4795	2.5	56	2802	245	96	63	1.9	1.7	7.8	0.1
108.10.31	1138		圓潭子段399-53 E底土	7.16	1.96	0.3	43	3529	260	139	91	0.6	1	7.1	0.06
108.10.31	1138		圓潭子段399-53 F表土	7.06	2.3692	3.7	58	2971	274	132	99	2.9	2.7	7.8	0.08
108.10.31	1138		圓潭子段399-53 F底土	7.29	1.723	0.7	44	3899	262	115	97	0.6	0.8	7.6	0.08
108.10.31	1138	水	圓潭子段399-53	8.59		0	2.5	35	20	0	0	0	0	15	0.31
108.10.5	1033	檸檬	源泉段1087號	7.59	1.1245	313.33	37.855	1626.9	90.725	537.84	30.431	2.8094	6.5206	5.7197	0.03
108.10.5	1034	敏豆	雙峰段0119-0001 0119-0000	7.04	2.226	156.79	146.62	1861	261.53	814.33	45.597	1.0535	7.6044	39.474	0.38
108.10.5	1034	小蕃茄	美濃段2891000	7.26	2.4433	91.898	43.737	1471.8	212.94	653.9	58.969	2.233	4.5249	26.309	0.07
108.10.5	1035	芒果		5.14	3.275	166.45	96.534	485.38	92.052	135.43	22.836	1.2582	1.7217	6.4457	0.09
108.10.5	1036	珍蜜	南角宿段529.表土	6.62	1.6812	161.68	139.27	1141.6	227.61	387.43	36.537	1.7367	8.1396	17.192	0.09
108.10.5	1036	珍蜜	南角宿段529.底 土	7.23	1.0577	122.54	115.24	1037	224.51	301.91	31.194	1.233	3.8017	24.67	0.05
108.10.5	1036	雪莉	南角宿段529.表土	7.47	1.3971	164.43	94.704	1310.2	221.79	234.35	40.762	1.3342	6.7496	13.713	0.08
108.10.5	1036	雪莉	南角宿段529.底 土	8	0.9868	139.67	82.804	1435	227.42	156.38	48.102	1.5638	4.7581	18.109	0.05
108.10.5	1036	番石榴	南角宿段530表土	7.16	1.7459	262.41	64.557	1528.3	218.67	285.56	31.484	2.4595	7.4778	27.787	0.04
108.10.5	1036	番石榴	南角宿段530.底 土	7.4	1.1976	154.59	45.543	1096.5	178.63	203.49	30.706	1.7866	3.9673	31.181	0.05
108.10.5	1036	蜜棗	安北段1047.表土	6.93	2.0974	257.43	147.76	1224.1	289.94	438.7	21.195	1.2374	6.6899	26.869	0.1
108.10.5	1036	蜜棗	安北段1047.底土	7.71	1.2489	106.81	148.14	1209.7	328.85	302.55	38.524	1.4483	3.6916	38.028	0.07
108.10.5	1036	蜜棗	安北段1046.表土	7.75	1.3142	356.34	282.92	1821.1	305.7	279.2	49.627	2.3346	12.191	25.31	0.07
108.10.5	1036	蜜棗	安北段1046.底土	7.38	2.0258	659.68	278.31	2206	291.62	487.97	26.709	2.9423	19.963	17.358	0.07
108.10.7	1037	香蕉	1	4.77	2.0356	282	62	870	99	680	10	2.9	5.2	12	0.06
108.10.7	1037	香蕉	2	6.82	2.3624	415	43	1760	141	481	29	5.2	9.8	25	0.03
108.10.7	1037	香蕉	3	7.08	1.9488	347	35	1484	112	450	17	5	7.6	12	0.03
108.10.7	1037	香蕉	4	6.71	2.6418	342	60	4542	115	425	16	4.9	6.6	13	0.03
108.10.7	1038	鳳梨	圳頭段600-3	5.05	1.8	282	79	630	83	330	33	8.8	7.9	6.4	0.06
108.10.7	1038		上龍泉段0758-0010	4.89	2.1712	21	38	406	51	149	28	1.9	2	6.1	0.05
108.10.7	1039	小黃瓜.栗子	東庄段55號	6.76	0.8423	249	32	958	83	488	61	2.7	4.4	7.5	0.03
108.10.7	1040	太陽花	邱1	7.41	6.6676	562	934	5204	2663	319	57	3.7	11	19.08	1.3
108.10.7	1040		邱2	7.94	1.6023	183	160	5215	654	282	100	4.4	5.3	199	1.23
108.10.7	1042	檸檬	九清段590號	6	1.4597	439	134	901	76	616	31	2.4	3.5	7.7	0.05
108.10.8	1043	葉菜	雙坑段0038 0035	4.47	1.6099	9.3	28	178	94	65	31	0.4	0.7	6.4	0.01
108.10.8	1043	葉菜	2018-4	6.68	1.8051	4.2	26	799	148	150	65	0.4	0.7	6.1	0.02
108.10.8	1044	葉菜	月眉一小段2014-0000 A1	6.2	5.4617	196	84	1905	537	299	94	1.5	4.2	34	0.33
108.10.8	1044	葉菜	月眉一小段2014-0000 A2	6.13	5.8759	193	84	1857	512	197	55	1.2	4.4	36	0.39
108.10.8	1044	葉菜	月眉一小段2014-0000 A3	6.19	5.8581	201	106	2276	620	207	79	0.9	4.4	59	0.72
108.10.8	1044	葉菜	月眉一小段2014-0000 A6	6.39	4.9979	175	111	1701	420	207	64	1.4	3.5	38	0.32
108.10.8	1045	玉米	01	8.1	4.2842	47	343	7104	758	74	170	2.3	3.4	98	0.07
108.10.8	1045	玉米	02	8	4.1413	58	356	5326	635	60	122	1.7	3.5	133	0.12
108.10.8	1045	玉米	03	8.19	3.9157	50	347	6690	739	68	154	2	3.3	88	0.06
108.10.8	1045	玉米	04	8.17	4.3472	64	380	5639	676	61	126	2	3.2	110	0.05
108.10.8	1045	玉米	05	8.14	5.1856	48	321	6746	728	91	171	2.2	3.8	87	0.06
108.10.8	1045	玉米	06	8.04	5.3166	76	408	5800	683	72	155	2.1	3.6	83	0.08
108.10.8	1045	玉米	07	8.16	4.7116	70	387	5636	638	66	135	2	3.6	264	0.11

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.10.8	1045	玉米	08	8.19	5.1667	66	370	6068	689	76	171	2.1	3.3	152	0.06
108.10.8	1045	玉米	09	8.15	4.8593	64	332	9063	749	82	178	2.7	7.9	101	0.08
108.10.8	1045	玉米	10	7.68	4.79	377	1291	6189	659	85	244	1.9	7.8	554	0.99
108.10.8	1045	玉米	11	7.96	4.6424	102	359	7254	654	73	140	2.7	6.6	237	0.17
108.10.8	1045	玉米	12	8.21	4.4264	70	280	6337	537	65	124	1.9	4.6	108	0.07
108.10.8	1046	小蕃茄	吉頂段0846	7.16	2.0143	239	112	2043	179	783	45	3.9	5.4	10	0.11
108.10.8	1046	小蕃茄	龍中段1928	6.03	1.7525	126	46	600	93	628	16	1.5	2.5	9.7	0.04
108.10.8	1047	檸檬	里港	6.2	1.1287	178	51	657	57	269	32	2.3	4.3	6	0.03
108.10.8	1047	檸檬	高樹	5.73	2.1754	223	64	823	90	383	13	2	5.8	7.5	0.03
108.10.9	1048		泰和段71	4.17	1.1976	112	29	72	26	323	13	0.43	1	5.3	0.02
108.10.9	1048		泰和段68	4.31	1.1822	115	17	105	21	351	13	0.5	1.3	4.4	0.01
108.10.9	1049		泰和段69	5.37	1.8223	246	71	607	78	491	13	0.9	4	5.3	0.03
108.10.9	1050	檸檬	建興段1137號	6.11	1.3867	23	13	486	42	193	16	1.5	1.4	6	0.02
108.10.9	1051	香蕉.鳳梨	瓊安段0317.1	7.66	1.8636	3.8	33	2898	619	50	46	0.9	1.4	167	0.37
108.10.9	1051	香蕉.鳳梨	瓊安段0317.2	7.87	1.9638	26	113	2063	421	69	65	1.5	1.6	41	0.08
108.10.9	1051	香蕉.鳳梨	瓊安段0317.3	7.9	1.9507	18	61	1788	468	121	70	2.6	3.6	84	0.12
108.10.9	1051	香蕉.鳳梨	瓊安段0317.4	8.02	2.165	17	48	1430	422	60	49	1.4	1.6	23	0.06
108.10.9	1052	芒果		7.48	1.8	495	71	3046	280	163	46	3.9	37	15	0.05
108.10.9	1052	洋香瓜		7.38	3.553	738	188	2001	137	496	75	3.9	26	15	0.09
108.10.9	1052	蕃茄		7.45	2.9883	614	95	3998	308	166	75	3.3	41	24	0.06
108.10.9	1053	葉菜.瓜果	月眉一小段2033-0000 7A1	6.15	2.8746	491	65	3242	239	117	50	2.7	32	17	0.03
108.10.9	1053		月眉一小段2033-0000 7A2	6.59	3.4401	16	58	619	188	523	50	1	1.2	12	0.05
108.10.9	1053		月眉一小段2032-0000 7B1	6.76	2.9417	12	57	623	204	440	56	0.9	1.1	14	0.04
108.10.9	1054	苦瓜		7.05	1.7476	14	59	600	189	493	53	0.9	1.1	16	0.3
108.10.9	1055	苦瓜		5.73	2.0756	582	306	1474	163	444	77	3.5	25	15	0.46
108.10.9	1056	百香果		7.89	2.5949	155	91	2136	131	243	164	3.9	8.3	16	0.09
108.10.9	1057	黃秋葵	土庫段124	7.98	3.2467	112	43	10558	190	98	23	8.2	12	19	0.09
108.10.9	1058	花胡瓜	中和段16號	7.87	1.0547	69	69	3260	91	252	67	1.6	10	7.7	0.07
108.10.9	1058	菜豆	中萬甲段1058號	7.92	1.1132	60	48	3057	83	216	55	2	4.5	4.9	0.05
108.10.9	1059	香蕉	繁華村	7.35	1.9378	69	144	1191	89	367	26	2.5	3.9	16	0.3
108.10.9	1060	檸檬	九塊段532-2 532-4 541	8.41	0.9814	124	30	1017	70	410	38	4.4	5.4	6.2	0.04
108.10.9	1061	檸檬	九塊段734	7.65	1.048	246	60	1558	97	330	89	4.8	10	9	0.05
108.11.08	1216	瓜菜	月眉一小段2014-0000 B10	6.18	4.2398	114.5	79.817	1130.3	326.55	133.25	17.153	0.5033	3.353	29.229	0.43
108.11.08	1216		月眉一小段2014-0000 B11	6.76	5.1315	138.99	75.814	1322.6	388.62	159.87	20.374	0.6844	3.3235	30.059	0.31
108.11.08	1216		月眉一小段2014-0000 C01	6.54	5.2571	207.93	90.166	1662.1	399.79	169.22	20.546	0.8161	3.7398	38.122	0.61
108.11.08	1216		月眉一小段2014-0000 C02	6.43	5.5254	205.09	105.4	1392.2	391.16	169.68	20.35	0.7177	4.0824	40.544	0.51
108.11.08	1216		月眉一小段2014-0000 C03	6.35	4.6111	133.89	75.997	939.01	270.57	120.11	15.274	0.461	3.0241	21.151	0.28
108.11.08	1217	瓜菜	月眉一小段2022-0000 3D3	6.52	2.7033	14.162	92.05	527.62	186.87	77.106	40.03	0.1047	0.7603	6.7036	0.08
108.11.08	1217		月眉一小段2014-0000 25A3	6.24	3.4107	35.034	39.124	623.98	159.89	107.6	30.621	0.2266	0.5094	5.167	0.01
108.11.08	1217		月眉一小段2014-0000 25B3	6.01	3.9508	57.344	222.43	899.97	242.32	118.83	54.052	0.6127	1.25	15.849	0.29
108.11.08	1217		月眉一小段2014-0000 25C1	6.02	3.6706	42.571	135.22	564.7	155.75	121.83	61.179	0.4242	0.8376	4.4538	0.06
108.11.08	1217		月眉一小段2014-0000 25C2	6.4	3.1179	48.626	150.62	849.11	179.21	180.99	41.486	0.6879	0.8854	9.326	0.07
108.11.08	1218	荔枝	大庄段95號 15cm	6.83	1.5273	41.048	51.466	790.79	131.73	221.64	29.056	0.8799	1.7072	6.0834	0.02
108.11.08	1218		大庄段95號 30cm	7.79	1.1101	35.892	41.836	965.21	107.08	258.54	35.571	0.6749	1.9007	3.996	0.04
108.11.08	1219	印度棗	大社嘉誠段0610-0000	5.83	1.583	235.46	187.42	938.69	126.62	243.86	10.408	0.8084	19.881	18.209	0.23
108.11.08	1220	印度棗	大社萬金段0305-0000	6.71	2.59	653.36	176.13	2026.5	158.58	256.97	9.3059	2.4981	27.557	21.079	0.2

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.08	1220		大社萬金段0561-0000	6.67	2.8497	577.87	406.76	1844.6	190.4	240.97	15.765	2.7613	25.002	27.834	0.22
108.11.08	1221	印度棗	大社嘉誠段0403-0000	7.18	2.7804	330.94	219.27	1762.1	335.29	384.68	15.968	5.255	37.966	49.393	0.1
108.11.08	1221		大社嘉誠段0714-0000	7.21	2.3019	247.68	184.33	1418.6	239.01	261.82	15.654	3.3414	37.447	45.967	0.1
108.11.08	1222	印度棗	大社嘉誠段0725-0000	6.45	2.8663	161.6	207.04	1409.1	260.47	245.17	10.908	1.3407	19.126	27.345	0.17
108.11.08	1222		大社嘉誠段0729-0000	7.24	4.07	378.92	368.28	2163.9	382.83	386.73	14.45	3.1257	33.4	41.828	0.26
108.11.08	1223	印度棗	大社嘉誠段0569-0000	5.42	4.491	346.14	339.64	1171.3	274.95	391.69	15.452	0.9299	21.841	21.695	0.36
108.11.08	1224	印度棗	六龜新威段R1109-0	6.85	4.2398	412.15	167.57	1759.4	239.22	198.67	22.458	2.8799	50.977	17.233	0.1
108.11.08	1225	印度棗	六龜新威段R1110-0	6.55	3.3412	423.5	157.3	1690.2	207.83	238.9	28.04	2.3036	35.579	15.665	0.1
108.11.08	1226	印度棗	大社食坑0376-0000	6.86	1.8137	213.81	166.04	1053.4	218.91	280.48	19.234	1.1902	8.9998	6.6394	0.06
108.11.08	1227	印度棗	大社嘉誠0496-0000	6.45	2.0181	233.83	196.6	1115.9	206.1	165.5	16.52	0.4172	11.861	17.125	0.16
108.11.08	1228	印度棗	大社嘉誠1135-0000	5.59	2.9275	171.76	207.11	1099.7	163.87	247.13	24.625	0.4534	6.7055	34.018	0.21
108.11.08	1229	印度棗	大社保社0498-0000	7.17	2.7885	388.58	220.7	1448.2	251.13	295.43	18.568	2.1368	20.303	31.859	0.14
108.11.08	1229		大社保社0525-0000	6.57	2.4818	160.54	84.954	706.68	100.43	225.1	8.5935	0.4535	14.95	14.672	0.06
108.11.08	1230	印度棗	大社保甲段1198-0000	6.89	2.0278	182.86	108.94	967.53	193.84	390.74	15.19	1.7445	10.107	51.876	0.18
108.11.08	1231	印度棗	大社尖山腳段0956-0000	4.9	2.0934	275.25	187.4	421.1	83.956	265.6	4.1904	0.2332	6.8098	36.933	0.2
108.11.08	1232	印度棗	大社尖山腳段1008-0000	6.5	2.8388	330.47	409.51	1144.3	229.67	293.36	16.332	2.1589	28.318	64.106	0.4
108.11.08	1233	印度棗	六龜新威段R1087-0	7.11	1.257	62.869	34.851	856.19	136.57	165.16	24.748	0.799	3.6719	7.7732	0.04
108.11.08	1234	印度棗	大社保社段0565-0000	7.23	2.7111	312.17	212.7	1517	362.96	272.56	21.847	2.077	16.833	33.311	0.34
108.11.08	1235	印度棗	大社大社段0927-0000	6.7	1.6812	318.31	156.41	1270.9	216.03	420.75	13.953	1.1807	6.3199	63.886	0.37
108.11.1	1139	棗		7.09	1.7542	326	363	1494	287	194	23	3.5	20	70	0.16
108.11.1	1140			6.23	4.474	729	1748	3105	957	137	76	2.5	24	246	2.69
108.11.1	1141	棗		7.07	1.5287	425	400	1782	297	301	32	4.4	26	78	0.18
108.11.1	1142	蜜棗	燕東段452	6.91	1.3803	158	219	1146	209	238	38	1.3	2.4	15	0.08
108.11.1	1142		燕東段124	7.27	1.82	111	278	2299	282	337	39	2.4	4.7	22	0.14
108.11.1	1143			7.53	1.1789	111	100	1033	303	92	29	1.2	7.1	43	0.07
108.11.1	1144	棗		6.59	1.6796	232	499	1409	363	292	39	2.5	18	27	0.22
108.11.1	1145	棗		6.66	3.0342	748	357	6006	455	214	11	6.7	80	75	0.27
108.11.1	1146			7.03	2.3875	465	384	3177	444	194	20	3	33	65	0.25
108.11.1	1147	芭樂	燕巢竹仔腳	7.52	1.3945	140	38	1439	311	203	65	3.7	9.4	13	0.04
108.11.1	1147	芭樂	路竹北嶺段	7.05	1.6828	21	43	1302	260	170	17	1.4	1.5	49	0.04
108.11.1	1148	棗		7.09	1.9638	188	492	2281	613	323	58	3.8	24	78	0.22
108.11.1	1149	葉菜 瓜果	月眉一小段2014-0000 B02	6.24	4.7485	170	138	1959	397	118	49	0.9	2.8	33	0.31
108.11.1	1149	葉菜 瓜果	月眉一小段2014-0000 B04	6.25	5.8012	223	123	2318	543	175	56	1	4.3	40	0.48
108.11.1	1149	葉菜 瓜果	月眉一小段2014-0000 B06	6.15	5.8352	261	172	2512	617	238	67	1.2	5.4	52	0.57
108.11.1	1149	葉菜 瓜果	月眉一小段2014-0000 B09	6.49	5.182	239	15	2369	488	227	58	1	4.7	27	0.15
108.11.1	1150	葉菜 瓜果	月眉一小段2024-0000 7D6	6.55	2.847	88	91	1476	281	333	55	1.7	4.5	23	0.07
108.11.1	1150	葉菜 瓜果	月眉一小段2024-0000 7D7	5.91	2.4889	20	100	997	235	174	74	1.7	2.6	11	0.05
108.11.1	1150	葉菜 瓜果	月眉一小段2038-0000 3C	6.44	2.2953	13	65	1092	233	155	93	1.7	1.8	4.6	0.03
108.11.1	1150	葉菜 瓜果	月眉一小段2038-0000 3D	6.5	1.9581	22	72	1194	258	173	98	1.8	2.6	4.3	0.02
108.11.1	1150	葉菜 瓜果	月眉一小段2022-0000 3D2	6.5	2.2367	24	78	892	274	161	73	0.6	1.1	4.5	0.02
108.11.1	1151	萊姆	鳳明段0275 0276	5.27	3.9855	309	145	924	128	635	16	2.2	4.5	8.5	0.05
108.11.1	1151	檸檬	鳳明段0886	5.07	2.8663	399	167	1032	140	661	31	2.9	5.6	10	0.06
108.11.1	1151	萊姆	竹林段904	5.38	1.1811	214	42	692	99	559	18	1.6	2.6	11	0.05
108.11.1	1151	檸檬	竹林段909 910 909-1	5.17	2.1445	459	97	1000	124	691	8.2	2.6	5	12	0.23
108.11.1	1151	檸檬	新田段2316 2317	6.01	3.2782	428	124	1237	135	638	18	2.5	7.7	8.3	0.06
108.11.1	1152	酪梨	A	6.03	1.3202	301	73	759	89	424	13	1.1	2.9	4	0.03

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.1	1152	酪梨	B	5.98	1.5188	342	64	784	97	467	9	1.1	2.3	6.4	0.04
108.11.1	1152	黃金果	C	6.85	1.9991	252	493	1466	322	329	96	2.2	10	9.3	0.09
108.11.1	1152	黃金果	D	7.07	2.0395	147	216	1149	274	251	65	1.5	6.4	6.2	0.05
108.11.1	1152	檸檬	E1	7.12	1.686	341	270	1888	356	274	75	1.9	13	9.2	0.08
108.11.1	1152	酪梨 香蕉	E2	6.9	1.6828	276	229	1370	287	367	58	1.6	9.3	7	0.07
108.11.1	1152	黃金果	F	6.68	1.5331	536	60	1857	127	639	54	4	14	7.3	0.06
108.11.1	1153	黃秋葵	土庫段1822	6.89	1.3376	97	36	7391	123	171	63	5.1	6.8	6.7	0.09
108.11.1	1154	苦瓜		6.49	1.047	310	47	691	69	433	36	2.8	7.8	6.5	0.08
108.11.1	1155	檳榔 香蕉	大門	5.34	3.139	521	55	739	59	723	5.4	1.5	6.7	10	0.11
108.11.1	1155	檳榔 香蕉	旁棟	5.38	2.2758	46	68	593	12	182	57	1	2	7.1	0.05
108.11.1	1155	檳榔 香蕉	後棟	5.69	3.46	578	67	600	55	728	6.9	1.8	6.2	7.1	0.07
108.11.11	1236		表土(上)	6.64	3.4	212.07	145.47	1041.4	240.66	486.38	10.107	3.3519	5.9615	13.142	0.06
108.11.11	1236		表土(下)	5.77	2.76	42.03	87.149	692.52	128.98	224.07	49.246	2.3039	3.8518	17.597	0.03
108.11.11	1237	香檸		4.41	2.5	368.74	164.28	417.95	85.645	607.17	18.75	1.742	2.6696	10.379	0.13
108.11.11	1238	蓮花竹	A	6.45	1.81	550.65	140.97	1026.7	125.54	642.99	25.594	2.7614	12.241	10.159	0.08
108.11.11	1238		B	4.8	4.43	649.11	98.881	902.91	101.61	632.46	13.507	1.6305	15.071	13.054	0.09
108.11.11	1239	蓮花竹	A	4.36	1.28	373.77	116.52	478.43	48.932	651.42	8.2632	2.3768	5.5188	9.7768	0.24
108.11.11	1239		B	4.71	2.17	505.45	179.13	697.53	84.938	677.9	11.561	1.9042	10.433	8.7128	0.22
108.11.11	1240	果樹	萬隆段136-3 表土	6.96	2.3	307.63	51.535	1222.8	117.4	303.57	29.98	8.4775	8.5106	6.0001	0.04
108.11.11	1240		萬隆段136-3 底土	7	1.73	277.04	55.565	1286.3	95.611	310.42	37.867	7.6741	7.4609	6.1792	0.03
108.11.11	1241	黃金果	赤新段0023-0000	5.69	2.48	118.1	175.26	666.43	187.89	448.74	33.072	1.657	2.8764	10.516	0.03
108.11.11	1241	蓮霧	富山段0182-0000	6.23	2.22	102.23	129.27	949.99	154.28	489.96	30.19	2.1708	2.7826	21.697	0.07
108.11.11	1242	鳳梨		6.8	2.2	36.801	61.234	1265.6	277.6	393.14	33.317	3.4541	2.4033	8.6601	0.07
108.11.11	1243		表土	5.43	1.9	249.35	68.801	631.3	93.818	441.38	14.012	1.9098	5.0983	6.5429	0.1
108.11.11	1243		底土	5.63	1.12	154	56.017	371.78	71.042	309.38	10.957	1.8985	2.8136	5.0763	0.04
108.11.11	1244	番石榴	茄苳湖段31-1表土	7.23	1.75	97.851	168.39	2175.1	234.14	232.81	58.282	1.7621	2.1228	22.197	0.17
108.11.11	1244		茄苳湖段31-1底土	7.92	1.75	28.143	88.898	2336.1	192.18	173.13	64.558	1.6573	2.4548	11.229	0.11
108.11.11	1244		A區 表土	7.01	1.68	55.705	97.316	1470.4	167.45	342.85	18.856	1.1388	1.7012	9.3218	0.09
108.11.11	1244		A區 底土	7.75	1.53	14.7	52.62	2092	188.08	278.45	16.182	1.6919	1.6411	10.831	0.07
108.11.11	1244		32-2 B區 表土	6.95	1.38	41.295	102.6	838.48	171	278.5	31.196	0.5783	1.3769	8.0095	0.05
108.11.11	1244		32-2 B區 底土	7.54	1.33	9.8817	38.904	1144.6	199.27	198.27	54.334	0.7107	1.1933	8.2368	0.03
108.11.11	1244		C區 表土	8.24	1.96	8.46	56.548	2433.9	202.71	293.06	28.476	1.6783	1.7404	9.8571	0.08
108.11.11	1244		C區 底土	7.98	2.31	33.424	138.73	2203.1	230.44	287.75	35.796	1.5703	2.0601	10.001	0.11
108.11.11	1244	水	茄苳湖段31-1	7.94		0	1.3	51	18	0.4	0.1	0	0	15	0.54
108.11.11	1244	水	茄苳湖段32-2	7.73		0	1.15	68	20	0.4	0.1	0	0	14	0.6
108.11.11	1245	愛玉		5.84	6.77	142.37	119.39	1446.6	238.76	352.49	7.5001	1.6477	1.9271	6.5588	0.02
108.11.11	1245	水		8.16		0	1.9	25	11	0.4	0.1	0	0	8.7	0.32
108.11.11	1246	酪梨	南興段409-0001 1表土	4.98	1.17	228.03	99.143	399.32	70.249	513.25	9.7528	2.8674	3.2531	6.7789	0.12
108.11.11	1246		南興段409-0001 1底土	5.61	1.52	229.32	81.736	647.97	91.967	483.96	13.813	3.7457	4.6109	6.1727	0.04
108.11.11	1246		南興段409-0001 2表土	5.12	1.58	216.1	113.79	629.7	124.12	518.84	17.281	2.8062	4.5167	16.664	0.13
108.11.11	1246		南興段409-0001 2底土	5.76	1.45	213.71	63.066	589.07	121.49	471.16	20.403	3.0273	5.2287	6.2278	0.05
108.11.11	1246		南興段409-0001 3表土	5.76	1.52	216.23	60.495	559.95	86.572	457.4	13.56	6.2372	7.1929	6.2229	0.07
108.11.11	1246		南興段409-0001 3底土	6.1	1.38	208.73	54.717	571.72	97.297	435.24	15.96	5.3833	6.163	5.551	0.04
108.11.11	1249	水	長豐段22-2	7.99		0	1.3	45	12	0.4	0.1	0	0	8.6	0.44
108.11.12	1247	咖啡、愛玉	霧台段476 476~2	6	6.03	82.467	186.61	1128	143.22	193.2	46.756	2.0929	3.718	8.7628	0.06
108.11.12	1248	咖啡	霧台段62	6.27	7.07	36.376	136.15	1061.5	179.04	208.41	49.346	4.8508	3.7313	6.4485	0.03

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.12	1248	甘藷	霧台段62	5.65	4.98	29.534	77.245	744.55	91.65	148.73	49.692	1.5131	3.1778	5.5386	0.03
108.11.12	1249	檸檬	長豐段22-2號	6.68	1.04	93.554	37.701	491.52	39.775	210.18	43.828	2.2494	3.0752	4.9175	0.04
108.11.12	1250	香蕉	德榮段627號	7.17	2.01	124.28	47.292	1233.1	154.45	467.08	20.141	3.2553	20.356	10.328	0.05
108.11.13	1251	蓮霧	三千段0583-0000	5.85	3.43	406.96	450.12	1943.1	335.31	428.61	32.995	4.4285	9.0751	27.275	0.29
108.11.13	1251	水		7.73		0	0.5	29	7.6	0.4	0.3	0	0	12	0.34
108.11.13	1252	蓮霧	同安段1578-0000	7.68	3.23	116	240.27	4011.6	514.23	244.34	159.77	9.1566	6.3653	89.921	0.25
108.11.13	1252	水		7.36		0	7.1	40	28	0.4	0.2	0	0	23	0.75
108.11.13	1253	蓮霧	同安段0376-0000	6.1	2.34	267.4	264.37	1514.2	247.9	361.15	21.105	5.8561	7.1985	26.4	0.14
108.11.13	1253	水		7.84		0	0.8	22	8.8	0.4	0.3	0	0	13	0.33
108.11.13	1254	芭樂	農場段884號	7.93	1.39	10.977	30.527	1884.6	95.859	260.12	77.509	3.4123	6.0176	8.6054	0.08
108.11.13	1255	棗	大華段0111 0112 0113 0119號	6.14	2.45	410.65	234.54	1481.1	199.63	267.68	9.7277	2.7158	30.16	28.906	0.13
108.11.13	1256	棗	挖子段1029-15	7.69	1.93	51.681	94.927	2172.6	295.85	119.35	81.291	1.9257	4.7517	37.634	0.1
108.11.13	1257	棗	挖子段1103-0087	6.79	1.8	192.14	232.88	1597	200.14	170.08	29.975	1.7405	16.636	10.153	0.06
108.11.13	1258	棗	九圍段1238	7.63	1.25	166.77	99.994	1853.4	302.48	173.93	59.127	4.9793	12.591	70.43	0.16
108.11.13	1259		地A1	6.46	3.16	136	87.179	1246.5	345.21	319.08	22.888	2.0537	4.2486	19.616	0.06
108.11.13	1259		地A2	6.84	2.7	39.503	67.852	886.95	270.82	200.55	22.33	1.0777	2.355	16.048	0.04
108.11.13	1259		地A3	6.35	4.22	101.73	84.352	983.52	246.04	458.95	10.252	1.7255	2.9649	14.303	0.06
108.11.13	1259		地B1	6.27	3.9	179.36	82.043	1008.8	254.1	374.57	35.73	2.2077	4.342	15.148	0.1
108.11.13	1259		地B2	6.5	3.77	177.44	91.534	1118.1	264.24	306.14	19.029	2.0489	4.799	20.558	0.16
108.11.13	1259		地B3	6.35	3.93	181	132.9	1146.6	275.54	341.4	24.173	1.9812	4.4367	11.765	0.07
108.11.13	1259		地B5	6.53	3.71	190.24	95.355	1608.2	444.69	439.38	29.425	2.7918	5.3518	25.046	0.22
108.11.13	1259		地B6	6.14	3.54	127.59	64.744	1228.1	320.3	312.97	27.689	1.9078	2.7349	12.687	0.1
108.11.13	1259		地1-1	6.29	4.17	81.563	105.51	1164.9	271.42	277.02	20.465	1.5429	2.4031	9.431	0.05
108.11.13	1259		地C1-2	6.09	4.29	93.191	101.95	1165.9	246.01	329.14	16.243	1.4442	2.2326	8.6756	0.05
108.11.13	1259		地D1	5.65	4.39	77.984	256.46	789.36	141.4	177.28	45.25	0.5701	1.705	4.9733	0.03
108.11.13	1259		地D2	4.97	4.33	48.215	128.89	459.7	73.945	96.808	24.021	0.1202	0.932	4.3492	0.04
108.11.14	1260	小番茄	1灣	6.68	2	158.24	181.17	1010.9	252.16	302.44	36.333	2.9877	4.3264	24.001	0.2
108.11.14	1260		2灣	6.7	2.13	163.67	158.37	979.48	238.77	355.99	38.129	3.0589	4.1399	21.006	0.18
108.11.14	1260		3灣	6.59	2.02	149.7	164.02	1107.4	237.88	317.73	37.219	2.7637	4.1161	20.302	0.14
108.11.14	1260		4灣	6.61	1.83	161.36	176.58	1004.4	238.57	369.58	47.726	2.9348	4.4222	22.663	0.19
108.11.14	1260		5灣	6.46	2.17	139.84	125.7	1017.8	199.92	551.04	27.968	2.8622	3.7325	8.8647	0.11
108.11.14	1261	香草.葉菜	A棟前	7.27	1.52	95.948	375.82	3095.2	541.42	160.15	42.12	1.256	4.1271	285.73	2.74
108.11.14	1261		A棟後	7.42	1.4	83.866	298.85	3140.1	459.05	165.5	47.958	1.2844	3.4442	270.31	2.28
108.11.14	1262	棗	瀾力肚段0906-0000	7.07	2.81	194.75	170.53	1385.2	160.76	474.07	21.442	2.5119	5.9907	7.3826	0.13
108.11.14	1263	絲瓜	典寶-1A	8.06	1.18	105.14	96.243	1360.9	159.51	186.98	44.389	0.8797	3.9301	9.545	0.07
108.11.14	1263	絲瓜	典寶-2B	8.03	1.19	82.134	86.407	1455.2	147.03	161.58	34.876	0.7239	3.6056	38.778	0.19
108.11.14	1263	絲瓜	典寶-3C	8.15	1.2	126.06	121.54	1670.3	179.68	148.74	44.229	0.6111	5.1679	28.312	0.1
108.11.14	1264			6.48	1.68	81.834	55.118	890.76	172.95	465.94	15.223	1.0727	1.2835	25.596	0.21
108.11.14	1264	水		7.67		0	6.6	36	18	0.4	0.1	0	0	23	0.55
108.11.14	1265	蔬菜.果樹	信和段0131 新海豐段0841.0851.0887	6.53	1.6	130.47	40.338	887.52	73.11	450.8	43.709	2.1237	4.6749	6.4072	0.07
108.11.14	1266	小黃瓜	崙潮段478號	7.58	3.22	151.6	108.88	3421.3	265.29	247.29	33.898	5.1725	10.059	56.381	0.47
108.11.15	1267	金桔	新威段R1076-0	5.95	2.31	54.177	66.569	693.82	115.76	398.24	7.8315	2.3189	2.7698	7.9758	0.08
108.11.15	1268	水	A旗尾段2471-2	8.16		0	27	68	90	0.4	0.1	0	0	134	1.85
108.11.15	1268	水	B旗尾段2471-2	7.75		0	25	59	70	0.4	0.1	0	0	139	1.59
108.11.15	1269	南瓜	塔樓R327-0	7.65	1.34	54.496	25.474	1080	77.172	306.72	70.765	3.014	3.3735	8.3405	0.09
108.11.15	1269	番茄	三塊厝0524-0256 0524-0258 0524-0260	7.55	1.25	185.4	47.633	1293.2	80.723	307.81	77.553	4.4234	6.3158	11.656	0.13

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.15	1270	甜椒	土庫段2076 北	5.56	1.79	199.37	182.24	552.82	117.69	312.45	17.614	4.3611	6.587	16.232	0.22
108.11.15	1270	甜椒.南瓜	土庫段2076 南	5.75	2.1	448.08	423.33	1511.1	266.64	409.84	32.031	6.9898	19.085	54.966	0.42
108.11.15	1271	甜椒	光明段0182	5.9	2.09	347.26	78.449	1106.8	133.48	576.4	43.151	4.0644	6.3828	9.9063	0.11
108.11.15	1272	南瓜	潮北段0074-0001	5.65	1.17	281.33	92.012	744.93	71.339	430.54	18.82	2.9066	8.7703	8.1407	0.1
108.11.15	1273	甜椒	過江R11	6.95	1.05	283.57	45.204	1425.1	83.572	315.85	44.635	2.8236	13.204	14.599	0.15
108.11.15	1274		青溪段0889-0000 A區表土	6.94	1.96	43.991	44.37	922.64	80.293	383.31	30.477	2.6839	3.6906	61.056	0.19
108.11.15	1274		青溪段0889-0000 B區表土	7.37	1.53	35.435	45.664	1692.9	91.648	326.62	42.133	4.0503	3.9254	100.73	0.57
108.11.15	1275	水稻		6.4	3.69	65.355	106.11	987.83	187.82	344.69	23.821	6.1816	5.0165	45.38	0.09
108.11.15	1275	文旦		6.65	2.16	8.2302	180.28	713.86	129.55	27.633	12.402	0.2453	1.184	12.082	0.05
108.11.15	1275	雜草區		4.59	4.82	120.08	93.874	436.41	57.406	181.04	8.017	5.199	4.6644	22.379	0.08
108.11.18	1276	洋香瓜	鳥松A	8.37	26.2	1909	1421.3	7027.5	2117	112.13	105.78	7.6468	75.636	1343	1.37
108.11.18	1276		鳥松B	7.14	20.26	114.25	564.97	9825.6	832.73	312.6	35.139	12.077	163.71	865	4.08
108.11.18	1277	棗		6.43	0.98	170.05	166.06	595.13	98.291	178.3	7.3266	1.2516	10.457	22	0.27
108.11.18	1278	神秘果	金瓜寮段519 520 A	7.74	3.54	46.909	131.21	1209.2	301.31	354.05	30.531	1.7541	3.7371	84	0.13
108.11.18	1278	神秘果	金瓜寮段519 520 B	7.61	3.41	35.69	197.86	1217.8	297.93	291.85	28.806	2.008	4.4191	94	0.22
108.11.18	1278	神秘果	金瓜寮段519 520 C	7.8	2.02	38.626	81.868	1042.1	180.82	306.41	35.625	1.4346	2.3249	96	0.2
108.11.18	1278	神秘果	金瓜寮段519 520 D	7.05	1.18	84.174	152.7	583.92	110.46	103.76	27.36	0.4795	1.3342	19	0.41
108.11.18	1278	神秘果	金瓜寮段519 520 E	7.75	2.46	77.759	75.813	780.05	127.15	195.83	24.325	0.6717	2.0784	37	0.18
108.11.18	1278	神秘果	金瓜寮段519 520 F	6.97	1.75	9.9552	24.173	568.79	82.453	172.51	21.953	0.9098	2.8178	1.6	0.06
108.11.18	1278	神秘果	清水段0357	7.51	2.13	88.959	254.25	1501.5	76.971	182.67	15.767	2.9104	4.0667	6.1	0.39
108.11.18	1278	神秘果	旗尾段2147	7.44	3.72	102.81	710.48	1100.6	209.55	177.82	42.976	1.333	5.8218	12	0.65
108.11.18	1278	水	A金瓜寮段519.520	8.08		0.2	4.3	71	41	0	0	0	0	48	0.89
108.11.18	1278	水	F金瓜寮段519.520	7.8		0	2.3	70	30	0	0	0	0	31	0.69
108.11.18	1278	水	旗尾段2147	7.6		0	1.6	63	21	0	0	0	0	18	0.57
108.11.19	1279	蔬菜.花生		4.76	2.79	300	189.68	618.49	96.886	411.97	13.549	1.6002	6.5643	29	0.44
108.11.19	1280		瀾力肚段1158	7.42	2.38	8.0723	38.626	30996	431.22	63.968	11.394	4.3413	7.1427	37	0.53
108.11.19	1280		瀾力肚段1162	7.6	2.44	17.523	44.728	17887	347.13	93.067	23.117	4.5218	5.5186	39	0.37
108.11.19	1281	水	振北段127.過濾1	7.48		0	1.4	44	19	0	0	0	0	5.4	0.4
108.11.19	1281	水	振北段127.過濾2	7.61		0	2.1	22	28	0	0	0	0	44	0.51
108.11.19	1281	水	振北段127.古井	7.45		0	1.2	42	19	0	0	0	0	5	0.41
108.11.19	1289	水		6.74		0.01	1	13	10	0	0	0	0	22	0.27
108.11.20	1282	芒果	佳和段 A	5.08	1.94	70.43	47.033	174.41	39.417	238.78	8.1995	0.6117	0.6562	8.7	0.06
108.11.20	1282	蓮霧	佳和段 B	4.4	1.96	70.862	52.756	105.53	28.815	231.99	10.174	0.5538	0.7337	10	0.06
108.11.20	1282	蓮霧	新埔段	6.82	2.09	96.317	196.1	440.17	155.85	168.11	48.044	2.3109	2.9015	40	0.22
108.11.20	1283	木瓜	東振新段0376-0001(1)	5.94	1.55	69.305	14.372	147.14	19.635	264.25	8.6297	1.5042	1.5542	5.6	0.02
108.11.20	1283	木瓜	東振新段0376-0001(2)	5.37	1.61	130.46	48.561	232.81	43.066	400.76	8.8775	2.9356	2.9296	5.6	0.02
108.11.20	1284		塔樓段R386(1)	6.93	1.66	250.25	62.167	598.29	75.828	551.99	39.808	3.2913	5.2087	7.1	0.16
108.11.20	1285	青大米	頂信1038	6.69	2.3	218.62	86.46	483.07	92.095	372.73	23.326	3.0681	8.6236	21	0.17
108.11.20	1286	茄子	洛陽段100	6.39	1.33	157.34	118.92	439.56	101.9	233.71	12.061	1.5299	3.975	4.2	0.11
108.11.20	1287		振北段1103	5.9	1.87	158.17	55.563	297.26	36.745	243.39	15.407	2.154	5.0005	1.2	0.08
108.11.20	1288	小黃瓜	塔樓段	4.88	1.94	338.02	267.01	455	74.92	633.62	29.298	4.7214	4.5684	7.5	0.29
108.11.20	1290	小黃瓜	玉田段	7.24	1.59	347.72	53.184	640.71	89.683	512.06	46.935	10.446	9.393	8.6	0.03
108.11.21	1291	瓜菜	A1	6.73	4.1	58.097	46.525	466.16	198	78.539	27.184	0.9562	1.7969	7.3	0.02
108.11.21	1291	瓜菜	A2	6.7	3.76	35.129	25.868	328.98	161.75	58.834	12.363	0.4428	1.5335	10	0.02
108.11.21	1291	瓜菜	A3	6.82	3.98	78.176	28.109	523.11	209.01	60.94	9.1374	0.676	1.4654	9.3	0.04
108.11.21	1291	瓜菜	A4	6.46	3.79	33.786	24.099	373.76	245.81	56.334	10.042	0.3908	0.6302	8	0.02

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷(ppm)	鉀(ppm)	鈣(ppm)	鎂(ppm)	鐵(ppm)	錳(ppm)	銅(ppm)	鋅(ppm)	鈉(ppm)	電導度
108.11.21	1291	瓜菜	B1	5.21	3.79	17.906	13.853	130.56	64.518	56.673	5.5626	0.2212	0.4181	7.81	0.02
108.11.21	1291	瓜菜	B2	6.45	4.02	26.776	27.375	427.85	243.39	58.898	6.1075	0.4337	1.3572	11	0.03
108.11.21	1291	瓜菜	B3	5.13	3.76	12.804	21.582	137.72	86.518	59.016	7.6798	0.1882	0.3931	10	0.03
108.11.21	1291	瓜菜	B4	5.33	3.02	13.746	15.794	169.04	135.63	44.413	6.8763	0.1479	0.3516	8.2	0.01
108.11.21	1291	瓜菜	C	4.79	6.36	3.3063	26.565	108.87	69.451	121.17	8.0522	0.2358	0.6767	6.2	0.05
108.11.21	1291	瓜菜	D1	4.78	6.79	4.5401	28.494	70.732	37.372	90.779	6.7151	0.4211	0.5948	6.1	0.03
108.11.21	1291	瓜菜	D2	4.87	7.91	9.7112	27.991	79.43	32.436	137.32	1.8795	0.5709	0.562	14	0.02
108.11.21	1292	小蕃茄		7.04	1.53	156.04	92.031	631.4	128.29	552.01	24.262	2.1165	3.9384	8.6	0.11
108.11.21	1293	百香果	公興段1013.東	7.7	1.06	180.83	34.826	511.82	150.75	156.5	51.097	1.6822	5.9844	16	0.11
108.11.21	1293	百香果	公興段1014.中	7.64	1.19	171.94	40.851	486.95	124.89	126.41	48.455	1.239	5.543	12	0.09
108.11.21	1293	百香果	公興段1118.西	7.6	1.18	202.08	45.617	550.71	154.67	165.53	49.805	1.6777	6.7351	16	0.09
108.11.21	1294			7.24	2.35	181.66	115.63	684.49	182.68	385.36	42.853	1.9488	5.7557	8.2	0.08
108.11.21	1295	紅豆	美濃4139	7.36	2.07	119.36	76.694	567.04	210.19	380.78	10.269	1.6346	1.5815	122	0.53
108.11.21	1295	紅豆	中壇2225	7.9	2.06	46.788	55.447	1156.6	136.95	377.21	32.25	2.5254	2.2971	19	0.12
108.11.21	1400	香蕉	北5	6.13	1.46	54.001	23.075	192.21	42.666	197.49	0.9956	0.8369	0.9298	3.5	0.06
108.11.21	1401	黑豆		6.48	1.67	126.9	45.58	340.65	77.063	400.23	6.7658	1.7888	1.7874	8	0.05
108.11.21	1401	紅豆		7.6	1.61	94.037	53.566	705.57	101.91	376.83	22.61	2.5427	2.6537	7.8	0.11
108.11.22	1296	洋蔥	五里亭段642(1)	7.04	1.97	28.327	48.244	407.2	172.45	278.2	15.811	1.5948	1.0505	9	0.04
108.11.22	1296	水稻	五里亭段642(2)	6.57	1.97	26.55	35.485	250.57	101.12	279.98	13.808	1.0436	0.801	3.2	0.05
108.11.22	1296	水稻	五里亭段642(3)	6.63	2.08	42.118	79.132	508.36	221.35	416.06	20.825	2.4035	1.5917	7.6	0.06
108.11.22	1296	水稻	五里亭段638	6.54	2.15	12.78	79.794	445.36	214.73	201.01	22.955	1.6951	1.1462	8	0.05
108.11.22	1296	水稻	五里亭段641	6.63	2.1	12.915	98.309	483.92	233.66	196.34	23.002	1.6947	1.0769	8.4	0.07
108.11.22	1296	水稻	五里亭段658	6.59	2.02	7.1168	64.206	368.93	182.3	195.02	26.007	1.5685	1.0014	7	0.04
108.11.22	1296	洋蔥	五里亭段659	6.71	2.02	9.8102	71.635	372.31	179.84	165.24	24.961	1.8578	0.9971	8.3	0.05
108.11.22	1296	水稻	五里亭段661	6.68	1.95	28.187	48.697	298.64	134.85	336.14	14.036	1.2298	1.0761	5.2	0.05
108.11.22	1297	蕃茄.葉菜	旗尾1052.B1-3	8.17	2.3	87.794	390.46	1093.6	271.94	219.17	39.171	1.8858	3.5461	48	0.13
108.11.22	1297		旗尾1053.B4-3	7.91	1.82	48.408	136.58	914.32	214.22	182.24	41.336	1.6704	2.9991	48	0.17
108.11.22	1298	瓜菜	月眉一小段2014-0000.C05	6.59	5.48	158.89	93.989	681.52	248.93	129.79	16.819	0.5591	2.497	26	0.36
108.11.22	1298	瓜菜	月眉一小段2014-0000.C06	6.27	5.56	212.34	199.87	1050.7	473.02	177.09	22.484	0.7505	4.0884	64	0.73
108.11.22	1298	瓜菜	月眉一小段2014-0000.C07	6.29	5.61	189.63	129.66	930.07	431.15	153.13	20.598	0.7287	3.4047	57	0.74
108.11.22	1298	瓜菜	月眉一小段2014-0000.C11	6.37	5.93	272.67	165.63	1085.8	465.72	209.15	26.547	0.7419	4.5803	48	0.57
108.11.22	1298	瓜菜	月眉一小段2014-0000.C13	6.37	5.52	212.85	110.08	812.17	386.55	234.44	26.216	0.9669	3.5681	35	0.42
108.11.22	1299	瓜菜	月眉一小段2014-0000.25D3	6.44	3.27	19.341	93.191	439.34	223.42	93.364	44.84	0.6613	1.1516	7	0.09
108.11.22	1299	瓜菜	月眉一小段2014-0000.25E3	5.75	3.55	45.484	104.44	448.77	210.44	150.77	29.295	0.973	1.0222	4.9	0.07
108.11.22	1299	瓜菜	月眉一小段2027-0000.8A1	6.03	3.62	37.674	173.74	426.9	203	138.58	26.332	0.5771	1.0688	2.2	0.06
108.11.22	1299	瓜菜	月眉一小段2027-0000.8A1-1	6.51	2.87	32.128	150.17	441.3	190.95	182.4	33.476	0.7779	0.7838	9.6	0.07
108.11.22	1299	瓜菜	月眉一小段2026-000.8A2-6	5.91	3.43	50.042	98.918	278.24	121.48	97.069	21.879	0.7453	0.9906	5.6	0.02
108.11.22	1300	香蕉.檳榔	壽比段525	3.77	5.19	155.19	92.104	137.06	44.927	317.64	1.8518	0.5584	1.8756	84	0.2
108.11.22	1300	香蕉.檳榔	壽比段543	4.58	5.04	269.22	61.08	294.92	44.617	319.87	5.6212	1.9637	5.2289	8.4	0.09
108.11.22	1300	香蕉.檳榔	壽比段544	3.78	6.5	206.38	87.351	126.82	35.061	360.83	2	0.7905	2.0014	8.6	0.13
108.11.22	1300	香蕉.檳榔	新東勢168	4.24	5.19	232.12	102.07	270.23	56.882	340.1	5.3082	0.6401	3.7638	9.7	0.16
108.11.22	1300	香蕉.檳榔	新東勢168-3	4.75	4.73	204.57	140.36	367.77	105.38	357.13	6.8152	1.0978	5.3773	13	0.1
108.11.22	1300	香蕉.檳榔	東勢41	4.44	2.77	142.08	91.848	256.2	79.824	287.25	16.588	0.5217	2.0058	7.1	0.06
108.11.22	1301	秋葵	九如段1702	7.76	0.78	19.416	49.952	784.32	206.31	599.01	49.146	1.9988	3.0698	129	0.25
108.11.22	1301	百香果	六港洋段0787	7.73	0.78	18.438	28.638	671.29	94.697	239.68	31.541	1.2476	2.4252	14	0.23
108.11.22	1301	百香果	磚仔地段0958.A區	6.45	1.25	168.29	68.51	439.75	64.224	227.66	11.409	2.1189	3.8361	2.4	0.07

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.22	1301	百香果	磚仔地段0958.B區	6.12	2.24	164.8	64.776	391.09	58.416	244.77	8.0334	1.9485	2.9138	2.1	0.05
108.11.25	1302	蔬菜		7.64	5.26	160.52	191.97	4044.6	277.39	110.85	23.853	4.8207	34.954	8.1664	0.09
108.11.25	1303	芭樂		4.73	3.29	240.13	249.45	904.1	156.79	366.5	18.924	1.7012	5.1327	14.011	0.64
108.11.25	1304	小蕃茄	中興段0299-0000	7.75	1.25	56.639	69.853	845.06	82.024	307.93	14.05	2.1485	2.3515	12.181	0.08
108.11.25	1305			6.75	1.58	94.381	73.36	824.93	189.27	509.93	15.764	1.4374	1.2965	32.024	0.13
108.11.25	1305	水		7.5		0	5.6	91	21	0.1	0.02	0	0	26	0.55
108.11.25	1306	蕃茄	美濃段5108-0000	7.58	1.74	168.82	153.47	1254.5	285.27	381.79	20.348	2.8859	6.365	51.979	0.26
108.11.25	1307	蕃茄	中興段0308-0000	7.75	1.67	19.033	52.214	10784	208.89	65.886	7.5487	3.2059	17.688	19.023	0.13
108.11.25	1308	蕃茄	福美段0037-0000	6.47	1.83	79.187	63.086	754.21	102.73	436.45	11.661	1.1964	2.3486	12.347	0.13
108.11.25	1309	蕃茄	龜山段0822-0000	7.92	1.04	11.083	45.303	1610	76.538	278.87	47.435	1.4776	2.8746	7.9726	0.15
108.11.25	1310	小蕃茄	中壇二小段4120-0000	7.22	2.35	77.649	54.735	917.23	156.9	459.81	11.94	2.9182	6.5875	15.926	0.1
108.11.25	1311	小蕃茄	美濃段4242-0000	7.05	3.17	43.189	131.9	1305.3	264.31	227.55	37.708	1.691	2.3516	9.8236	0.37
108.11.25	1312	小蕃茄	旗尾段1455-0000	6.8	1.97	19.822	31.501	936.8	180.69	178.65	23.593	1.1493	1.0225	70.223	0.4
108.11.25	1313	小蕃茄	龍中段0537-0000	6.26	1.81	94.14	85.461	550.52	96.223	354.62	12.918	2.7013	2.411	12.35	0.08
108.11.25	1314	蕃茄	中興段0284-0000	7.978	1.41	56.221	37.195	2617.3	147.71	359.69	47.93	3.0025	3.1755	7.8563	0.2
108.11.25	1315			7.09	1.54	85.055	215.97	802.49	187.04	244.5	16.215	5.5991	2.7776	32.066	0.2
108.11.25	1316	蕃茄	美濃段5698-0000	7.65	1.88	71.97	127.09	1037.4	240.96	367.89	32.37	2.2909	1.6236	50.447	0.21
108.11.25	1317	小蕃茄	福安段0460-0000	5.94	1.81	69.439	228.8	794.85	168.02	374.49	22.26	2.1925	2.3041	31.986	0.36
108.11.25	1318			7.53	2.44	74.402	49.681	1423.3	152.97	528.43	25.421	3.9493	3.3519	27.545	0.19
108.11.25	1319	小蕃茄	龍肚一小段1718-0000	6.38	2.71	102.51	76.712	989.75	167.37	451.49	13.347	1.3648	1.2813	21.783	0.13
108.11.25	1320		中壇段4133-0000	5.22	1.18	76.828	26.451	497	103.67	359.4	10.641	1.3418	1.7042	10.864	0.33
108.11.25	1321		中壇段2068-0000	7.93	1.33	39.697	39.995	1171.9	75.986	235.46	41.533	2.3605	3.7206	6.5335	0.05
108.11.25	1322	小蕃茄	中壇段4115-0000	7.55	2.64	33.652	37.776	2120.6	208.59	383.73	136.85	3.8707	1.8634	47.875	0.27
108.11.25	1323	小蕃茄	美濃段4469-0000	7.08	1.96	62.606	122.31	935.08	207.45	269.89	19.978	4.1257	4.9903	5.5948	0.16
108.11.25	1324		新威段0595-0000	7.54	1.32	79.492	47.369	993.38	71.391	227.46	26.777	2.5857	5.7812	2.1604	0.06
108.11.25	1325	小蕃茄	東合段0646-0000	5.58	1.82	93.394	69.304	562.7	73.577	570.76	16.194	2.1075	3.6078	6.7439	0.08
108.11.25	1326	小蕃茄	美濃段6831-0004	7.5	1.4	26.614	37.237	1005	197.9	410.27	32.585	2.1814	1.5993	65.336	0.28
108.11.25	1327	水	麟洛1號	7.24		0	2.2	141	31	0.1	0.02	0	0	9.3	0.69
108.11.25	1327	水	萬丹2號	7.41		0	1.9	97	16	0.1	0.02	0	0	9.5	0.45
108.11.25	1327	水	興泉3號	7.62		0	1.4	65	12	0.1	0.2	0	0	21	0.41
108.11.25	1328	水		7.86		0	1.5	71	37	0.1	0.2	0	0	26	0.53
108.11.25	1329	蕃茄	中壇段2119-0000	7.68	1.34	19.88	49.527	1721.2	190.99	173	27.329	4.7656	2.2355	44.422	0.28
108.11.25	1330	蕃茄	美濃段4280-0000	6.7	2.03	116.56	89.856	793.59	201.11	401.45	8.1726	1.812	1.7297	48.275	0.48
108.11.26	1331		5055-0000.表土	7.02	1.87	70.538	63.405	651.78	83.034	186.59	44.081	1.8538	6.0049	3.8864	0.04
108.11.26	1331		5055-0001.底土	7.64	1.46	85.25	55.813	1101.6	104.28	182.95	55.527	2.6425	5.89	4.7375	0.03
108.11.26	1332		建功26區	4.87	2.77	37.923	48.908	526.57	82.732	515.48	16.09	2.2363	2.4634	13.446	0.2
108.11.26	1332		建功27區	4.87	2.07	26.273	16.452	243.2	45.52	456.26	5.9443	1.7035	1.8513	9.0646	0.08
108.11.26	1332		建功29區	7.54	2.63	45.98	20.312	1700.7	118.92	470.76	44.06	2.9979	1.9503	17.224	0.17
108.11.26	1332		建功45區	5.36	2.5	25.359	37.604	483.79	76.851	465.52	19.873	2.1938	2.0638	14.084	0.11
108.11.26	1332		建功48區	4.96	1.93	16.063	21.996	352.76	60.927	373.78	8.8848	1.7143	1.4566	7.5196	0.1
108.11.26	1333	敏豆	阿拔泉段50-1	6.59	1.41	145.85	17.953	552.62	50.604	474.06	22.843	1.8895	2.3587	7.2884	0.07
108.11.26	1334	苦瓜	頂新段366-1	6.6	1.18	69.815	137.68	1564.2	150.72	239	58.093	2.1804	3.4319	34.781	0.2
108.11.26	1334		頂新段366-2	7.7	2.73	38.98	83.344	1114	104.98	255.45	43.255	1.2723	3.3729	17.742	0.2
108.11.26	1335	烏龍茶	表土	5.48	3.31	24.763	40.817	384.85	44.823	125.84	13.446	1.2209	2.6214	2.4238	0.03
108.11.26	1335		底土	5.6	2.64	17.909	34.852	331.76	33.199	117.15	24.08	1.2604	1.6851	1.9192	0.02
108.11.26	1410	苦瓜	加蚋段	6.11	1.6	294.23	125.55	472.6	111.11	413.72	12.101	2.9026	5.3892	7.3077	0.05

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.26	1426		5058-0000.表土	6.38	2.23	133.56	87.584	1057.5	131.86	250.48	23.875	5.5444	10.033	5.3996	0.07
108.11.26	1426		5058-0000.底土	6.72	1.8	117.75	54.873	1055.5	113.05	233.95	24.078	5.3238	8.2022	5.1525	0.03
108.11.26	1427		5455-0000.表土	6.65	1.81	86.403	68.855	879.93	99.332	345.3	28.467	1.7278	4.9975	6.6491	0.07
108.11.26	1427		5455-0000.底土	6.99	1.68	88.942	52.216	1102.6	112.88	352.99	19.543	2.0854	4.7027	2.9945	0.03
108.11.27	1338		力里段1803-2	6.85	4.26	142.74	103.59	1073.1	221.13	77.328	23.116	1.6049	3.2821	5.0103	0.05
108.11.27	1339	蔬菜	力里段965(1)	5.6	5.85	111.87	151.03	1095.2	273.17	127.06	29.037	1.4633	3.237	8.6586	0.35
108.11.27	1339	蔬菜	力里段965(2)	6.29	7.38	113.44	172.79	1117.2	246.83	149.07	37.648	1.4149	4.5066	3.7113	0.1
108.11.27	1339	蔬菜	力里段965(3)	6.21	5.93	80.071	138.56	1172.7	227.23	127.6	44.606	1.6497	4.6637	3.7023	0.17
108.11.27	1340	蕃茄	許家段1008	7.99	4.34	16.385	237.07	4933.5	614.12	41.624	69.558	1.1495	2.9369	296.72	0.38
108.11.27	1340	水		7.87		0.4	9.5	74	65	0.1	0.2	0	0	197	1.57
108.11.27	1341	蕃茄.絲瓜.冰花	港仔段1775	7.82	4.05	8.253	171.24	5134.4	731.33	42.149	74.151	1.9067	3.0713	312.8	0.56
108.11.27	1341	水		8.55		0	5.3	18	110	0.1	0.2	0	0	266	2.09
108.11.28	1342	蓮霧	新華段946	6	4.82	715.81	404.06	2304.6	246.68	439.35	17.271	4.9301	15.472	69.908	0.46
108.11.28	1342	水		7.2		0	2.3	139	28	0.1	0.3	0	0	20	0.74
108.11.28	1343	蓮霧	同安段1644	7.16	4	324.48	282.34	2354.9	311.37	291.4	41.397	4.6674	17.711	53.297	0.31
108.11.28	1343	水		7.32		0.02	9	111	41	0.12	0.13	0	0	29	0.78
108.11.28	1344	芭樂	興隆段711(A)	7.59	0.97	28.14	48.36	1238.7	147.82	156.38	46.599	1.6972	3.5792	285.47	0.55
108.11.28	1344	芭樂	興隆段711(B)	8.02	1.05	55.211	113.4	1437.5	303.35	148.62	54.32	1.8997	3.1113	865.5	1.32
108.11.28	1344	芭樂	興隆段711(C)	8.19	1.12	38.266	263.87	1912.7	285.74	129.49	62.378	2.5089	3.042	875.2	1.26
108.11.28	1344	芭樂	興隆段711(D)	8.03	1.04	23.776	122.2	1395.7	299.98	165.47	59.916	1.4309	1.7431	1026.5	1.66
108.11.28	1345		大港洋段1449	6.45	2.54	258.28	98.41	1475.1	114.66	273.61	23.001	7.6875	28.214	10.638	0.15
108.11.28	1345	水		7.68		0	4.1	102	23	0.1	0.02	0	0	15	0.56
108.11.28	1346		光明段35	7.54	1.95	103.87	66.886	1890.9	98.027	210.01	37.938	2.7333	3.7346	7.9923	0.16
108.11.28	1346	水		7.2		0	3.4	148	24	0.1	0.6	0	0	16	0.73
108.11.28	1347		大坵段402	6.21	1.33	252.63	76.171	937.23	66.91	212.13	30.338	3.7721	8.6246	11.048	0.26
108.11.28	1347	水		7.53		0	4.9	138	26	0.1	0.02	0	0	17	0.68
108.11.28	1348		大港洋段256	6.83	1.68	102.16	135.95	1226.8	119.48	216.09	32.794	6.9698	3.7877	52.045	0.41
108.11.28	1348	水		7.81		0	1.6	105	21	0.1	0.02	0	0	16	0.5
108.11.28	1349		新南段592.593	7.14	1.55	567.96	46.305	1772.2	71.735	182.19	23.322	3.4216	16.093	4.7721	0.05
108.11.28	1349	水		8.05		0.4	3.6	143	21	0.1	0.02	0.04	0	13	0.67
108.11.28	1350		舊大路關小段R397	3.09	1.44	337.2	160.61	106.4	41.776	434.13	11.22	1.4949	0.9919	16.206	0.43
108.11.28	1350	水		9.69		0.07	2.6	20	7.7	0.1	0.02	0	0	61	0.35
108.11.28	1351		彭新段767	6.21	1.47	267.05	40.946	720.07	56.821	302.65	9.4321	2.6895	3.4022	7.0461	0.06
108.11.28	1351	水		7.78		0	1.7	152	27	0.1	0.02	0	0	9.4	0.65
108.11.28	1352	番石榴	舊寮段149-419	7.15	1.87	71.589	57.271	1502.6	58.218	188.37	25.123	2.3381	4.3818	5.8845	0.16
108.11.28	1352	水		7.86		0	1.2	88	21	0.1	0.02	0	0	11	0.46
108.11.29	1353	水		6.58		0	0.5	2.9	0	0.1	0.02	0	0	1	0.18
108.11.29	1354		新田段1413 表土	6.26	3.22	93.945	98.428	1430.6	180.31	455.17	14.768	2.2993	2.3126	50.428	0.73
108.11.29	1354		新田段1413 底土	7.15	2.36	59.294	35.09	1113.1	137.24	348.02	24.268	1.8831	1.4641	21.322	0.14
108.11.29	1355	香蕉		6.92	2.22	116.4	83.975	1096	127.54	222.76	14.711	1.7283	2.8023	14.539	0.08
108.11.29	1356	鳳梨	科大	3.99	2.82	120.17	33.391	51.255	4.6083	184.81	1.5342	3.0649	0.8834	4.6437	0.06
108.11.29	1356		水門	4.79	0.97	115.28	23.773	300.1	25.499	209.86	33.079	1.4921	3.3913	4.6624	0.05
108.11.29	1356	水	科大	6.05		0.02	5.6	21	5.9	0.1	0.02	0	0.01	9.6	0.17
108.11.29	1356	水	水門	7.99		0.02	1.8	133	32	0.1	0.02	0	0	7.2	0.6
108.11.29	1357	白蘿蔔	新堤段0643.0639	7.43	1.97	104.3	93.834	1046.1	120.7	180.72	48.276	1.3859	4.4773	74.366	0.56
108.11.29	1357	白蘿蔔	新堤段0649	6.28	1.31	217.37	568.92	1075.5	87.594	133.62	52.831	4.9435	8.595	34.936	2.86

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.29	1358	白蘿蔔	新堤段0056	6.07	1.25	184.11	127.49	1030.9	126.99	143.89	60.784	1.9426	9.1906	55.394	0.81
108.11.29	1359	白蘿蔔	新堤段0372	6.13	1.12	128.22	126.52	1071.2	146.58	136.16	32.797	1.5862	7.7373	133.18	0.79
108.11.29	1359	白蘿蔔	新堤段0344.0345	7.3	1.88	148.39	71.46	701.11	95.368	202.19	26.413	1.2158	4.7315	138.07	0.26
108.11.29	1360	白蘿蔔	新堤段0156.0155.0157	6.85	1.96	249.03	133.02	1083.5	169.64	155.31	20.571	4.8528	4.3261	58.075	0.22
108.11.29	1361		頂信024-2	6.92	2.53	27.998	43.092	625.21	64.981	165.49	20.204	1.1623	1.2004	6.7387	0.05
108.11.29	1361		頂信030	6.75	1.65	40.276	70.25	783.82	107.22	230.78	17.5	1.2918	2.3274	22.328	0.07
108.11.29	1361		頂信282	7.33	2.1	45.483	29.595	783.29	78.251	219.56	7.6654	1.4272	1.6357	13.227	0.05
108.11.29	1361	水	A頂信段0282.地下水	7.24		0	3.4	156	22	0.12	0.4	0	0	29	
108.11.29	1361	水	B水溝水	7.45		5.6	10	39	11	0.23	0.1	0.23	0	660	
108.11.29	1362		山頂仔2052 2053	6.64	1.8	42.805	100.56	1021.3	133.91	140.9	21.2	1.3934	3.2374	19.933	0.19
108.11.29	1362		山頂仔2393	6.6	1.59	67.805	65.641	769.79	110.75	177.46	26.593	1.5122	3.7953	34.826	0.27
108.11.4	1156			5.91	3.3715	45.88	106.3	964.5	145.54	263.49	18.12	2.5869	4.3012	8.6069	0.12
108.11.4	1157	果樹 蔬菜	霧台段90號	6.3	5.2958	122.97	307.13	1472	174.28	206.45	54.704	3.3016	6.1853	6.4403	0.04
108.11.4	1158	薑黃 薑紅	霧台段177號	5.31	4.305	155.06	157.26	558.57	54.158	197.8	32.358	2.1552	4.4078	5.7822	0.02
108.11.4	1159	檸檬	永隆段635號	6.77	1.5331	260.98	42.234	806.84	87.236	309.66	15.095	4.868	8.1395	8.2212	0.03
108.11.4	1160	茄子	麟和段896	5.7	1.4515	107.4	72.657	635.68	99.377	342.92	45.386	4.8616	4.0289	19.3	0.13
108.11.4	1161	芒果	內庄段136 表土	7.64	1.7882	169.14	144.63	2060.6	284.45	484.06	65.901	3.1541	4.8528	24.323	0.2
108.11.4	1161	芒果	內庄段136 底土	7.96	0.985	37.599	108.25	2244.5	288.92	543.76	77.499	2.2895	3.3431	36.395	0.25
108.11.4	1161	芒果	內庄段139 表土	7.62	1.8017	110.99	116.67	2341.5	335.87	601.25	76.549	3.2464	4.7527	26.102	0.34
108.11.4	1161	芒果	內庄段139 底土	7.85	1.1173	20.233	75.689	2052.4	272.69	452.74	55.276	1.6732	2.849	21.894	0.41
108.11.4	1161	芒果	內庄段134 表土	5.92	2.3378	188.33	83.825	725.1	135.93	449.79	29.046	2.671	3.4969	10.127	0.03
108.11.4	1161	芒果	內庄段134 底土	6.43	1.6876	172.35	33.797	820.68	135.24	391.87	21.857	2.23	2.9972	12.849	0.02
108.11.4	1161	水	內庄段139	7.68		0.1	7.5	101	42	0	0.1	0	0.03	30	0.8
108.11.4	1162	檸檬	打鐵段778號	7.25	2.0048	295.84	48.552	1373.2	149.85	276.97	42.433	4.9517	11.668	6.5672	0.03
108.11.4	1163	空地	林子邊段560-1號	7.43	0.9859	92.516	74.327	783.61	129.88	152.31	27.968	1.252	2.7548	11.229	0.02
108.11.4	1163	芭樂	林子邊段560-1號	6.98	0.9805	109.8	132.24	832.21	178.01	151.1	29.879	1.2048	3.2229	11.453	0.06
108.11.4	1163	路竹筍	林子邊段560-1號	5.59	0.9814	166.12	107.28	691.06	86.552	318.53	19.101	0.6974	4.185	10.76	0.07
108.11.4	1164	蔬菜 根莖類	X1131湖西南段1187 1107	8.05	4.326	41.103	186.53	6552	1112.9	78.884	91.209	2.8765	5.6513	221.6	0.27
108.11.4	1164	花生 地瓜	X1132西溪新段722	8.3	3.605	59.275	100.7	6301	579.32	35.549	32.839	1.0165	2.0154	46.438	0.09
108.11.4	1164	水	X1131	7.95		0.1	18	134	140	0	0.03	0	0	632	4.39
108.11.4	1164	水	X1132	7.94		0.03	5.2	48	53	0	0.03	0	0	144	1.13
108.11.4	1173	水		8.36		0.2	1.04	66	22	0	0.03	0	0	8.6	0.38
108.11.5	1165	芒果	表土1	6.6	0.6966	36.287	40.192	339.09	24.588	83.292	35.081	0.3026	2.7769	5.2609	0.01
108.11.5	1165	芒果	底土1	6.61	0.5672	37.806	45.745	346.84	25.293	76.096	33.581	0.4346	2.9727	4.6449	0.01
108.11.5	1165	芒果	表土2	5.4	0.7715	16.869	45.041	118.37	19.93	157.32	9.1757	0.1193	0.8425	5.5229	0.01
108.11.5	1165	芒果	底土2	5.33	0.911	10.996	36.307	110.66	16.874	111.12	9.024	0.093	0.5888	4.8454	0.01
108.11.5	1166	檸檬	玉水段1103	5.05	0.9734	85.518	58.963	330.4	83.987	334.34	14.98	2.5146	2.7699	6.7925	0.04
108.11.5	1167	烏心石		6	2.1629	17.687	35.133	714.98	194.34	287.27	18.366	0.9557	2.0149	6.9255	0.04
108.11.5	1168	敏豆.番茄		5.89	1.3252	118.03	55.018	653.98	127.61	392.47	2.8937	1.1659	1.5287	9.0674	0.09
108.11.5	1169	木瓜		6.89	1.8154	241.74	80.515	1420.3	295.65	522.99	26.903	10.473	7.1895	6.9713	0.04
108.11.5	1170	木瓜	新埤1210 蝦池	7.99	1.523	75.331	35.891	1601.2	110.63	241.43	62.547	2.0408	6.494	5.3324	0.04
108.11.5	1170	鳳梨	新埤1211 4區	6.31	1.8102	99.494	26.831	740.65	89.453	164.8	32.532	2.4451	3.644	5.1639	0.03
108.11.5	1170	鳳梨	新埤1212 水桶旁	6.42	1.8	59.86	28.22	747.77	88.84	204.32	38.254	3.7551	2.9187	4.7662	0.01
108.11.5	1171	芭樂		7.72	2.4984	97.417	58.405	1158.1	272.79	178.1	37.149	0.902	3.8317	29.286	0.1
108.11.5	1172	蜜棗		5.51	1.6622	376.74	72.927	690.42	69.672	551.93	10.82	3.0829	6.2801	9.0313	0.04
108.11.5	1173	芒果	加納埔段0547-0194 表土	5.97	2.2453	51.05	35.648	552.25	120.59	244.52	14.888	2.4808	2.8779	5.9293	0.03

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.5	1173	芒果	加納埔段0547-0194 底土	6	1.8241	45.934	18.41	354.31	69.206	203.76	8.2224	2.2449	1.626	4.5015	0.01
108.11.5	1174		新庄田土 A	6.33	3.5981	125.17	94.191	1255	156.21	376.86	39.126	2.1943	5.6813	11.993	0.1
108.11.5	1174		新庄田土 B	7.37	3.097	16.446	42.852	1753.4	162.89	164.33	38.596	1.2863	2.965	20.881	0.15
108.11.5	1175	洋蔥	保力段保力小段203-1	7.04	2.2997	19.687	90.517	957.57	275.81	270.63	36.67	1.5065	1.187	7.7309	0.03
108.11.5	1175		保力段保力小段203-2	7.35	2.6418	15.734	74.009	1076.8	267.93	461.79	27.49	1.5676	1.3198	15.663	0.07
108.11.5	1175		保力段保力小段203-3	6.75	2.3175	13.324	78.068	949.06	282.58	349.3	17.138	1.3452	1.1745	12.806	0.04
108.11.5	1175		保力段保力小段203-4	6.91	2.1567	13.977	93.686	968.67	285.21	299.97	28.842	1.6059	1.1901	9.3107	0.04
108.11.5	1176	香草植物	牡丹段0406-0001 0407-0000	6.76	4.2357	148.47	136.8	1820.9	385.71	151.16	41.95	1.0438	5.6884	16.757	0.13
108.11.5	1177	紅龍果	頂蚵仔寮段34 A	7.12	3.6331	357	59.313	2575	312.61	252.96	42.979	3.1582	17.853	17.645	0.08
108.11.5	1177		頂蚵仔寮段34 B	7.5	1.8	318.7	42.068	2842.9	301.73	241.12	52.915	2.215	14.127	16.666	0.09
108.11.5	1178		大湖段2090	8.09	1.8742	135.5	80.09	1522.2	549.73	404.71	18.374	1.3731	4.8669	222.6	0.6
108.11.5	1178		大湖段2100	6.03	2.5201	81.858	82.978	1290.5	371.43	842.8	13.146	0.9861	5.6789	63.233	0.4
108.11.5	1178		海七南段2019	6.89	3.1269	96.254	104.5	2128.5	550.15	700.08	20.643	2.0605	5.4107	144.79	0.88
108.11.5	1179	水	A20191105	7.66		0.6	215	347	303	0	0.1	0	0.02	3875	30.6
108.11.5	1179	水	B20191105 淡1	7.25		0.01	50	170	197	0	0	0	0	1311	8.96
108.11.5	1179	水	C20191105 淡2	7.04		0.01	52	168	201	0	0	0	0	1304	8.98
108.11.6	1180	蘆筍	香社段1146	8.09	1.4651	56.631	168.57	2538.6	312.72	290.38	45.44	0.5806	3.14	133.68	0.93
108.11.6	1181	洋蔥	0055	7.77	2.6292	38.095	78.886	1809.2	133.41	232.91	33.373	1.295	0.9404	11.034	0.07
108.11.6	1181	洋蔥	157	7.01	2.3714	67.912	89.423	1382.6	202.25	379.98	50.313	1.743	1.6225	13.022	0.07
108.11.6	1181	洋蔥	270	5.83	2.858	32.673	95.901	1252.1	374.28	553.19	8.9682	1.5318	1.3126	25.571	0.15
108.11.6	1181	洋蔥	317	7.46	2.7513	88.256	98.808	2265.4	342.56	723.53	37.021	2.5547	2.2192	20.279	0.08
108.11.6	1181	洋蔥	500	5.87	2.5701	19.419	87.869	1077.3	327.13	413.8	42.362	1.2448	1.0817	18.011	0.14
108.11.6	1181	洋蔥	690	7.1	2.2758	72.669	51.51	1371.2	261.83	498.13	39.37	1.9177	1.4475	19.677	0.05
108.11.6	1181	洋蔥	694	7.12	2.0336	85.921	81.65	1581.3	286.08	410.23	51.956	2.3403	2.7371	11.185	0.04
108.11.6	1181	洋蔥	697	6.16	2.1588	86.614	104.82	1132.1	313.93	538.45	47.639	1.8559	1.7437	24.813	0.09
108.11.6	1181	洋蔥	944	6.71	2.0162	172.22	147.33	1769.5	243.36	412.08	46.224	1.8565	3.2005	12.703	0.09
108.11.6	1181	水	694	7.83		0.01	1.7	61	25	0	0	0	0	29	0.46
108.11.6	1181	水	317	8.48		0.02	1.8	73	32	0	0	0	0	36	0.59
108.11.6	1182			6.72	1.8189	379.27	320.67	1823.1	262.45	312.73	34.15	5.502	22.685	45.609	0.14
108.11.6	1183			7.13	2.1526	199.41	321.66	1571.9	390.27	217.92	31.78	1.1237	7.1887	26.115	0.14
108.11.6	1184			7.08	2.8967	320.02	344.91	1651.1	407.16	426.02	16.684	3.3882	23.804	52.769	0.07
108.11.6	1185			7.33	2.5104	502.99	181.85	2978.8	389.73	244.06	57.069	4.806	40.163	14.13	0.08
108.11.6	1186			7.13	1.9305	300.43	186.03	1904.6	340.76	247.96	41.164	1.7267	19.776	14.737	0.1
108.11.6	1187	鳳梨	1	5.73	1.8903	28.47	38.589	532.04	207.5	142.9	31.199	0.034	1.1017	6.5108	0.06
108.11.6	1187		2	5.16	2.1733	52.101	53.152	741.94	92.369	118.78	25.055	0.135	2.5529	10.654	0.05
108.11.6	1187		3	6.04	1.6591	57.374	248.41	612.81	203.19	109.65	30.378	0.1024	1.2649	13.52	0.12
108.11.6	1187		4	5.8	1.9544	28.482	57.163	616.12	167.73	121.72	43.009	0.2752	1.7016	11.876	0.02
108.11.6	1187		5	6.32	3.0606	78.488	89.724	1251.3	154.32	191.73	36.625	0.543	3.171	7.1585	0.09
108.11.6	1188		邱1	8	2.719	393.28	854.36	8398.9	2466.8	399.88	59.112	4.3721	9.8803	3047.1	8.76
108.11.6	1188		邱2	8.13	3.2312	318.39	882.05	6533.9	2926.7	234.7	57.084	3.2738	5.4991	4012.8	11.7
108.11.6	1188		黃1	7.26	1.5978	189.08	57.041	1266.9	246.78	511.77	27.71	3.5426	5.5448	34.46	0.21
108.11.6	1189	無花果	上瓦硯段24號	8.1	3.6671	13.967	279.09	3985.5	455.37	35.239	72.167	1.5312	1.6063	87.914	0.15
108.11.6	1190	芭樂	通梁東段0355	8.23	2.905	11.351	165	5353	714.28	31.83	44.909	2.3515	2.2595	52.749	0.09
108.11.6	1190	水	通梁東段0355	8.03		0	3	42	64	0	0	0	0	181	1.42
108.11.6	1191	菜.芭樂	龍門段	8.25	1.656	7.9533	66.735	17241	1055.1	4.244	11.112	2.8172	3.3035	143.42	0.09
108.11.6	1191	水		7.89		0	2.4	57	48	0	0	0	0	98	0.93

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.11.6	1192	果樹.芭樂	通梁中段1105	8.23	6.6807	54.049	191.2	5038	804.46	40.633	59.046	2.2129	3.9389	82.588	0.12
108.11.6	1192	水	1105通梁中段	7.88		0	5.3	53	56	0	0	0	0	181	1.29
108.11.6	1193	香蕉.木瓜	西溪段1435	8.23	3.1209	62.778	182.22	4078	795.1	48.793	61.234	1.6419	5.3438	122.87	0.17
108.11.6	1193	水		7.99		0.1	2.2	64	63	0	0	0	0	156	1.25
108.11.6	1194	高麗菜.玉米	港子尾525	8.24	3.8015	80.303	357.47	5192.2	1194.4	48.397	93.209	5.9475	8.6938	585.97	0.37
108.11.6	1195	高麗菜.木瓜		7.99	1.8778	94.59	150.84	7488.7	721.86	25.936	33.811	5.059	6.5564	318.88	0.39
108.11.6	1196	蔥	機場段1009-0000	8.25	2.858	43.836	299.56	5638.7	910.09	32.609	54.174	1.7713	10.456	101.87	0.15
108.11.6	1196	水		7.41		0	2.8	38	74	0	0	0	0	233	1.63
108.11.6	1197	花生	竹灣段3604號	8.22	2.8607	12.184	220.2	4658.5	639.05	35.062	63.568	1.1039	1.7011	93.635	0.13
108.11.6	1197	水	竹灣段3604號	7.66		0	3.1	51	47	0	0	0	0	241	1.64
108.11.6	1198	花生	西溪段	8.15	2.1671	94.232	105.08	7180.1	659.91	21.772	29.473	3.0057	4.3181	122.52	0.17
108.11.6	1198	水	西溪段	7.53		0	3.1	69	8	0	0	0	0	218	1.87
108.11.6	1199	葉菜類	坡南段	8.28	3.6635	107.65	240.95	4855	815.77	53.824	41.113	2.8081	7.0654	147.92	0.21
108.11.6	1199	水		7.8		0	3	64	92	0	0	0	0	303	2.17
108.11.6	1200		南寮南段1032-0000 1033-0000	8.22	3.1839	109.22	273.86	5149	598.7	41.028	74.552	1.3876	3.069	54.229	0.14
108.11.6	1200	水		7.79		0	1.5	54	71	0	0	0	0	161	1.46
108.11.6	1201	芭樂	湖子內段0221-0001 222	7.17	1.3376	102.52	108.54	852.39	202.1	223.18	11.816	1.4699	5.8894	9.1782	0.05
108.11.6	1202	玉米	空地1	7.04	2.0336	41.659	55.114	675.73	74.085	111.37	17.575	0.8958	1.2287	9.4329	0.04
108.11.6	1202	鳳梨	空地2	4.87	1.9433	42.749	48.543	185.25	22.37	152.32	12.244	0.8179	1.1545	7.1346	0.03
108.11.6	1203	一條根	成功南段775號	8.31	3.04	9.4335	192.91	2907.8	462.48	25.234	43.075	0.3646	3.1671	210.89	0.16
108.11.6	1204	落花生.葉菜.紅龍果	林投北段103	8.05	4.2398	24.869	205.11	5015.7	806.07	48.859	66.869	1.4788	2.8057	227.78	0.35
108.11.6	1205	落花生.葉菜.紅龍果	青螺新段1145號	7.97	2.3624	168.85	171.93	7954.4	504.31	31.211	21.212	1.8034	6.7667	91.309	0.23
108.11.6	1206	芭樂	山子頂段3320 表土	7.61	3.19	106.64	96.718	1684.2	284.94	253.82	47.42	2.7409	5.4365	24.725	0.14
108.11.6	1206		山子頂段3320 底土	7.75	2.7374	44.288	86.512	2133.7	330.05	237.03	59.336	2.7746	3.7523	27.154	0.15
108.11.6	1207	番茄	芎蕉腳段2213 表土	7.13	2.1485	60.786	66.934	1124.7	171.23	534.39	17.501	1.6058	2.8765	14.959	0.05
108.11.6	1207		芎蕉腳段2213 底土	7.03	2.1588	53.58	64.726	1143.4	177.86	488.95	10.35	1.4085	2.5304	14.258	0.06
108.11.6	1208	甜椒		6.44	1.4776	107.35	123.77	852.36	168.74	221.63	36.444	1.8784	10.568	26.459	0.26
108.11.6	1209	洋蔥	機場段425	8	1.5417	42.775	70.075	1845.1	175.47	247.53	44.365	1.1884	1.8238	27.133	0.11
108.11.6	1209	水	機場段425	7.57		0	1.6	120	47	0	0	0	0	52	0.96
108.11.6	1210	青割玉米	機場段423	7.86	2.3511	65.75	81.467	2865.2	346.99	258.13	77.311	3.1013	2.2529	87.991	0.33
108.11.6	1210	水	機場段423	7.68		0	1.4	129	45	0	0	0	0	58	0.97
108.11.6	1211	青割玉米	機場段408-1	8.09	1.6764	67.701	67.383	2778.9	275.35	256.15	70.762	2.4278	1.6243	54.982	0.17
108.11.6	1211	水	機場段40821	7.75		0	1.7	126	48	0	0	0	0	51	0.98
108.11.6	1212	洋蔥	五里亭段665	7.31	1.9451	81.834	92.72	976.64	244.13	581.24	51.55	2.3268	1.7579	20.558	0.09
108.11.6	1212	水	里亭段0665	7.76		0	1.7	122	49	0	0	0	0	52	0.99
108.11.6	1213	洋蔥	機場段314	7.85	2.2176	49.475	176.88	2210.1	265.08	189.71	95.809	3.1807	2.0395	25.079	0.18
108.11.6	1213	水	機場段314	7.54		0	3.2	83	34	0	0	0	0	64	0.77
108.11.6	1214	洋蔥	機場段660	7.79	2.9246	129.8	132.76	1947.2	361	496.28	72.624	3.9254	2.7178	180.8	0.29
108.11.6	1214	水	機場段660	7.71		0	1.7	141	49	0	0	0	0	48	0.99
108.11.6	1215		古安段0745	6.66	2.427	175	129.24	1060.3	160.65	436.24	6.614	1.4121	2.8178	11.63	0.1
108.12.09	1391	橙蜜香		7.04	2.45	21.785	37.709	1091.7	240.6	151.6	29.608	1.9616	1.2093	27.379	0.12
108.12.09	1392	橙蜜香		5.87	3.94	28.082	102.33	1153.9	272.24	302.74	25.758	1.7427	2.0869	26.696	0.09
108.12.09	1393	百香果	新勢段1178-0000.B5	7.02	3.21	82.483	50.013	1083.2	104.77	190.77	37.378	2.4108	2.6229	22.636	0.28
108.12.09	1393	百香果	新勢段1167 1168.A6	7.12	3.21	79.345	49.081	1309.5	131.12	247.1	25.753	2.4144	2.5415	14.684	0.26
108.12.09	1393	百香果	新勢段1167 1168.A15	6.5	3.37	117.26	79.055	1393	165.71	344.05	33.909	2.9867	2.8323	19.52	0.3
108.12.09	1393	百香果	新勢段1167 1168.A25	6.77	3.22	75.769	31.315	1380.9	145.28	206.17	24.998	2.4735	1.594	16.306	0.31

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.12.10	1394	蜜棗	面前埔段176	6.49		111.54	107.88	600.12	97.121	153.16	12.254	0.662	4.538	2.5125	0.04
108.12.10	1394	芭樂	嘉誠段0649-000	5.9	1.45	89.058	46.17	559.36	84.819	187.58	10.721	0.654	3.2463	25.527	0.14
108.12.10	1396	茶	瑪家段1068	5.21	>6	8.0943	73.011	126.08	26.002	123.68	26.147	0.9945	1.1421	41.054	0.09
108.12.10	1397	檳榔.香蕉	A表土	5.86	3.22	244.87	61.735	840.96	76.068	253.87	22.962	1.4597	4.5341	12.285	0.15
108.12.10	1397	檳榔.香蕉	A底土	6.63	1.32	199.03	35.355	654.94	53.77	256.54	20.878	1.5034	2.1615	5.9876	0.05
108.12.10	1397	檳榔.香蕉	B表土	6.44	1.82	158.49	43.227	759.83	70.734	289.22	15.463	3.2449	5.2356	17.974	0.12
108.12.10	1397	檳榔.香蕉	B底土	6.68	1.4	119.88	39.708	707.87	63.7	222.18	10.214	3.0355	3.3853	8.087	0.04
108.12.10	1397	水稻.紅豆	C表土	6.55	2.64	64.814	53.941	897.94	58.617	296.31	13.108	2.3473	1.6483	7.8693	0.07
108.12.10	1397	水稻.紅豆	C底土	6.19	2.57	67.065	59.5	880.12	58.675	295.42	13.609	2.2565	1.5515	8.8959	0.11
108.12.10	1398	瓜菜	土庫段2098-0000	7.08	1.31	29.459	63.603	641.76	57.075	99.547	27.187	0.9444	1.3882	2.3953	0.11
108.12.10	1398	水		6.8		0.02	1.9	159	25	0.06	0.12	0	0	3	0.82
108.12.10	1399	芋頭	進興段1060-0002.表土	7.67	3.79	290.99	253.77	2536.5	242.59	480.98	61.553	7.0738	9.3029	42.635	0.27
108.12.10	1399	芋頭	進興段1060-0002.底土	7.61	1.86	48	59.482	1915.6	91.491	164.27	64.824	3.6398	2.6908	14.295	0.24
108.12.10	1399	檸檬	龍華段006-0000.表土	5.85	1.11	134.33	57.64	499.82	45.377	287.91	11.676	4.949	2.6368	6.9178	0.08
108.12.10	1399		龍華段006-0000.底土	5.52	1.04	71.486	33.191	266.79	29.383	247.34	11.192	2.0526	1.5521	3.0834	0.04
108.12.10	1399	水	進興段1060-0002	7.23		0	1.6	117	22	0.05	0.02	0	0	12	0.68
108.12.11	1402	果樹	九如段1376.表土	5.75	1.6	67.647	64.946	441.07	61.854	178.96	15.414	2.1767	4.9023	3.3942	0.12
108.12.11	1402	果樹	九如段1376.底土	4.93	1.96	136.82	155.02	645.9	73.594	225.8	36.366	4.2556	10.74	7.4303	0.28
108.12.11	1402	果樹	九如段1520.表土	6.99	1.73	36.536	30.777	554.29	82.616	93.711	26.105	1.1064	1.2553	5.1835	0.04
108.12.11	1402	果樹	九如段1520.底土	6.96	1.8	30.671	35.417	792.43	120.74	101.77	44.135	1.533	1.2818	8.4684	0.04
108.12.11	1402	果樹	九如段1326.表土	6.83	1.47	10.515	42.361	522.9	74.038	67.956	43.095	0.9793	0.7588	3.1795	0.04
108.12.11	1402	果樹	九如段1326.底土	7.03	1.32	11.832	36.936	426.04	55.782	61.727	28.527	0.7826	0.6894	2.4109	0.05
108.12.11	1402	果樹	九如段1519.表土	6.43	1.54	25.698	78.049	612.77	106.42	98.777	38.384	1.42	1.2511	3.4031	0.07
108.12.11	1402	果樹	九如段1519.底土	6.53	1.68	23.115	76.52	592.75	103.88	106.6	41.565	1.4626	1.1235	4.1828	0.07
108.12.11	1402	水	1376	7.62		0	1.3	77	14	0.05	0.02	0	0	15	0.51
108.12.11	1402	水	1520	7.22		0	3.5	122	19	0.05	0.4	0	0	14	0.69
108.12.11	1402	水	1326	7.46		0	4.4	107	16	0.05	0.2	0	0	15	0.66
108.12.11	1402	水	1519	7.19		0	3.5	124	18	0.05	0.4	0	0	14	0.7
108.12.11	1403	蔬菜.香菜	福山段0054-0002	7.42	3.06	7.463	34.953	1399.9	94.679	90.788	22.368	1.468	6.4798	11.837	0.11
108.12.11	1404	香蕉	新興段0943-0000	6.64	1.72	145.78	75.238	994.73	109.39	300.57	16.574	3.5449	7.0078	55.137	0.45
108.12.11	1404	香蕉	社西段0048-0000	5.56	1.68	126.39	39.15	864.2	68.575	246.21	12.358	3.3427	6.5661	36.052	0.6
108.12.11	1405		昌榮段1048-0000.表土	4.08	1.55	349.62	140.34	211.8	26.581	332.73	7.8678	5.8004	3.1808	5.6643	0.18
108.12.11	1406	水		7.56		0	0.6	39	8.5	0.05	0.04	0	0	15	0.35
108.12.12	1405		昌榮段1048-0000.深土	4.17	4.85	273.48	82.27	182.07	24.261	279.34	5.8711	2.4015	2.8192	3.8425	0.17
108.12.12	1406	蓮霧	三千段579	6.87	5.72	399.39	245.69	2193.3	353.53	243.88	25.278	5.7503	13.62	52.587	0.45
108.12.13	1407		DO1.月眉一小段2014-0000	6.69	5.46	134.4	53.11	756.32	173.03	143.35	20.341	0.8625	2.3765	11.94	0.18
108.12.13	1407		DO2.月眉一小段2014-0000	6.73	4.73	148.35	85.872	826.47	208.5	183.12	25.058	0.7283	2.3972	12.107	0.19
108.12.13	1407		DO5.月眉一小段2014-0000	6.62	5.59	132.16	79.684	1026.9	264.6	117.74	26.681	0.7457	2.2992	19.917	0.25
108.12.13	1407		DO6.月眉一小段2014-0000	6.48	4.94	181.64	91.266	1338.1	357.71	102.45	17.597	0.4839	2.8812	35.738	0.63
108.12.13	1407		DO8.月眉一小段2014-0000	6.47	2.95	166.27	70.808	1233.1	308.9	100.1	14.37	0.4508	2.6155	32.522	0.57
108.12.13	1408		8A3.月眉一小段2027-0000 2028-0000	5.86	1.8	35.898	46.952	446.11	111.8	88.279	18.326	0.7346	0.793	2.1577	0.03
108.12.13	1408		8B1.月眉一小段2027-0000	5.84	2.45	12.195	49.49	333.17	104.86	91.444	18.771	0.3589	0.6001	2.4094	0.04
108.12.13	1408		8B3.雙坑段98-0000	5.74	2.07	11.101	40.462	623.75	176.86	88.614	31.079	0.6192	0.6504	9.4451	0.11
108.12.13	1408		8C2.雙坑段98-0000	5.97	2.83	47.024	59.517	504.77	131.6	177.84	30.892	0.7343	0.708	5.0401	0.02
108.12.13	1408		8C4.雙坑段98-0000	5.97	1.66	18.736	52.054	677.46	198.33	180	52.038	0.8383	0.8898	8.3017	0.07
108.12.16	1409	紅肉李	藤枝段133	4.9	>6	112.08	136.98	589.35	77.208	332.02	11.014	9.482	4.4809	7.7539	0.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷(ppm)	鉀(ppm)	鈣(ppm)	鎂(ppm)	鐵(ppm)	錳(ppm)	銅(ppm)	鋅(ppm)	鈉(ppm)	電導度
108.12.16	1411	蕃茄	中路段2130-0000	6.34	2.2	65.963	175.27	926.32	221.61	309.3	14.773	1.3132	2.0773	25.363	0.25
108.12.16	1412	蕃茄	中軍段0372-0000	7.62	1.72	6.5316	114.28	2158	249.92	451.86	41.573	1.5557	2.3767	12.482	0.12
108.12.16	1412	蕃茄	中軍段0373-0000	7.57	1.79	7.9055	79.027	2881.2	383.03	472.44	58.792	2.6421	2.9995	66.07	0.31
108.12.16	1412	水	溪坡水	6.86		0.2	19	16	7.2	0	0.02	0	0.01	9.4	2.65
108.12.16	1413	蕃茄	中路段R202-0	7.72	1.6	12.436	111.73	2339.8	286.72	477.32	46.26	1.5544	2.7164	244.62	0.41
108.12.16	1414	蕃茄.草莓	九關段1542-0000	7.53	3.38	35.357	147.08	4755.8	196.6	198.61	42.461	2.8736	3.9049	39.577	0.16
108.12.16	1415	蕃茄	中路段2161-0001	6.3	2.3	37.67	119.22	1112.8	278.63	322.7	28.204	2.4844	2.4805	19.751	0.09
108.12.16	1416	蕃茄	中路段3082-0000	5.9	2.11	119.69	241.04	1052.1	197.28	420.8	6.8181	1.9152	3.408	94.324	0.39
108.12.16	1417	芭樂	新園一小段2029-0000	7.23	1.53	182.04	197	1403.4	229.62	265.12	30.137	3.177	4.4869	210.7	0.42
108.12.16	1418	哈密瓜	中路段3048-0000	7.09	2.48	112.35	576	5838	815.62	197.46	36.728	1.8424	5.9409	957	5.56
108.12.16	1419	蕃茄	中路段3076-0000	6.77	1.68	68.279	161.44	1176.2	194.24	238.28	7.3294	0.8309	1.0879	84.664	0.31
108.12.16	1420	秋葵	頭前溪段706-1	5.87	2.36	61.046	101.06	787.94	85.374	390.12	13.729	3.956	2.8931	4.9701	0.08
108.12.17	1421	釋迦	萬華段0281-0000.表土	5.91	2.38	398.7	207.78	1028.6	193.6	535.32	31.562	2.6944	5.5073	38.94	0.16
108.12.17	1421		萬華段0281-0000.底土	5.78	1.95	353.96	185.05	774.21	160.67	579.87	29.191	2.284	4.1805	26.806	0.11
108.12.17	1422	蓮霧	崙潮段324-1	6.54	4.59	596.28	128.93	3538.5	340	312.84	22.873	17.373	65.982	250.65	0.35
108.12.17	1423	青花菜	環球段1726-0000 1858-0000	4.79	1.24	134.52	139.55	621.65	222.97	344.44	103.11	1.2558	3.2265	41.313	0.38
108.12.17	1424	蔬菜.果樹	阿烏段1123.東.表土	5.08	6.2	78.739	121.6	733.6	112.82	137.95	17.586	1.6077	7.2124	6.7796	0.05
108.12.17	1424	蔬菜.果樹	阿烏段1123.東.底土	5.32	4.47	7.6799	32.084	450.71	38.056	83.446	21.356	0.7644	1.3611	2.848	0.01
108.12.17	1424	蔬菜.果樹	阿烏段1123.西.表土	4.79	5.21	23.661	47.216	372.05	1.0669	107.76	5.4386	0.8542	0.699	1.5497	0.01
108.12.17	1424	蔬菜.果樹	阿烏段1123.西.底土	4.83	5.23	21.647	51.128	190.33	0.8194	104.11	7.4095	2.3287	1.034	1.495	0.02
108.12.17	1425		德松段75.表土	7.69	1.1	2.2978	88.476	1560.9	273.01	527.7	49.153	1.8003	2.6586	225.42	0.35
108.12.17	1425		德松段75.底土	7.91	0.91	2.1159	70.064	1612.6	270.45	559.16	47.845	1.8021	2.6044	255.78	0.39
108.12.18	1428	苦瓜	萬巒鄉 園1	5.01	3.32	84.572	170.04	1029.8	214.05	283.56	111.24	2.2441	2.6731	13.704	0.26
108.12.18	1428	苦瓜	萬巒鄉 園2	5.94	3.62	30.749	112.03	1058.9	234.09	233.67	47.256	2.1445	3.6357	11.007	0.12
108.12.18	1429	蔬菜	鳥松區	5.68	3.86	11.661	35.38	1123.6	34.744	189.54	20.357	2.9813	1.683	3.2807	0.03
108.12.19	1430	果樹.葉菜	玉成段97	6.36	1.31	210.47	120.81	911.94	79.196	317.97	26.127	2.2571	5.5721	80.059	0.22
108.12.19	1431	水	麗社段428	7.42		0	5.5	276	136	0	0.5	0	0	177	0.36
108.12.2	1363		表土	4.89	2.13	364.18	265.51	612.56	93.816	254.02	22.574	7.4586	8.4493	19.863	0.44
108.12.2	1363		底土	5.22	1.8	282.58	153.38	658.1	93.632	234.55	27.894	9.2611	6.477	17.164	0.41
108.12.2	1363	水	新力段	8.08		0	4.8	34	11	0.06	0.02	0	0	7	0.31
108.12.2	1364		A雙2(下)	6.86	1.97	54.672	86.096	734.46	122.03	132.71	23.419	0.5641	1.8383	2.8998	0.13
108.12.2	1364		B雙(1)	5.65	2.32	122.73	200.03	876.74	198.21	178.29	12.021	1.1134	3.0998	7.8304	0.25
108.12.2	1364		C廊	6.44	2.16	201.58	249.02	1023.8	238.35	211.46	17.198	2.2231	8.8012	24.699	0.16
108.12.2	1365		新力段0729水尾土	7.69	0.7	5.6159	32.27	1293.1	184.96	302.93	50.878	0.9876	2.3611	22.019	0.24
108.12.2	1365		新力段0729 土下室土	7.88	0.49	3.0393	44.308	862.9	221.3	398.23	26.517	1.0963	1.629	57.912	0.17
108.12.2	1365	果樹	新力段0729	5.92	1.05	17.538	39.42	381.48	102.78	90.302	25.906	0.3141	0.6832	4.085	0.02
108.12.2	1366			7.27	1.2	22.569	17.49	2078	119.75	267.81	7.3645	1.0327	2.3348	11.065	0.19
108.12.2	1366	水		7.98		0	2.6	122	19	0.05	0.02	0	0	20	0.68
108.12.20	1432		烏林段0021	7.68	3.05	4.3655	48.552	2632.4	306.79	162.39	60.888	1.3811	2.1913	16.94	0.13
108.12.20	1433	棗	中軍段64.65.66	7.45	2.01	67.378	322.48	2693.5	314.97	612.82	52.131	1.9139	5.8288	48.996	0.37
108.12.20	1433	棗	峰崗0777	5.5	1.82	476	190.43	1676.6	66.902	277.95	16.859	2.5625	41.806	11.627	0.21
108.12.20	1433	棗	崗山營段1297	5.45	2.19	147.26	217.4	844.91	162.99	505.97	13.695	1.4367	3.1699	19.932	0.15
108.12.20	1433	棗	峰崗段983	6.73	3.47	701	297.37	4073.9	303.89	384.02	24.005	3.798	57.911	25.171	0.14
108.12.20	1433	棗	阿蓮段2280	6.67	2.34	828	310.12	4318.5	236.37	497.22	20.611	4.8104	61.24	41.928	0.2
108.12.20	1433	棗	阿蓮段2290	6.73	1.96	471.42	249.99	2634.4	175.95	388.14	19.034	3.2771	24.599	30.205	0.17
108.12.20	1434	棗	崗山營段0022-0012	7.1	0.91	449.9	282.39	2198.9	293.34	418.69	27.484	2.7716	16.239	219.84	0.17

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.12.20	1434	棗	崗山營段0047-0005	6.76	1.13	235.93	242.29	791.99	186.63	406.93	9.1643	0.556	2.1039	216.76	0.16
108.12.20	1435	檸檬	彭北段0232-0000	5.81	1.05	200.34	43.592	373.7	60.432	451.22	18.707	2.2522	1.5021	3.9696	0.03
108.12.20	1435	檳榔.可可	彭北段0232-0000(2區)	5.59	2.42	149.89	94.26	374.04	52.397	421.16	16.884	2.1514	2.3531	5.0741	0.06
108.12.20	1436	棗子		6.36	2.01	361.3	559	1217.3	439.96	336.81	38.836	15.222	16.487	87.052	0.49
108.12.20	1437	蘆筍	磚仔地段1019	4.56	2.02	400.91	468.91	846.3	120.21	425.92	58.023	3.1702	8.7105	16.435	1.12
108.12.20	1438		旗尾段2076-0000	8.22	1.8	218.54	73.142	21104	663.81	119.46	35.684	2.8547	5.7689	13.406	0.13
108.12.23	1439		慈慧農場	8.16	3.76	369.28	672.47	5334.8	813.12	56.522	70.502	8.8788	22.5	179.33	0.19
108.12.23	1440	香蕉	社皮1	5.03	3.58	32.212	60.742	321.32	53.261	152.19	9.6142	0.3411	1.0131	9.2332	0.05
108.12.23	1440		社皮2	4.28	4.71	6.8346	30.268	77.582	12.381	76.676	6.7321	0.4302	0.1323	5.4051	0.08
108.12.23	1440		社皮3	5.17	3.05	10.684	80.076	369.62	96.118	120.57	30.984	0.8916	0.6829	5.2257	0.05
108.12.23	1441	瓜菜	牡丹段269 269-2 269-3	5.69	3.41	5.0379	41.685	373.33	164.81	132.78	31.725	0.8067	0.8142	5.2147	0.05
108.12.23	1442	南瓜	九如段548 549	7.06	1.59	122.63	93.509	1149.5	95.038	367.08	14.237	2.9417	3.894	14.669	0.24
108.12.23	1442	水	九如段548 549	7.43		0.1	0.9	50	16	0	0	0	0	11	0.61
108.12.23	1443		茄苳段98	6.55	1.13	93.864	67.236	468.55	73.27	188.3	15.293	3.3972	2.719	4.0196	0.07
108.12.23	1443		新日段371	4.27	1.54	231.03	50.379	216.18	29.023	326.22	7.8779	4.4131	1.8029	4.2289	0.07
108.12.23	1444		九清段	6.22	1.25	184.98	53.144	648.27	60.619	331.72	26.878	3.4711	3.6869	7.7941	0.09
108.12.23	1444		耆老段	6.9	1.59	189.95	34.546	1192.7	136.45	268.33	35.215	3.2145	4.9674	19.474	0.11
108.12.23	1445	蓮霧		5.65	2.57	171.89	70.283	728.32	205.95	444.42	10.039	1.6444	2.5207	9.4276	0.04
108.12.24	1446	榴槤		5.85	1.79	6.1159	12.993	276.49	87.001	178.35	9.4138	0.5563	0.6802	3.7846	0.03
108.12.24	1447	榴槤		6.22	1.6	82.966	54.691	804.43	154.61	288.39	12.628	0.7419	0.9569	4.0286	0.05
108.12.24	1484	可可		6.61	1.68	144.63	35.193	806.85	53.918	207.1	21.501	1.7797	2.9348	3.6453	0.08
108.12.25	1448	鳳梨	龍目段1032 1036	4.17	1.61	14.971	15.474	99.982	20.896	49.184	1.9	0.065	0.2584	4.7381	0.03
108.12.25	1449		保仔田	4.76	1.24	24.755	28.209	345.33	115.92	267.05	0.2297	4.5135	10.986	59.415	0.23
108.12.26	1450	蓮霧	表土	4.58	4.04	348.14	3415	1275.4	176.91	333.78	60.39	6.5684	40.001	74.237	3.27
108.12.26	1450	蓮霧	底土	4.28	2.36	277.11	1826	473	57.886	361.55	30.387	2.7362	13.41	28.184	1.74
108.12.26	1451	蓮霧	萬華段1030	8.13	3.95	504.28	152.42	3847.7	770.29	264.48	41.368	5.5912	16.168	81.135	0.17
108.12.26	1451	水	萬華段1030	6.99		0	2.7	101	21	0	0.07	0	0	13	1.34
108.12.26	1452	果菜	吉安段754-1	7.91	0.91	70.967	28.677	1168.3	120.72	432.32	51.044	1.406	2.5979	11.277	0.08
108.12.26	1452		吉安段754	7.84	1.25	32.677	58.235	1920.8	99.621	307.16	38.137	1.3848	3.0677	7.6517	0.1
108.12.26	1453			4.51	3.01	306.4	317.46	1011.7	124.57	327.08	21.724	1.3988	12.404	12.179	0.57
108.12.26	1454			5.15	1.11	131.73	100.74	353.54	69.448	466.12	17.603	0.5861	2.1152	1.9386	0.1
108.12.26	1455			7.22	2.95	414.25	507.88	1554.2	304.16	239.57	24.968	1.0991	12.695	47.175	0.2
108.12.26	1456			6.8	1.32	196.12	65.892	728.28	107.85	260.39	29.441	0.7526	3.1234	7.0957	0.08
108.12.26	1457			3.78	1.83	264.5	381.02	394.23	64.94	411.43	22.126	1.8052	9.2452	6.9725	0.5
108.12.26	1458			5.43	2.28	234.75	134.51	533.07	85.277	422.71	7.0783	1.0028	7.8401	8.6709	0.8
108.12.26	1459			5.35	2.29	145.51	82.846	552	74.606	255.96	1.096	1.0631	4.7218	13.017	0.07
108.12.26	1460			7	2.46	191.26	122.94	994.25	55.751	239.47	17.558	1.3368	6.4237	4.8522	0.09
108.12.27	1461	檸檬	大坵段0695 0710 0786 0790 0709 0712 0789	7.34	0.98	154.08	39.502	950.12	54.777	197.4	19.479	3.5411	11.18	3.7551	0.05
108.12.27	1462		牛稠埔段127-30 127-5 127-28	7.42	2.79	21.524	54.049	1338.7	188.05	88.508	18.196	0.7558	4.4002	11.53	0.06
108.12.27	1462		牛稠埔段127-29 127-9	7.88	3.21	64.418	80.532	3613.3	248.08	82.677	20.204	1.063	3.6487	16.776	0.09
108.12.27	1462		牛稠埔段129-11	7.63	2.64	29.261	103.27	1563.2	229.05	142.91	18.846	0.9276	2.1891	18.781	0.12
108.12.27	1462		牛稠埔段129-10	7.73	1.83	29.466	68.391	2612.6	189	90.843	23.704	1.1	3.4578	17	0.09
108.12.3	1367	小黃瓜.苦瓜	新全段409A	5.43	1.4	58.17	39.036	431.16	65.229	236.5	4.4789	1.5881	1.845	9.9737	0.19
108.12.3	1367	小黃瓜.苦瓜	新全段410B	5.64	1.25	63.165	40.21	522.88	87.105	276.37	8.5473	1.7536	2.1482	9.2254	0.16
108.12.3	1368	紅龍果	大和段147	6.29	1.53	53.384	29.542	515.14	63.334	180.5	7.9856	2.7328	1.8841	5.6808	0.07

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.12.3	1369			6.52	2.55	22	140	922	109	96	37	1.8	3.5	5.74	0.09
108.12.3	1370	毛豆		7.1	1.24	102.28	92.537	1657.5	54.323	263.4	4.8025	1.9843	2.2124	9.7493	0.53
108.12.3	1371	蔬菜		6.68	1.82	11.676	24.744	808.25	191.96	95.132	29.283	0.8448	1.6871	49.99	0.14
108.12.3	1372	水		8.24		0	3.3	91	18	0.05	0.02	0	0	14	0.55
108.12.30	1463	檸檬	華錦段847.866.867A	7.04	1.18	154.09	27.464	540.69	75.582	294.16	14.068	2.1601	4.7006	4.9822	0.05
108.12.30	1463		華錦段847.866.867B	6.68	1.61	203.61	37.469	567.07	73.07	291.12	4.309	1.859	37.09	5.508	0.05
108.12.30	1463		華錦段847.866.867C	6.07	1.12	128.46	38.431	361.64	69.285	404.41	2.6161	2.2007	3.2984	4.5498	0.04
108.12.30	1464	苦瓜.小黃瓜	武洛段392號	6.58	2.02	364.35	77.908	1540.4	147.91	452.61	48.33	3.5212	16.3	11.311	0.12
108.12.30	1465	南瓜		6.86	4.21	152.32	72.303	2130.1	344.7	942.54	30.386	4.4605	11.368	155.24	0.48
108.12.31	1466	香檬	潮州	4.41	3.92	263.73	146.66	496.87	98.164	409.16	25.413	1.597	3.1163	11.472	0.14
108.12.31	1466	水		6.8		0.09	3.8	93	22	0.2	0.4	0.1	0.01	6	0.51
108.12.31	1467	棗子	觀水段293.293-1.293-2	7.33	4.49	213.14	240.11	1724.6	455.14	298.88	22.137	1.9237	13.511	69.914	0.1
108.12.31	1467	香蕉	代天府段453.453-1 460.460-1	7.76	2.27	33.942	58.209	1515.7	305.39	156.55	28.674	1.6123	4.9632	52.27	0.08
108.12.31	1468	芭樂	代天府段399	7.63	3.1	91.378	169.28	2912.8	325.09	282.59	33.823	5.4299	10.42	39.039	0.12
108.12.31	1469	蓮霧	佳和段707表土	7.68	2.97	49.296	38.412	2005.6	290.36	338.32	29.65	2.9587	2.4778	13.324	0.06
108.12.31	1469		佳和段707底土	7.67	2.48	84.482	35.504	1879.4	257.48	415.44	13.17	3.3003	3.0732	12.366	0.05
108.12.31	1469		佳和段1729表土	7	2.01	106.53	187.72	1267.1	275.25	245.47	29.921	4.0038	5.0764	22.632	0.05
108.12.31	1469		佳和段1729底土	7.44	0.97	46.162	53.532	925.85	229.62	238.69	45.601	4.4119	3.3436	25.365	0.05
108.12.31	1470	芒果	1534-000山	6.78	2.56	20.851	103.69	1239	350.21	130.4	40.782	3.1199	2.6837	8.4256	0.03
108.12.31	1470		1534-000海	7	2.23	9.7659	87.168	1433.7	262.78	273.75	54.072	5.814	6.0363	21.439	0.03
108.12.31	1470	水	1534-0000(山)	8.48		0.08	0.93	47	25	0.2	0	0.1	0.01	16	0.33
108.12.31	1470	水	0364-0000(海)	7.22		0.08	12	102	72	0.2	0.8	0.1	0.01	11	3.61
108.12.4	1373	紅豆	新吉段1945-000	6.47	1.65	137.45	26.146	724.35	141.71	445.73	11.218	4.1352	3.93	145.4	0.22
108.12.4	1374	檸檬		7.2	1.33	66.531	64.137	1519.9	132.04	381.26	28.167	1.9824	2.8776	7.9298	0.22
108.12.4	1375	蓮霧	南華橋第1區表土	5.9	2.28	432.51	108.91	823.44	63.2	411.11	14.516	1.8342	8.679	5.1793	0.07
108.12.4	1375	蓮霧	南華橋第1區底土	5.58	1.05	225.38	66.738	279.29	32.281	329.26	9.6001	0.8224	2.4495	1.6878	0.05
108.12.4	1375	蓮霧	南華橋第2區表土	6.14	1.4	356.89	115.1	731.99	71.419	336.07	8.8672	1.3246	6.7888	5.6896	0.06
108.12.4	1375	蓮霧	南華橋第2區底土	5.94	1.31	274.15	90.756	466.81	52.073	292.4	11.627	1.082	4.5381	3.5537	0.04
108.12.4	1376	鳳梨	加蚋埔段60-4	4.73	4.14	32.67	41.716	56.483	1.4881	154.32	2.5352	0.6048	0.4907	0.9264	0.03
108.12.4	1376	香蕉	新街段711	7.49	0.7	7.9165	31.193	1479.5	179.73	544.07	39.459	1.4603	2.6022	20.546	0.15
108.12.4	1376	香蕉	新埔段1431	6.93	3.25	124.27	44.173	1085.1	98.863	358.04	20.076	7.2482	15.799	11.242	0.12
108.12.4	1376	香蕉	神農段354	6.99	2.03	9.5532	22.797	889.45	154.53	96.697	33.413	1.3858	1.2492	60.719	0.27
108.12.4	1376	香蕉	永興段1122	6.55	2.42	106.67	30.294	775.71	125.61	380.71	4.2724	1.3772	1.1965	7.0599	0.12
108.12.5	1377	蓮霧	佳和段14250000表土	7.23	3.5	311.29	93.899	2305.1	379.1	439.45	79.259	4.8639	9.9866	26.214	0.11
108.12.5	1377	蓮霧	佳和段14250000底土	7.19	2.21	120.46	57.04	969.87	200.15	266.36	53.835	2.3644	4.4884	10.887	0.08
108.12.5	1378	蓮霧	佳和段988	7.26	3.81	289.37	126.82	1951.7	256.51	373.3	14.322	7.9267	12.138	14.714	0.08
108.12.5	1379	蓮霧	佳和段0678表土	7.15	6.52	699.19	193.34	2944.2	452.36	471.01	66.156	10.688	20.101	53.867	0.13
108.12.5	1379	蓮霧	佳和段0678底土	7.13	5.73	528.87	174.75	2597	386.34	457.41	55.317	8.476	15.399	42.013	0.14
108.12.5	1380	蓮霧	佳和段1380 1381	7.12	1.04	531.76	172.76	2402.6	370.02	439.17	60.291	8.1785	15.256	41.527	0.16
108.12.5	1381		新洋1623	6.06	1.54	118.02	84.6	533.1	94.961	264.92	20.721	1.6236	9.7252	7.0364	0.07
108.12.6	1382		710義勇段	7.84	0.99	2374	7777.7	10173	1917	114.91	113.93	1.9648	37.538	371.88	2.33
108.12.6	1383	鳳梨	一甲八	6.22	3.57	67.258	88.403	343.51	67.383	221.71	42.834	1.4757	2.3426	3.7156	0.05
108.12.6	1383	鳳梨	四甲半	4.63	1.19	42.436	45.704	121.56	1.7185	83.459	5.1541	0.6015	0.3343	10.198	0.08
108.12.6	1384	鳳梨	鍾校長 後	5.18	1.27	9.3792	33.222	191.66	46.793	80.469	41.016	0.3512	1.1096	3.5614	0.03
108.12.6	1384	鳳梨	鍾校長 長	5.01	1.18	40.302	24.591	190.48	32.984	220.95	28.636	1.6092	2.3866	2.6395	0.02
108.12.6	1385	鳳梨	宏偉前	5.68	0.99	119.19	44.814	422.88	46.256	212.09	15.183	1.5648	3.9359	3.7819	0.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.12.6	1385	鳳梨	高美橋	6.34	1.8	77.966	17.596	436.42	26.121	224.28	28.473	1.7078	2.3317	1.9291	0.02
108.12.6	1386	鳳梨	新泰山段320	4.95	1.52	120.7	15.39	79.734	15.614	263.55	12.899	1.0803	0.9094	2.6617	0.02
108.12.6	1387	鳳梨	日新廟旁	6.52	1.25	163.24	68.997	845.99	93.943	344.17	10.876	3.0401	3.846	6.5275	0.04
108.12.6	1387	鳳梨	新南勢小塊	6.94	1.12	65.544	22.448	800.98	97.427	207.02	40.304	1.9702	4.6496	1.7889	0.02
108.12.6	1388	檸檬	九如段3552	7.54	2.09	192.74	65.29	1441.5	67.457	191.36	74.32	4.4686	9.3678	4.7828	0.05
108.12.6	1389		A2 芋頭	5.88	2.03	176.6	50.269	382.72	50.073	492.53	7.2951	1.6498	2.2031	1.9157	0.02
108.12.6	1389		A3 芋頭	5.73	1.99	163.64	32.11	587.79	99.751	461.23	7.1765	2.4413	2.102	3.2383	0.1
108.12.6	1389		A4 芋頭	6.42	2.03	185.92	39.777	663.59	100.01	434	15.663	1.6551	1.968	2.0415	0.03
108.12.6	1389		A5 芋頭	6.5	1.8	205.89	54.983	763.67	92.604	507.94	15.043	2.6942	4.3415	3.2081	0.08
108.12.6	1389		A6 芋頭	5.48	1.93	157.35	68.093	352.83	42.598	210.13	5.2231	1.7887	2.7241	0.9391	0.05
108.12.6	1390	火龍果	早子角.表土	4.69	1.33	235.43	43.251	287.59	32.208	329.73	5.5647	0.9856	1.853	3.7567	0.02
108.12.6	1390		早子角.表土	4.69	1.66	140.74	29.539	330	27.71	249.83	3.2428	0.7943	1.0189	5.1217	0.02
108.2.11	149	蘆筍	香社段1146	6.99	0.92	8.6	53	5381	307	986	210	2.8	7.0	109	0.57
108.2.11	150	榴槤蜜		6.56	2.44	129.0	836	4271	292	536	208	8.3	4.1	69	0.84
108.2.11	151	番石榴	潮州	4.71	2.84	145	94	1232	131	1,109	40	4.9	18	25	0.23
108.2.12	152	鳳梨	曹公段370	3.79	1.6	88	62	300	11	144	68	2.7	2.8	17	0.2
108.2.12	152	水		6.35		2	3	25	23	0	0	0.15	0.05	30	0.45
108.2.12	153	洋香瓜	振化段127號	5.69	3.19	122	134	1549	232	662	66	4.9	8.5	35	0.3
108.2.12	154		萬金段446號	5.45	2.03	126	134	1176	167	1,243	49	5.6	7.4	37	0.14
108.2.12	155	芋頭	南糖段1314-0000	6.25	2.44	50	94	2182	184	1,031	60	7.4	8.9	65	0.25
108.2.13	156	檸檬	溝仔乾段582	5.21	3.21	115	154	2764	217	678	102	6.8	19	46	0
108.2.13	156	檸檬	溝仔乾段583.584.585	5.88	2.79	134	52	4899	255	822	75	15	50	41	0.18
108.2.13	156	水		6.95		3	3.04	76	16	0	0	0.15	0.05	9.4	0.51
108.2.13	157		A	5.49	1.48	98	62	709	88	441	38	6.6	8.1	16	0.07
108.2.13	157		B	5.65	1.76	126	93	1945	155	744	78	9.4	29	22	0.11
108.2.13	157		C	4.2	4.74	138	266	1025	103	115	53	12.0	14	34	0.71
108.2.13	157		D	4.26	4.44	199	175	777	93	100	35	7.2	6.9	23	0.36
108.2.13	158		A	4.53	1.81	148	70	806	172	581	30	6.1	8.9	20	0.22
108.2.13	158		B	5.29	1.61	131	106	1229	204	561	23	5.6	4.6	17	0.1
108.2.13	158		C	4.75	1.31	202	84	1009	45	467	23	4.7	6.2	20	0.05
108.2.13	158		D	5.47	1.52	181	67	1919	67	602	34	5.3	11	25	0.05
108.2.14	159	檸檬	新高段389-0000	5.06	0.83	152	15	406	51	632	68	4.0	2.1	18	0.04
108.2.14	159	水	新高段389-0000	7.15		1	1.09	84	22	0	0	0.15	0.05	7.5	0.55
108.2.14	160		中溪洲段371	5.99	1.32	45	69	1594	283	742	45	4.0	8.7	34	0.03
108.2.14	161		力里段1803~2	6.44	3.92	153	79	3889	504	67	96	5.3	20	31	0.16
108.2.14	161		力里段1649	6.38	3.74	81	69	1519	375	50	59	3.0	5	21	0.06
108.2.15	162	紅龍果	腳小段57號	5.75	2.24	104	157	1356	249	630	29	5.4	17	56	0.11
108.2.15	163	栗子南瓜	見月段861	6.91	2.85	144	80	2771	310	626	57	5.2	13	47	0.1
108.2.15	163	芭樂	見月段862~1	6.14	2.15	103	90	1147	122	524	38	4.7	8	22	0.03
108.2.15	164	檳榔	華錦段420	6.69	1.88	69	57	2647	161	429	82	11.0	21	28	0.08
108.2.15	164	瓜菜	華錦段421	6.48	2.24	109	98	2944	162	448	90	10.0	29	44	0.16
108.2.15	165	檸檬	興美段1778-0000表土	6.63	1.68	58	204	2280	160	314	69	11.0	16	41	0.19
108.2.15	165	檸檬	興美段1778-0000底土	6.76	1.25	87	117	1868	150	305	52	8.3	13	35	0.15
108.2.15	165	毛豆瓜類	頂仁段0009-0000	7.14	2.14	115	197	4089	264	345	184	6.9	17	65	0.36
108.2.15	165	毛豆瓜類	八爺段0980-0000	7.08	2.11	44	270	2668	203	876	224	6.7	14	84	0.43
108.2.15	165	毛豆瓜類	頂孝段0575-0000 0579-0000	7.25	2.23	108	228	3698	249	590	221	7.2	15	75	0.4

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.2.15	165	毛豆瓜類	棧子腳段0644-0000	6.45	2.99	124	135	3379	210	1420	250	24.0	70	74	0.57
108.2.15	166	木鱉果		6.03	1.2	3.0	129	741	220	98	36	2.5	1.9	31	0.03
108.2.15	167	桔果	協華段0791-0000	6.14	1.6	182	65	2030	110	1463	20	25.0	26	31	0.07
108.2.18	168	水稻	茄苳段216	6.48	2.2	50	101	2060	167	493	160	6.6	20.0	72	0.34
108.2.18	169		興美段1000	6.73	1.5	78	78	2754	194	1045	16	6.9	6.5	20	0.09
108.2.19	170	蓮霧	六龜區	3.33	3.2	265	113	440	53	1,081	15	6.6	6.5	29	1.11
108.2.19	170	水		7.99		1.6	91	685	254	150	44	3.1	5.5	25	0.48
108.2.19	171	棗子	食坑段92~7	6.84	2.8	224	169	917	82	255	39	4.0	7.3	22	0.31
108.2.19	172	芭樂	新德段1288號	7.05	2.0	49	55	2498	81	873	45	7.0	20.0	36	0.08
108.2.19	173	蔬菜	興義段112號	5.37	2.0	124	116	2882	130	669	37	6.8	18.0	30	0.07
108.2.20	174	無花果	大腳腿段1241	7.31	1.4	36	78	2591	133	345	155	4.1	18.0	21	0.17
108.2.20	174	絲瓜	大腳腿段1240	7.59	1.8	36	50	3849	225	746	125	9.8	35.0	17	0.11
108.2.20	175		1	7.43	1.3	135	138	2748	185	806	31	7.2	17.0	32	0.07
108.2.20	175		2	7.37	1.3	180	78	2074	126	232	56	5.3	11.0	13	0.09
108.2.20	175		3	7.54	0.9	78	10	3071	72	773	95	6.2	98.0	83	0.13
108.2.21	176	紅心拔	上層	4.68	2.2	157	864	4926	665	1649	45	7.6	12.0	55	0.13
108.2.21	176		下層	3.96	2.3	157	727	1684	185	304	78	4.8	7.4	24	0.15
108.2.21	177	桔		7.19	1.8	154	104	2296	146	1360	101	6.1	13.0	7	0.23
108.2.21	178	檬		5.59	1.9	153	89	2734	262	182	68	6.1	10.0	29	0.27
108.2.21	179	檸檬	冀箕湖段0001-1121 0001-623	5.75	1.4	153	30	1978	211	195	90	6.7	15.0	32	0.05
108.2.21	180	小黃瓜	崙湖段478	7.62	2.4	186	178	3176	359	196	78	7.2	13	25	0.2
108.2.21	180	小黃瓜	崙湖段478	7.65	2.4	45	103	1814	210	248	71	8.0	10	24	0.22
108.2.21	181	檸檬	大港洋段69	6.71	2.5	189	126	1624	206	156	41	3.1	5.4	28	0.24
108.2.21	182	水		7.73		2.7	89	617	225	146	33	3.2	4.7	26	2.5
108.2.22	183	水		8.33		2.7	121	644	338	191	44	3.2	5.6	29	0.59
108.2.25	184	紅龍果	大和段0162-0000	6.3	1.8	156	108	2154	146	146	90	10	28	111	0.14
108.2.25	185	紅龍果	四溝水段203	5.91	4.5	172	78	2398	306	306	135	17	31	91	0.13
108.2.25	186	紅龍果	1.新北勢段1059-1	4.87	2.9	158	805	2696	294	294	133	10	39	110	1.29
108.2.25	186	紅龍果	2.新北勢段1059-2	5.03	2.4	134	389	3147	232	232	119	11	37	92	0.78
108.2.25	186	紅龍果	3.新北勢段1060	6.75	2.2	185	207	2367	225	225	91	9	38	67	0.18
108.2.25	187	紅龍果	大和段0220-0000 0222-0000	6.69	1.8	141	60	6182	86	86	125	51	113	115	0.05
108.2.25	188	紅龍果	下磚窯段27	6.27	2.0	168	134	3403	152	152	83	15	123	126	0.11
108.2.25	189	紅龍果	新埔段166	7.02	5.3	179	118	733	338	338	297	17	107	209	0.31
108.2.25	190	紅龍果	內田段877	3.74	3.4	148	248	2162	93	93	47	7	29	90	0.29
108.2.25	191	紅龍果	新埔段1419	6.99	2.09	168	75	4739	184	376	263	3.9	39	132	0.42
108.2.25	192	小黃瓜	1	6.98	2.13	164	156	3667	238	771	151	23	46	71	0.23
108.2.25	192	小黃瓜	2	7.27	2.23	139	245	3143	220	1672	98	15	23	103	0.17
108.2.25	192	小黃瓜	3	6.57	2.01	163	222	2219	224	2185	111	27	32	114	0.28
108.2.25	193	菜豆.南瓜	龍中段0613	6.79	1.90	78	78	3814	191	1987	105	14	17	90	0.32
108.2.25	194	芋頭	龜山段0143-0000	6.93	1.59	45	70	2391	231	2594	137	14	14	73	0.14
108.2.25	194	芋頭	1.龜山段0157-0000	5.89	1.96	123	89	1809	190	2719	23	14	14	75	0.32
108.2.25	194	芋頭	2.龜山段0157-0000	6.33	1.59	39	77	1623	156	2770	71	14	13	72	0.09
108.2.25	194	芋頭	3.龜山段0157-0000	6.46	1.75	55	79	1994	182	2491	89	15	14	74	0.09
108.2.25	194	芋頭	1.龜山段0156-0000	7.11	1.58	58	103	2954	243	2687	185	15	14	79	0.18
108.2.25	194	芋頭	2.龜山段0156-0000	6.53	1.72	50	87	2193	173	2918	119	15	16	79	0.14
108.2.25	194	稻子	1.龜山段0167-0000	7.69	1.60	20	60	7730	292	1736	417	13.0	17	74	0.29

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.2.25	194	稻子	2.龜山段0167-0000	7.7	1.74	50	60	3389	228	2483	251	14.0	16	72	0.15
108.2.25	194	稻子	3.龜山段0167-0000	6.86	1.82	102	88	2058	200	2371	94	12.0	11	82	0.25
108.2.25	194	稻子	1.龜山段0152-0000	6.84	1.74	113	56	1713	132	2371	59	15.0	13	67	0.12
108.2.25	194	稻子	2.龜山段0152-0000	6.86	2.15	133	76	1627	153	2344	47	15.0	13	61	0.08
108.2.25	194	稻子	3.龜山段0152-0000	7.65	1.94	125	83	4034	253	1938	162	13.0	15	67	0.15
108.2.25	194	稻子	4.龜山段0152-0000	6.58	2.02	140	97	1508	174	2060	32	12.0	11	68	0.12
108.2.25	194	高麗菜	1.龜山段0168-0000	7.59	2.00	98	57	3544	231	1923	147	12.0	12	97	0.08
108.2.25	194	高麗菜	2.龜山段0168-0000	6.65	2.16	130	58	1796	195	2258	48	9.2	7.6	87	0.06
108.2.25	194	高麗菜	3.龜山段0168-0000	6.46	2.23	113	55	1772	208	2126	23	9.9	8.7	101	0.31
108.2.26	195	小黃瓜	廣安前 廣安段578	6.79	0.98	17	27	1409	148	292	47	2.3	20.0	111	0.32
108.2.26	195	小黃瓜	廣安後 廣安段578	6.97	1.32	21	33	1334	129	262	53	1.7	4.6	102	0.44
108.2.26	196		紅龍果	5.46	3.35	136	344	2733	330	859	130	12.0	18	103	0.49
108.2.26	197	檳榔	佳冬	5.25	3.85	175	215	3481	241	404	141	7.3	51	111	0.45
108.2.27	198	百香果		5.73	1.53	155	39	1446	86	572	68	12.0	32	41	0.05
108.2.27	198	木瓜	台農2號	4.8	1.47	171	163	776	91	714	61	8.4	10	31	0.18
108.3.11	246	扁實檸檬	高樹	6.42	1.61	141	151.91	359.85	25.898	686.34	13.018	3.7058	2.9231	5.9537	0.09
108.3.11	247	蔬菜.果樹	溝平段0206-0013 A區	5.24	2	17	60.755	951.46	274.62	510.76	51.017	2.1457	4.7536	12.625	0.09
108.3.11	247		溝平段0206-0013 B區	5.49	1.62	4.9	73.85	3466.8	537.17	269.84	104.06	1.5047	5.1285	16.078	0.07
108.3.11	247		溝平段0206-0013 C區	6.69	2.18	4.7	58.917	1353.4	365.54	265.6	67.882	2.0707	3.1571	12.124	0.08
108.3.11	248	咖啡	達卡努瓦段310	7.05	>6	205	222.37	6491.8	478.86	43.034	67.963	0.629	27.814	33.993	0.14
108.3.11	248		達卡努瓦段312	5.57	5.33	143	162.58	1097.2	180.42	63.501	19.658	0.7739	2.52	5.1862	0.06
108.3.12	249	小黃瓜		5.88	1.6	132	55.834	1189.3	168.89	412.04	56.779	6.9142	5.3638	18.246	0.11
108.3.12	250	木瓜	安波段691	4.8	3.37	183	804.03	2088.5	358.32	333.92	64.027	4.0323	19.102	46.371	0.76
108.3.12	251	檸檬	大仁東段.A	4.37	1.04	164	30.811	533.4	39.002	603.26	14.644	7.7177	11.756	14.545	0.04
108.3.12	251		大仁東段.B	4.17	0.97	137	23.798	918.92	64.967	670.22	13.771	3.7601	4.0323	14.963	0.04
108.3.12	252	火龍果	建興段341	4.6	1.58	70	149.45	807.6	76.812	139.06	47.384	4.878	5.3449	15.065	0.07
108.3.12	253	紅龍果	大仁東段	4.61	1.82	179	182.56	2007.7	95.431	790.89	45.833	7.6867	38.417	32.512	0.51
108.3.12	254	芭樂	四春段24.表土	4.83	2.44	130	189.95	4662.7	156.91	533.14	32.596	3.267	23.927	46.755	0.2
108.3.12	254		四春段24.底土	6.49	1.54	99	74.526	2038.2	109.98	481.33	14.926	3.0059	9.4109	23.801	0.11
108.3.12	255	水		7.09		2.3	13.624	70.451	43.078	0.0747	0	0	0	99.454	1.25
108.3.13	256	葉菜.玉米		6.46	3.49	22	185.37	6596.7	541.05	2.6	2.0169	0.02	0.02	188.29	0.13
108.3.13	258	無花果	農場段722-6	7.05	1.82	36	41.657	4594.4	189.56	216.95	116.36	4.2365	16.185	327.16	0.4
108.3.13	259	水	新目段0921-0000	7.49		2	1.9361	120.87	14.099	0.0782	0	0	0	12.726	0.64
108.3.13	260	荔枝	統嶺段0325-0000.表土	6.76	1.48	31	93.897	653.54	201.54	65.255	16.481	0.5933	3.6864	6.0155	0.03
108.3.13	260		統嶺段0325-0000.底土	3.89	1.39	12	60.947	341.88	96.336	46.753	10.661	0.6398	2.1192	5.6197	0.04
108.3.13	260		礮礮坑段二小段0935-0000.表土	5.92	1.67	54	43.589	243.78	59.576	55.929	19.565	1.4268	2.5395	5.645	0.04
108.3.13	260		礮礮坑段二小段0935-0000.底土	6.63	1.88	8	58.713	180.58	53.9	39.577	42.935	0.8661	2.7507	8.1639	0.09
108.3.13	260		礮礮坑段二小段0935-0537.表土	5.91	3.05	15	61.907	527.87	276.91	25.825	25.697	0.9081	2.6175	11.306	0.07
108.3.13	260		礮礮坑段二小段0935-0537.底土	4.67	2.22	5.8	29.151	305.76	182.66	21.57	13.138	0.2894	1.0135	8.8427	0.03
108.3.13	260	水	0325-0000	7.21		3.8	1.3	29.104	4.299	0.2192	0	0	0	15.088	0.23
108.3.13	261	芒果	金榮段0568-0000.表土	6.09	3.12	159	161.14	5831.4	233.45	658.5	43.399	4.5975	61.401	57.338	0.04
108.3.13	261		金榮段0568-0000.底土	4.92	2.01	214	92.825	1697.4	192.37	528.49	26.091	3.4114	9.4278	15.255	0.03
108.3.13	275	香莢蘭	鹽田段1743	7.68	2.14	21	154.36	1911.8	374.18	911.76	33.487	9.5286	16.733	221.8	0.41
108.3.14	262	酪梨	葉林段1068-0000.表土	6.22	1.74	35	80.771	3837.2	244.99	194.3	108.43	2.7005	5.4992	10.33	0.09
108.3.14	262		葉林段1068-0000.底土	6.33	1.27	30	47.17	3544.9	145.62	231.53	76.766	2.8858	3.4412	8.8667	0.08
108.3.14	263	檸檬.金桔	阿拔泉段50~2號	6.89	1.19	142	50.965	1017.7	61.349	400.94	27.684	8.1067	8.5906	10.009	0.05

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.3.14	264	小黃瓜	九如段766	6.2	2.32	138	118.2	691.44	173.39	271.44	12.753	2.4337	2.8434	13.64	0.05
108.3.15	265	綠竹筍		4.37	3.82	225	300.98	5383.8	315.31	706.63	118.17	6.3046	31.015	39.497	0.16
108.3.15	266	香蕉		5.47	1.33	136	34.434	1329.5	61.509	331.5	20.466	3.3923	5.9276	15.043	0.06
108.3.15	267	竹	和興段0602	6.52	1.46	142	73.879	3553	116.28	766.8	49.967	4.8539	10.578	24.391	0.06
108.3.15	267		和興段0965	6.79	1.59	130	102.91	3549.2	138.97	881.64	43.534	3.6734	11.278	27.003	0.07
108.3.15	267		三山段0746	6.57	1.67	168	98.25	2319.7	93.436	1011.4	42.618	5.1264	16.147	20.921	0.08
108.3.15	268	芭樂	新厝一小段57	4.13	1.18	74	41.441	181.78	21.39	269.78	9.8056	1.5011	1.4754	9.571	0.05
108.3.15	268	水	新厝一小段57	7.15		0.8	0.9759	22.018	8.426	0.0991	0	0	0	8.9254	0.21
108.3.15	269		安東接	7.05	2.58	169	425.94	7336.3	397.78	540.91	70.84	5.0099	46.785	101.12	0.16
108.3.15	269		琯安13	6.81	0.91	122	361.82	1709.1	204.35	284.54	33.909	1.5577	6.8638	37.399	0.31
108.3.18	270	檸檬	惠農段0949-0000	5.92	1.05	132	55.236	2567.6	84.567	371.42	25.541	27.973	17.381	20.408	0.12
108.3.18	270	檸檬	惠農段1284-0000	4.35	1.26	154	63.653	442.08	51.542	744.13	4.8435	7.7795	4.7589	15.458	0.08
108.3.18	270	水	惠農段0949-0000	7.12		1.8	1.4	80	15	0	0.14	0	0.03	8.8	0.43
108.3.18	270	水	惠農段1284-0000	7.39		1.1	3.1	103	17	0	0.36	0	0.03	8.9	0.53
108.3.18	271		南華段530	5.14	0.71	158	54.26	595.66	77.22	397.99	8.283	2.4622	5.5452	10.146	0.05
108.3.18	271		南華段531	5.38	0.77	110	76.825	445.49	67.584	111.86	8.2804	2.0492	2.056	8.5538	0.06
108.3.18	276	水	新農段548	7.4		1.2	1.1	19	8.6	0	0.03	0	0.03	3.5	0.27
108.3.18	289	檸檬	洛陽段1122-0000	4.07	1.06	126	1047.8	883.38	152.6	295.84	30.506	3.5008	6.9392	19.738	1.96
108.3.18	289	水	洛陽段1122-0000	7.19		1.6	1.2	46	14	0	0.03	0	0.03	10.6	0.33
108.3.19	272		工廠旁邊	6.49	1.05	82	246.13	4812.7	502.3	351.46	114.83	2.8874	13.8	54.963	0.08
108.3.19	272		玉女	6.42	1.12	44	81.623	1696.6	276.42	409.51	45.161	2.0983	5.7364	24.465	0.11
108.3.19	272	玉女小蕃茄	中路里	6.3	1.19	62	122.94	1668.1	273.91	499.55	46.219	2.5544	8.1313	27.262	0.12
108.3.19	272	小蕃茄	工廠後面	6.92	1.05	32	129.55	5388.6	462.66	306.21	106.23	2.5696	7.3543	50.054	0.2
108.3.19	273	小蕃茄	高鐵旁	6.22	1.05	62	65.318	854.67	172.59	321.24	17.778	1.7034	6.4797	26.894	0.08
108.3.19	273	小蕃茄	堤防旁.中路里	6.95	1.18	3.8	93.452	7054.1	600.7	531.42	162.38	2.3763	7.8971	36.704	0.26
108.3.19	274	小蕃茄	A	6.68	1.32	151	586.42	2930.1	417.59	525.9	38.916	2.3122	8.2602	176.21	0.93
108.3.19	275	香蕉	A	5.2	1.8	138	190.83	1721.4	169.93	837.66	37.861	5.1786	8.8197	24.766	0.23
108.3.19	275	香蕉	B	4.77	1.47	126	165.75	995.62	147.98	541.57	26.731	3.6694	7.4078	17.172	0.23
108.3.19	276	蜜棗	新農段545	5.87	4.58	72	164.28	3067.4	532.62	142.63	69.706	4.9886	18.975	49.995	0.09
108.3.19	276	荔枝	新農段548	5.66	>6	115	241.92	2357.7	505.76	394.94	111.52	4.9521	12.338	57.161	0.09
108.3.19	276	芭樂	新農段546	6.19	>6	133	357.54	2922.9	549.01	199.11	108.86	3.882	12.183	54.349	0.1
108.3.19	276	柑橘	新農段549	5.01	3.3	55	124.67	876.45	171.67	204.52	26.334	1.6113	5.8251	28.483	0.04
108.3.19	277	木鱉果		4.16	1.39	16	18.342	36.871	15.398	8.8235	6.5275	0.3115	1.7701	9.7975	0.03
108.3.19	278	苦瓜	中山段	4.16	2.7	166	763.46	2715.9	314.03	214.01	138.15	4.0277	13.494	35.597	1.06
108.3.20	279	芒果	A.古道段2-15	6.39	2.15	4	78.768	3857.4	636.34	90.953	108.04	0.7715	5.7134	37.436	0.1
108.3.20	279	荔枝	B.古道段2-15	6.36	3.06	5.6	106.05	2176	478.85	118.04	59.077	1.9061	5.967	21.725	0.06
108.3.20	279	紅龍果	C.古道段2-15	6.1	2.3	23	174.93	1770.9	404.85	177.27	73.716	1.6958	7.1746	17.099	0.08
108.3.20	280		表土	6.39	1.11	32	49.933	1388.3	135.43	283.85	55.313	1.8586	8.695	44.357	0.19
108.3.20	280		底土	6.69	1.25	19	31.074	2785.6	174.95	221.14	153.14	3.4533	8.0719	39.197	0.19
108.3.20	281	毛豆	頂愛段1218	6.11	2.01	89	541.98	3734	502.84	242.26	122.58	4.2072	10.048	220.32	1.34
108.3.20	281	毛豆	甘棠一小段2-2	6.42	1.19	137	190.17	1501.6	105.77	518.76	58.573	3.6202	11.794	33.91	0.51
108.3.20	281	毛豆	頂和段237	6.99	2.14	118	531.21	5540.5	447.09	280.45	112.86	4.5323	12.238	132.9	1.01
108.3.21	282	蔬菜	A區	7.3	2.79	33	122.41	7570.2	244.34	43.027	109.31	3.5924	12.194	39.147	0.21
108.3.21	282	蔬菜	B區	7.27	1.87	102	91.924	6708.9	272.61	310.75	162.86	4.2027	12.277	27.78	0.16
108.3.21	282	蔬菜	C	6.35	2.09	164	111	2722.2	194.79	360.29	29.172	3.6439	14.331	32.566	0.2
108.3.21	283	小黃瓜	579-12	6.55	1.61	174	110.68	2244.6	145	470.15	60.614	6.424	24.095	23.869	0.12

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.3.21	284	香蕉	A	5.61	1.68	162	104.78	879.01	137.14	251.11	13.49	2.7594	5.1388	14.961	0.05
108.3.21	284	香蕉	B	5.01	1.61	169	139.25	1338.1	125.9	471.1	20.158	3.5897	10.371	23.709	0.06
108.3.21	284	香蕉	C	5.66	2.09	138	140.76	1919.6	226.1	420.86	19.836	3.3873	3.6862	24.911	0.14
108.3.21	285	蕃茄	美和583 108A1	6.69	2.59	56	249.09	2725.9	258.17	528.34	109.02	4.5717	7.7986	52.656	0.28
108.3.21	285		美和583 108B2	7.05	3.1	110	344.38	3138.5	304.8	338.11	84.669	4.0612	7.9418	46.717	0.24
108.3.21	285		美和582 108C3	7.25	3.11	115	264.97	3471.2	351.53	513.15	128.44	5.223	12.833	54.897	0.26
108.3.22	286		龍泉段162	5.37	4.32	23	109.13	993.1	238.07	67.206	12.51	1.4297	3.0109	20.511	0.08
108.3.22	286		龍泉段206	4.21	>6	52	163.03	607.47	178.71	68.66	32.828	2.219	7.3512	9.6048	0.14
108.3.22	287	茶樹	1區	3.9	1.8	100	104.12	82.451	33.574	53.939	5.5375	2.3092	1.3421	20.375	0.08
108.3.22	287	茶樹	2區	4.11	4.3	194	67.474	208.93	45.371	52.475	9.8165	1.5195	1.6511	27.031	0.09
108.3.22	287	茶樹	3區	3.98	4.29	128	93.329	141.79	30.921	53.572	7.6585	2.2705	2.2361	14.117	0.06
108.3.22	287	茶樹	4區	4.09	4.61	180	80.248	80.955	57.571	46.804	6.4175	4.2358	1.926	20.382	0.05
108.3.22	287	茶樹	5區	4.08	4.3	219	100.15	34.236	20.582	66.261	3.3559	2.2842	1.2037	14.247	0.45
108.3.22	287	茶樹	6區	3.99	4.48	196	65.523	40.888	32.627	51.233	4.7478	1.1765	1.2827	20.364	0.45
108.3.22	287	茶樹	7區	4.23	4.58	90	68.621	21.056	20.784	35.242	2.4404	1.0401	1.0219	7.9046	0.03
108.3.22	287	茶樹	8區	4.09	4.28	109	63.54	46.753	25.001	34.942	4.8454	1.5991	1.5398	15.139	0.05
108.3.22	287	茶樹	9區	4.24	4.81	160	123.99	405.99	111.95	48.702	17.013	3.9123	7.4337	27.507	0.1
108.3.22	287	茶樹	10區	4.12	4.71	179	59.661	54.329	57.251	56.348	3.9729	2.8941	1.7507	34.53	0.06
108.3.22	287	茶樹	11區	4.07	4.64	200	78.869	171.8	45.518	64.953	7.7263	2.034	1.9353	12.59	0.06
108.3.22	287	茶樹	12區	4.19	4.85	147	40.165	130.41	82.165	71.593	3.6853	1.6453	2.0176	41.158	0.05
108.3.22	288	檸檬	彭新段66	5.69	1.12	48	51.313	995.01	70.313	417.28	11.286	5.3048	4.529	10.703	0.03
108.3.22	288	檸檬	彭新段67	5.54	1.41	160	150.75	1873.7	120.8	449.54	31.183	11.86	15.755	21.59	0.45
108.3.22	288	檸檬	彭新段70	5.08	1.26	144	70.891	1064.9	72.947	396.21	14.191	9.2194	9.9805	13.632	0.09
108.3.25	290	檸檬	1092-187	7.25	1.1932	24	100	6734	189	324	218	3.5	9	19	0.13
108.3.25	290	檸檬	1092-188	7.36	1.1943	17	88	6910	226	205	305	2.4	9.2	28	0.17
108.3.25	290	檸檬	1092-189	7.6	0.7735	13	64	7198	184	300	238	3.1	8.7	15	0.14
108.3.25	290	水	1092-189	6.99		0.8	14	36	20	0	0	0	0	19	
108.3.25	291		美濃區	7.99	0.3561	11	44	6865	200	380	260	0.6	3.3	21	0.13
108.3.25	292	香蕉	上	6.06	1.4776	65	234	2467	258	833	76	4.7	7.3	134	0.84
108.3.25	292	香蕉	下	6.2	1.1932	52	124	2116	178	463	57	3.9	5.9	63	0.5
108.3.25	293	香蕉	上	7.06	1.9396	23	63	2558	186	675	186	5.8	6.6	40	0.14
108.3.25	293	香蕉	下	7.37	1.5174	21	48	2525	210	400	93	4.2	6.1	29	0.1
108.3.26	294	小黃瓜、敏豆	阿拔泉段794-741A	6.3	1.1122	146	86	2789	114	618	37	5.9	20	30	0.12
108.3.26	294	小黃瓜、敏豆	阿拔泉段794-741B	5.13	1.2443	161	54	1076	74	824	24	6.9	16	29	0.12
108.3.26	295	油芒	台南佳里西方堂	7.39	1.4515	51	175	2004	285	489	88	2.1	7	128	0.13
108.3.26	296	油芒	鳥松壠埔	4.3	1.6732	142	38	549	41	206	10	2	5.7	6.1	0.04
108.3.27	297	蔬果		6.82	3.0459	18	73	3776	417	162	93	3.6	16	41	0.1
108.3.27	298	葉菜	中安段0178-0000 1	7.64	3.4734	125	148	4444	848	144	96	1.9	11	112	0.13
108.3.27	298	葉菜	中安段0178-0000 2	7.9	2.8497	117	130	3754	703	160	99	2	11	85	0.11
108.3.27	298	葉菜	中安段0178-0000 3	7.73	2.9078	111	131	3763	705	205	93	1.8	9.3	91	0.16
108.3.27	298	葉菜	中安段0178-0000 4	7.34	6.2029	144	194	4590	863	90	108	1.1	12	148	0.34
108.3.27	298	葉菜	中安段0178-0000 5	7.98	2.9162	99	66	2848	469	160	91	1.8	11	61	0.11
108.3.27	299	木瓜	鄭老師	6.84	0.9831	9.9	30	923	86	162	17	3.6	4.1	7.3	0.03
108.3.27	299	木瓜	劉大哥	4.62	1.5447	122	51	759	64	434	21	6.9	8.2	12	0.07
108.3.27	299	木瓜	洪大哥	6.89	2.1506	47	110	4978	296	413	229	3.8	8.1	25	0.39
108.3.27	300	水	孔	6.93		1.3	4.5	31	46	0.2	0.8	0	0	200	0.71

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.3.27	300	水	蔡	7.04		1.9	3.3	112	41	0	0	0	0	136	0.63
108.3.28	301	蓮霧	A	5.3	2.2282	139	85	1364	70	551	24	7.2	14	16	0.23
108.3.28	301		B	5.22	1.3919	118	35	732	55	333	6.5	6.1	5.2	21	0.08
108.3.28	301		C	6.01	3.3812	148	196	2665	195	423	94	11	13	24	0.13
108.3.28	301	水	A	7.15		1.4	6.9	52	18	0	0	0	0	11	0.71
108.3.28	302	果樹	五房州段51-26	6.87	2.693	61	339	2037	128	108	188	6.5	57	28	0.71
108.3.29	303	茶樹	13-2	4.16	4.02	1.1	67	17	23	54	3.5	0.96	2.1	17	0.06
108.3.29	303	茶樹	14-2	4.13	3.74	1.3	82	32	16	35	6.6	0.65	2.7	26	0.1
108.3.29	303	茶樹	15-2	4.23	4.56	0.6	176	201	64	58	11	1.34	1.9	11	0.13
108.3.29	303	茶樹	16-2	3.94	4.57	1.8	104	38	27	45	4.5	0.7	1.6	14	0.11
108.3.29	303	茶樹	17-2	4.21	3.83	139	91	39	44	49	4.9	0.9	1.8	27	0.07
108.3.29	303	茶樹	18-3	3.89	3.71	136	107	78	26	72	10	1.05	1.5	14	0.15
108.3.29	303	茶樹	19-2	3.87	4.29	98	69	7	10	61	2.8	0.8	0.7	14	0.08
108.3.29	303	茶樹	20-2	3.99	4.73	136	120	30	15	46	5.5	2.2	2	9.3	0.1
108.3.29	303	茶樹	21-2	4.41	4.44	188	143	126	34	70	7.7	2.2	4.2	17	0.06
108.3.29	303	茶樹	22-2	4.25	4.32	166	158	102	41	84	8.6	3	2.6	17	0.09
108.3.29	303	茶樹	23-2	4.15	4.21	92	116	24	5	44	1.5	1	1.2	14	0.07
108.3.29	303	茶樹	24-2	4.64	3.75	37	119	14	33	49	2.4	0.9	1	23	0.05
108.3.29	303	茶樹	25-2	4.49	3.97	130	147	192	28	260	12	3.03	3.8	22	0.09
108.3.29	303	茶樹	26-2	4.41	3.73	130	133	79	44	367	12	3.3	1.1	18	0.06
108.3.29	303	茶樹	27-2	4.32	3.07	9.5	42	22	48	38	3.4	0.4	0.7	17	0.07
108.3.29	303	茶樹	28-2	4.25	3.49	171	67	14	28	43	2.4	0.8	0.9	15	0.08
108.3.29	303	茶樹	29-2	4.7	3.48	61	171	276	15	75	13	2.4	2.2	17	0.09
108.3.29	303	茶樹	30-2	4.11	2.93	18	66	19	13	40	2.8	0.4	2.5	16	0.11
108.3.29	303	茶樹	31-2	4.5	3.59	81	74	62	99	76	0.9	1.4	1.5	22	0.05
108.3.29	303	茶樹	32-2	4.35	3.44	93	51	24	64	82	1.1	1.4	1.04	19	0.07
108.3.29	303	茶樹	37-2	4.8	1.8	171	115	142	121	66	3.2	1.6	3.5	47	0.06
108.3.29	303	茶樹	38-2	4.56	3.85	62	62	4	11	63	6.7	1.5	2.1	28	0.05
108.3.29	304	百慕達草	綜合球場	7.93	0.7052	7.7	26	1056	71	418	290	4	9	43	0.06
108.3.29	304	草皮	田徑場	6.18	2.5008	22	62	1165	212	202	45	1.7	17	59	0.05
108.3.29	304	百慕達草	射箭場	6.92	2.3601	8	105	1973	190	215	133	2.2	18	27	0.05
108.3.29	304	草皮	壘球場	7.48	1.1976	6.7	44	1191	121	372	269	3.9	14	35	0.05
108.3.29	304	草皮	棒球場	6.94	1.6764	16	47	1241	153	290	175	2.9	13	42	0.05
108.3.29	305	蓮霧	建安段661.表土	7.68	6.7042	123	1252	5732	1321	0.7	84	0.6	8.5	3120	1.64
108.3.29	305	蓮霧	建安段661.底土	8.04	2.6192	159	420	6109	708	6.8	294	1.8	26	715	0.37
108.3.29	306	鳳梨	建興段832	6.58	1.3971	55	70	1175	52	198	45	4.4	11	19	0.03
108.3.29	307	芒果園	紫蝶段0330-0000.表土	4.97	1.9415	6.6	45	155	40	193	20	5.1	6.3	17	0.02
108.3.29	307		紫蝶段0330-0000.底土	5.18	1.6008	5.7	34	160	32	162	47	4.5	6.4	17	0.02
108.3.29	308	檸檬	竹林段904	4.8	1.6499	181	133	1375	75	771	77	9.6	22	53	0.2
108.3.29	308	檸檬	竹林段909 909-1 910	4.83	2.4433	149	142	1678	111	734	61	15	32	71	0.19
108.3.29	308	檸檬	鳳明段0275 0276	4.68	3.0606	139	244	103	157	483	174	13	27	74	0.28
108.3.29	308	檸檬	鳳明段0886	5.8	3.0547	157	179	3191	181	350	105	11	26	208	0.17
108.3.29	308	檸檬	新田段2316 2317	5.03	2.4154	109	138	2095	103	716	105	17	26	55	0.22
108.3.29	309	檸檬	月眉段二小段3660	6.56	1.8	14	50	1229	227	672	131	4.4	7.7	62	0.04
108.3.4	199	愛玉	復興段	5.77	>6	146	508	4561	469	48.991	54.21	1.2302	8.0072	18.289	0.05
108.3.4	199	水		7.66		0.5	1.9	50	15	0	48	0	0.01	30	

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.3.4	200	大陸妹	大主鋤農場二場戊16	7.37	1.04	96	62	7922	239	140.33	168.21	1.2872	6.4292	17.648	0.08
108.3.4	201	貢菊	美濃	6.4	1.89	17	57	1498	299	206.03	42.386	2.0779	4.1003	16.586	0.04
108.3.4	202	葉菜		5.89	2.45	112	216	1596	158	686.47	55.685	5.6543	10.671	36.003	0.53
108.3.4	202	水	A水稻	7.58		2.5	12.2	139	54	0	0	0	0.01	605	
108.3.4	202	水	B葉菜	7.53		4	1.6	42	9	0	0.2	0	0.01	60	
108.3.4	203			6.54	1.68	107	196	1657	163	261.96	67.567	2.2	9.0955	30.698	0.14
108.3.4	204	水	超峯段170	7.37		1.1	103	41	59	0	0.3	0	0.01	682	
108.3.4	205	鳳梨	0229-0	7.19	1.6	17	92	2926	293	102.24	55.67	1.392	3.9183	24.786	0.17
108.3.4	205	鳳梨	0229-2	4.07	1.59	37	184	1159	160	187.07	82.166	1.1346	3.5285	12.319	0.31
108.3.4	205	鳳梨	0229-3	4.11	1.54	36	109	474	88	223.34	34.798	0.8865	2.6352	11.946	0.06
108.3.4	205	鳳梨	0229-4	4.14	1.95	44	87	939	172	240.88	69.012	1.4172	2.9795	20.689	0.11
108.3.5	206	西瓜		4.4	1.72	104	42	217	29	113.34	1.611	0.4572	4.1943	6.1893	0.05
108.3.5	207		0150.表土	4.57	1.75	54	122	846	136	76.157	3.998	1.0339	1.2207	20.581	0.14
108.3.5	207		0137.表土	6.36	0.83	4	58	7699	286	333.63	181.65	1.3588	3.9692	11.475	0.05
108.3.5	207		0143 0167 0168表土	5.27	2.72	145	117	1770	206	450.26	22.311	3.8401	9.1335	20.362	0.04
108.3.5	207		0175 0178.表土	5.64	2.66	123	116	2663	254	391.62	28.588	3.2462	10.07	23.895	0.07
108.3.5	207	水	1	7.36		3.3	0	20	9.2	0	0.14	0	0.03	17	
108.3.5	207	水	2種檳榔	7.33		1	0	19	6.8	0	0	0	0.03	14	
108.3.5	208	鳳梨.荔枝	C區	4.1	1.04	20	23	85	13	46.052	11.037	0.4838	0.9001	7.3023	0.03
108.3.5	208	水	C區	7.07		4	0	5.7	5.4	0.02	0	0	0.02	49	
108.3.5	209		新興段0859-0000	4.59	1.54	82	153	310	52	515.02	22.654	1.3973	2.6993	16.26	0.08
108.3.5	209	水	新興段0859-0000	7.58		3.3	0	38	37	0	0	0	0.02	43	
108.3.5	210	鳳梨.荔枝	溪埔段169-3.B區	3.84	1.93	77	58	702	42	73.172	59.665	0.5382	2.1859	12.359	0.24
108.3.5	210	水	溪埔段169-3 B區	7.3		5.6	0	5.9	5.2	0	0	0	0.02	49	
108.3.5	211	鳳梨.荔枝	溪埔段169-3.D區	3.97	1.96	103	34	689	96	151.43	17.126	1.6819	5.5396	9.8596	0.12
108.3.5	211	水	溪埔段169-3 D區	7.06		5.5	0	5.3	5.2	0	0.02	0	0.02	50	
108.3.5	212	鳳梨	新吉段1064-001	3.9	1.68	155	38	344	15	305.68	3.5696	1.274	2.2228	7.9448	0.05
108.3.5	212	水	新吉段1064-0001	6.87		3	0	4.8	6.4	0	0	0	0.08	46	
108.3.5	213	鳳梨	坪頂段133-0	6.19	0.97	22	63	1127	34	92.844	26.521	1.5719	3.8107	5.2887	0.03
108.3.5	213	水	坪頂段133-0	6.72		4.6	0	6.8	8.5	0	0	0	0.1	61	
108.3.5	214	鳳梨	小坪頂段1065.1區	3.97	2.3	93	146	637	39	56.839	11.994	0.2277	1.4034	17.611	0.16
108.3.5	214	鳳梨	小坪頂段1065.2區	6.69	1.6	5.4	74	3296	759	295.42	172.06	1.353	12.648	34.737	0.21
108.3.5	214	水	小坪頂段122-17	6.56		4.4	0	25	19	0	0	0	0.02	93	
108.3.5	214	水	小坪頂段1065 2區	6.45		2.9	0	22	15	0	0	0	0.02	68	
108.3.5	215	鳳梨	水廠段46	3.24	1.48	52	69	106	17	124.57	10.049	0.2959	0.6742	11.55	0.24
108.3.5	215	水	水廠段46	6.69		4	0	7.9	13	0	0.01	0	0.02	66	
108.3.5	216	水	狗氫氫段	7.18		1	0	0.4	0.09	0	0	0	0.01	6.8	
108.3.6	216	鳳梨	狗氫氫段372	5.96	2.77	21	98	2515	413	277.57	96.297	2.6201	6.3189	153.4	0.39
108.3.6	216	鳳梨	狗氫氫段375-1	5.51	2.3	17	87	1476	188	544.64	26.587	2.165	3.7894	31.398	0.14
108.3.6	216	鳳梨	狗氫氫段378-1	6.89	1.47	16	149	7375	430	411.14	156.4	1.9151	5.1422	33.743	0.13
108.3.6	217	茶樹	寶山段383-1.A區	4.65	>6	17	70	109	26	61.795	25.523	2.238	5.7523	11.812	0.03
108.3.6	217	茶樹	寶山段383-1.B區	4.68	>6	19	96	298	53	37.494	55.348	2.4164	4.6209	12.725	0.05
108.3.6	217	茶樹	寶山段383-1.C區	4.74	5.56	27	65	382	57	53.072	35.713	3.1259	4.3748	13.288	0.03
108.3.7	218	番薯	崇德橋段	6.69	1.53	2.1	108	7081	527	646.18	187.37	2.5406	6.4451	39.378	0.2
108.3.7	218		三和橋段	7.09	1.72	13	205	7398	614	801.29	196.97	2.5226	7.7144	56.84	0.48
108.3.7	219	香檬	萬全段1328	6	2.73	143	236	2520	232	385.73	48.924	3.9582	7.1796	34.762	0.3

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.3.7	220	檸檬.金桔	東庄段843	6.78	1.52	138	61	2211	143	242.13	31.179	2.9066	10.5	18.102	0.04
108.3.8	221	檸檬	載興段1518	6.65	2.15	80	195	3380	236	546.26	42.721	4.341	6.9668	23.689	0.13
108.3.8	222	檸檬	載興段1515	6.99	1.53	131	123	5037	262	483.2	95.224	4.3175	7.8986	26.358	0.14
108.3.8	223	檸檬	載興段1517	6.43	2.57	115	347	4689	273	838.59	38.729	9.6259	15.825	41.149	0.19
108.3.8	224	檸檬	鳳新段0055.0056	6.47	1.8	189	98	3129	197	578.9	23.353	7.3766	22.026	17.443	0.08
108.3.8	224	檸檬	鳳新段0230	5.76	1.67	187	201	2470	133	662.01	28.154	16.478	16.267	26.675	0.07
108.3.8	224	檸檬	新田段3203	5.54	2.28	188	267	430	80	778.03	44.561	15.358	10.622	42.69	0.07
108.3.8	224	檸檬	新田段3140	5.64	3.1	161	88	2834	214	818.14	33.342	12.366	15.342	36.086	0.12
108.3.8	225	檸檬	新田段3189	4.37	2.15	138	221	530	60	975.18	32.347	12.074	11.892	68.237	0.25
108.3.8	225	檸檬	鳳明段336	5.38	2.03	170	696	2996	258	581.94	22.402	6.967	20.714	23.606	0.07
108.3.8	225	檸檬	竹鳳段111	5.39	2.49	276	157	4628	180	908.69	41.565	11.352	55.015	34.046	0.1
108.3.8	226	檸檬	鳳明段364.365	5.85	1.58	129	104	878	131	543.6	24.984	5.0658	9.3721	53.458	0.08
108.3.8	227	檸檬	鳳新段0054	4.64	2.02	201	59	510	85	605.7	52.733	7.7208	13.794	38.835	0.25
108.3.8	228	檸檬	鳳明段0437	5.03	1.24	129	134	1868	161	426.97	19.009	3.7863	6.3159	23.039	0.09
108.3.8	229	檸檬	鳳新段091	6.99	1.13	7.7	106	1177	76	326.23	219.14	2.7486	5.2245	294.72	0.28
108.3.8	230	檸檬	鳳新段300	6.48	1.45	69	53	1790	119	752.32	12.046	4.1653	4.2762	18.999	0.07
108.3.8	231	檸檬	佳和段0084	5.6	1.66	116	188	6965	572	1087.5	14.918	5.6168	4.5936	32.274	0.05
108.3.8	231	檸檬	佳和段0177	4.85	1.75	108	59	1659	115	294.48	28.076	4.0462	6.1439	17.752	0.15
108.3.8	231	檸檬	赤新段0846	4.55	1.25	62	204	1949	203	218.6	6.104	1.4804	1.5146	11.11	0.04
108.3.8	232	檸檬	新埔段175	5.56	1.47	84	93	1699	138	264.5	14.835	2.3178	2.5376	17.794	0.09
108.3.8	233	檸檬	文化段321	6.48	2.71	123	184	5195	167	316.9	62.469	6.9716	10.622	18.833	0.07
108.3.8	234	檸檬	鳳新段347-0001	5.49	2.75	120	132	2638	155	742.1	69.456	6.5542	13.181	26.02	0.63
108.3.8	235	檸檬	新田段2581	4.3	1.11	123	86	2099	153	400.52	15.111	2.9926	2.9507	13.44	0.1
108.3.8	236	檸檬	鳳新段107-0002	6.6	1.8	98	166	3249	262	770.49	14.902	4.5772	4.5121	23.443	0.07
108.3.8	237	檸檬	竹鳳段135-0001	3.05	3.21	154	163	2355	199	765.86	3.5158	4.7272	1.9693	12.048	0.32
108.3.8	238	檸檬	萬興段890	4.75	1.19	145	151	1912	105	535.01	46.176	22.283	34.825	21.917	0.09
108.3.8	239	檸檬	鳳明段854	5.59	1.83	55	62	5435	216	366.94	73.844	10.448	9.3146	69.163	0.19
108.3.8	240	檸檬	新田段3128	6.49	1.54	62	158	7096	208	294.97	85.13	4.0216	11.748	51.665	0.29
108.3.8	240	檸檬	新田段2471	5.44	1.6	127	71	1585	82	1013	11.377	4.977	4.4742	21.661	0.07
108.3.8	240	檸檬	新田段3091	4.31	1.8	101	99	1158	102	1068.8	15.473	6.582	7.5554	31.001	0.17
108.3.8	240	檸檬	新田段3092	5.64	2.9	147	305	3562	255	952.18	54.185	4.1988	13.803	84.669	0.15
108.3.8	240	檸檬	新田段3167	5.31	2.51	189	214	3473	184	1356.6	51.275	4.911	13.889	70.963	0.13
108.3.8	240	檸檬	新田段3171	5.36	2.31	129	159	1981	118	992.65	19.819	5.0572	4.233	20.977	0.08
108.3.8	240	檸檬	鳳明段852	4.06	1.81	210	379	2406	128	822.29	51.121	4.35	12.77	22.956	0.44
108.3.8	240	檸檬	鳳山厝段302	6.19	1.94	168	82	2693	328	566.76	78.385	4.8288	6.6402	29.222	0.08
108.3.8	241	檸檬	鳳明段478	4.87	1.74	153	91	1349	84	871.62	14.283	5.2504	4.931	20.564	0.1
108.3.8	242	檸檬	新田段3218-0001	4.58	1.79	179	126	1676	156	968.17	22.33	13.179	8.4845	36.923	0.14
108.3.8	243	檸檬	新埔段3146	6.59	0.71	48	118	1242	123	308.94	12.023	2.6107	5.7128	10.811	0.04
108.3.8	244	檸檬	高朗段165	6.51	1.59	103	131	2755	217	563.3	47.654	4.4382	9.1032	30.08	0.11
108.3.8	245		瀾力肚段1158-2	7.07	1.96	61	56	8509	296	0.01	0.03	0.1	0	29	0.69
108.3.8	245		瀾力肚段1158-3	6.92	2.11	60	51	8370	330	0	0.1	0.09	30	30	1.03
108.3.8	245	酪梨	瀾力肚段1165	7.51	1.26	24	89	7899	161	0.44	0.09	0.05	22	22	0.09
108.3.8	245		瀾力肚段1162-2	7.07	2.27	58	38	8231	311	0.16	0.05	0.16	35	35	1.13
108.4.1	310	酪梨	泰山1	4.59	1.18	202	71	551	55	382	19	5.5	6.5	10.2	0.07
108.4.1	310	酪梨	泰山2	4.5	2.17	202	42	431	49	322	14	3.6	3.8	12	0.04
108.4.1	310	酪梨	高樹	4.73	1.27	144	143	592	48	331	16	1.7	2.9	11.3	0.11

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.1	310	酪梨	南華	4.39	1.2	149	116	566	53	380	16	2.9	4.6	11	0.08
108.4.1	311	玉米	山子頂段2975	7.63	1.45	23	198	7094	225	25	229	2.5	8.3	41	0.24
108.4.1	311	南瓜	山子頂段2974	7.79	0.98	11	75	6987	252	139	196	3	10	43	0.21
108.4.1	312	荔枝	統嶺段0688-0000	4.36	3.2	120	68	438	127	79	14	1.4	6.3	6.3	0.04
108.4.1	312	荔枝	磅礮坑段09350673	4.41	3.41	134	106	701	127	69	21	1.2	8.1	6.7	0.1
108.4.1	312	荔枝	嶺口段0224,0223-0000,02340000	4.46	3.08	187	53	538	67	139	16	2.6	5.3	6.9	0.08
108.4.1	312	荔枝	磅礮坑段09350675	4.6	3.08	142	82	544	150	68	17	1.3	6.7	6.6	0.04
108.4.1	312	水	統嶺段0688-0000	7.24		2.4	1.14	2.1	3.8	0	0	0	0	19	0.12
108.4.1	312	水	磅礮坑段09350673	7.64		1.4	1.18	9.01	7.03	0	0	0	0	22	0.17
108.4.1	312	水	嶺口段0224 0223-0000 02340000	7.46		0.9	1.02	4.8	5.5	0	0	0	0.01	16	0.11
108.4.1	312	水	磅礮坑段09350675	7.72		1.7	1.12	2	3.6	0	0	0	0	19	0.1
108.4.1	313	水	統嶺段0675-0000,0676-0000,0677-0000	4.45	2.69	177	41	331	43	133	16	2.5	5.4	6.6	0.08
108.4.1	313	水	統嶺段0675-0000 0676-0000 0677-0000	7.63		1.2	1.2	8.5	6.4	0	0	0	0	22	0.16
108.4.1	314		統嶺段0324-0000	4.33	3.07	174	54	518	65	126	16	2.4	5.8	6.3	0.08
108.4.1	314	水	統嶺段0324-0000	7.56		2.6	1.04	4.9	5.1	0	0	0	0.01	15	0.12
108.4.1	318	水	甘棠門5-0	8.04		2.8	1.7	137	18	0	0.4	0	0	29	0.71
108.4.1	318	水	頂和段233	7.92		1.4	4.4	92	30	0	0.1	0	0	43	0.69
108.4.1	318	水	頂愛段1218	8.1		1.2	1.7	146	28	0	0.3	0	0	44	0.84
108.4.10	371	紅龍果	獅子段557	5.76	2.56	23	93.228	925.25	201.32	68.961	34.162	0.9499	3.9916	23.592	0.03
108.4.10	371	水	獅子段557	7.21		2.2	1.8074	101.71	43.329	0	0.31	0	0	114	1.03
108.4.10	372	水稻	土庫段1092 1093	7.16	1.87	8	34.55	7014.2	197.97	1080.9	175.61	5.1748	8.2601	42	0.41
108.4.10	372	水稻	清水段200 201 202	6.14	2.08	16	78.157	1996.7	143.14	1454.6	36.786	5.2663	6.4389	31.294	0.26
108.4.10	373	黑豆	大埔段789	5.01	3.4	15	90.539	3452.4	613.43	272.79	142.88	4.9032	6.5837	465.18	0.82
108.4.10	373	黑豆	大埔段601 604 607	5.21	3.7	14	146.27	3072.5	535.97	372.83	167.67	5.3722	5.6718	301.44	0.36
108.4.10	373	黑豆	大埔段916	6	3.95	4	101.96	3821.6	652.8	267.4	159.53	4.753	5.5061	229.47	0.42
108.4.10	373	黑豆	大埔段949 951 952	7.49	4.17	13	147.01	3481.9	610.19	346.47	159.62	5.1739	6.1904	199.05	0.26
108.4.10	373	黑豆	大埔段017 033-1 033-2	5.4	3.12	6	74.573	2090.9	448.05	424.03	115.25	3.6362	5.1469	44.348	0.08
108.4.10	373	黑豆	大埔段470	6.99	3.58	2.4	82.495	3192.6	552.61	347.84	161.89	5.526	5.8923	171.68	0.29
108.4.10	373	黑豆	大埔段960 961 572 573	5.66	3.72	9	80.618	3553.4	570.62	230.31	186.46	5.8309	5.6597	179.96	0.43
108.4.10	373	黑豆	大埔段1143 1144	5.03	4.04	17	131.43	3428.9	479.01	426.4	138.91	5.941	7.0978	151.16	0.22
108.4.10	373	黑豆	大埔段346 347	5	3.78	15	96.435	3526.3	593.43	296.14	145.93	5.9717	6.9275	279.54	0.39
108.4.10	373	黑豆	大埔段415 417 418 407	7.05	3.71	2.2	79.57	3825.5	637.83	415.97	175.88	6.262	6.9857	162.31	0.29
108.4.10	373	黑豆	大埔段116 138 139 149 154	4.92	3.79	24	57.097	2588.1	366.27	344.11	97.414	5.1798	6.742	147.66	0.17
108.4.10	373	黑豆	大埔段589 590	4.78	3.57	8	72.467	4807.4	612.16	165.33	187.71	4.5689	5.2243	186.12	0.26
108.4.10	373	黑豆	大埔段569 570 571	5.13	3.57	4	73.037	4373.1	685.01	257.92	214	5.0819	4.6738	309.67	0.49
108.4.10	373	黑豆	大埔段550 551 560 561 585 562 547 548 549 1067	4.86	4.07	19	155.61	3302.1	601.23	470.54	134.48	6.1793	7.1056	158.64	0.27
108.4.10	373	黑豆	大埔段509 510 511 513 514 541-546	4.75	3.37	17	82.745	4391	816.57	255.84	145.89	5.4587	7.4401	369.83	0.7
108.4.10	373	黑豆	德和段1024	4.71	1.11	86	73.014	1063.1	125.63	191.72	35.241	1.4975	3.4654	11.773	0.04
108.4.10	373	黑豆	德和段1030 1031 1032 1038	4.13	0.9	119	71.375	1145	56.863	242.13	37.497	2.7057	5.9018	12.476	0.03
108.4.10	373	黑豆	德和段852 853 857 858 859	4.98	2.58	13	34.789	1592.3	184.61	1003.5	54.602	1.877	3.6202	94.987	0.23
108.4.10	373	黑豆	德和段1018	7.4	0.84	62	64.97	1063.7	127.22	306.36	39.328	1.776	3.1229	14.401	0.03
108.4.10	373	黑豆	德和段898	7.59	1.04	101	83.525	1731.6	161.29	122.87	38.486	2.1884	5.4963	15.037	0.06
108.4.10	373	黑豆	德和段1238 1239 1240	7.6	0.77	40	58.153	179.27	39.193	15.857	11.107	0.556	1.7952	7.5	0.02
108.4.10	373	黑豆	德和段1213 1219 1223 1224	7.65	1.26	82	78.913	2178.7	132.76	108.12	38.313	1.7333	4.8588	15	0.04
108.4.10	373	黑豆	德和段931-936 951 952	6.11	2.16	13	48.119	663.74	207.94	1092.4	43.855	2.3604	4.1541	103.7	0.18
108.4.10	373	黑豆	白紗段395 413	7.77	2.17	13	93.873	1801.8	305.77	33.782	41.321	1.1204	2.0863	25.654	0.05

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.10	373	黑豆	海口段10008	6.99	2.31	12	65.98	1081	269.7	444.2	45.001	1.8113	3.405	70.019	0.12
108.4.10	373	黑豆	上大平頂165	7.14	0.85	38	65.89	277.13	42.211	15.781	14.873	0.2342	2.2162	5.7	0.03
108.4.10	373	黑豆	下大平頂小段005-2 1005-3	6.94	2.34	8	57.311	996.95	256.9	518.65	37.657	2.2852	3.5738	36.078	0.07
108.4.10	373	黑豆	頂水泉952 945 946 947 948	6.07	1.32	15	76.508	281.59	92.384	18.502	25.886	0.1917	1.1351	11.288	0.03
108.4.10	373	黑豆	龍泉水165-6 167	7.34	1.53	26	109.37	496.71	110.27	84.554	49.357	1.1944	3.0421	13.19	0.04
108.4.10	373	黑豆	龍泉水116-1 130-6	7.53	1.89	14	114.96	1376.5	91.684	45.706	60.321	1.1339	3.9138	13.063	0.11
108.4.10	373	黑豆	龍泉段227	6.99	2.3	15	130.31	2407.8	119.31	22.792	78.405	0.7252	3.848	14.007	0.07
108.4.10	373	黑豆	50 0353 0357 0360 0361 0362 0381 0385 0386 0411 C	7.33	2.99	54	83.098	2748.5	354.36	393.46	170.32	6.2499	9.6505	265.76	0.39
108.4.10	373	黑豆	大潭段707 708	7.46	1.89	5	89.887	5461.2	709.29	490.38	261.52	4.3168	6.593	47.672	0.18
108.4.10	373	黑豆	新厝段474 474-1 474-2	7.31	2.31	37	113.33	1265.8	242.28	599.03	53.143	5.0949	4.2999	31.179	0.11
108.4.10	374		家1	6.84	2.5	73	149.58	3672	358.66	1412.4	135.53	31.046	26.212	62.108	0.23
108.4.10	374		家2	7.06	2.44	123	67.119	3000.5	359.47	968.74	208.22	24.286	59.66	101.25	0.2
108.4.10	375	蕃茄	A	6.95	2.49	72	33.444	2173.4	244.9	591.53	35.639	7.3208	10.786	138.24	0.57
108.4.10	375		B	7.54	2.52	77	52.135	3238.9	321.92	741.8	43.199	7.5074	14.061	82.922	0.34
108.4.10	548	水	新高段0676-0000	7.58		1.5	1.12	106.58	21.014	0	0.31	0	0	8.4	0.59
108.4.11	359	酪梨	土庫段929-17-1.中和1	7.44	2.77	84	43.478	8764	299.11	<MDL	<MDL	0.04	<MDL	40	0.69
108.4.11	359	酪梨	土庫段927-17-3.中和3	7.63	1.34	37	36.101	8847.6	208.37	<MDL	84.467	<MDL	0.7476	40.415	0.4
108.4.11	359	酪梨	土庫段1728-2.西隆2	8.41	0.84	16	33.307	5517.4	196.99	1313.5	93.035	4.2418	10.724	22.804	0.17
108.4.11	376	竹筍		5.73	3.17	72	146.04	1441	271.77	569.98	71.069	6.7183	8.7238	31.937	0.19
108.4.11	377	芭樂	觀山段176	7.03	2.51	14	58.753	4109	422.66	54.517	91.031	2.6775	10.619	14.483	0.09
108.4.11	378	棗子	中崎A6	8.22	3.11	80	299.22	4156.8	662.37	299.22	137.24	2.9149	23.145	499.98	0.37
108.4.11	378	芭樂	中崎A6	7.99	3.55	58	124.2	4292.3	541.45	332.24	153.48	2.9098	26.189	630.93	0.4
108.4.11	378	蕃茄	中崎A6	7.74	2.99	117	131.21	4144.6	603.69	333.41	141.46	2.2641	33.266	369.46	0.33
108.4.11	378	檸檬	中崎A6	7.96	2.79	49	98.206	3513	457.61	210.83	127.66	1.904	14.696	296.61	0.29
108.4.11	378	原土	中崎A6	7.67	1.82	8	24.613	1127.3	199.06	263.01	100.43	2.6518	7.6837	126.83	0.12
108.4.11	378	棗子	安東段705	7.63	3.28	191	142.1	7789.7	617.49	284	138.17	3.1316	111.33	230.12	0.16
108.4.11	379	竹筍	頭溝水段725	5.96	3.91	151	34.671	1611.9	144.88	703.7	35.26	5.036	21.338	28.68	0.08
108.4.11	380	竹筍	頭溝水717	5.01	3.77	123	40.388	1641.8	148.73	721.76	47.686	5.6285	23.692	27	0.13
108.4.11	380	竹筍	頭溝水724	7.31	4.87	36	48.53	3630.9	475.61	223.38	93.686	3.048	15.96	26	0.09
108.4.11	380	竹筍	頭溝水728	5.99	3.21	27	47.855	1939.1	243.41	283.89	69.538	4.022	13.891	22	0.07
108.4.11	380	竹筍	湖底段793	5.58	3.06	81	44.095	1158.1	342.1	293.1	47.205	3.9159	14.415	53	0.11
108.4.11	380	竹筍	維新段668	5.83	4.94	26	75.43	2031.4	346.52	156.6	78.444	1.8965	33.787	23	0.13
108.4.11	380	水	頭溝水724	7.46		2	1.1172	63.115	19.878	0	0.31	0	0	12	0.44
108.4.11	380	水	頭溝水725	7.62		1.1	1.1035	65.952	19.519	0	0.31	0	0	11	0.43
108.4.11	380	水	頭溝水728	7.44		2.1	1.0478	63.85	18.841	0	0.31	0	0	12	0.42
108.4.11	380	水	湖底段793	6.52		3.1	2.3378	24.464	15.543	0	0.01	0	0	30	0.36
108.4.11	381	珍珠芭樂	東大邱園段3702 1726.表土	7.62	1.74	28	65.446	2752.3	377.79	731.93	150.27	4.9608	10.892	35.704	0.08
108.4.11	381	珍珠芭樂	東大邱園段3702 1726.底土	7.86	1.61	25	69.071	4255.2	540.18	615.34	150.26	3.7559	8.8249	29.328	0.07
108.4.11	382	鳳梨	大響營段109	5.58	2.29	83	62.3	1372.8	209.51	207.96	43.939	4.6752	11.681	16.158	0.11
108.4.11	382	鳳梨	大響營段110	5.61	2	81	54.981	1199.7	182.17	212.79	44.481	4.5109	11.127	15.79	0.11
108.4.11	383	荔枝	礮礮坑段0360-0418	6.38	2.1	71	130.04	2150	373.77	483.64	132.03	5.0622	15.315	19.899	0.24
108.4.11	384	荔枝	礮礮坑段935-729	5.44	2.24	99	103.37	238.75	107.78	120.44	95.092	0.9399	5.5992	11.353	0.11
108.4.11	385	荔枝	礮礮坑段0360-1751	6.5	1.94	30	45.817	107.13	69.043	59.477	11.296	0.7379	3.0176	3.8	0.03
108.4.11	386	荔枝	礮礮坑段0360-0124	6.67	1.74	115	106.7	1443.2	192.18	709.69	81.159	2.832	22.33	19.199	0.15
108.4.11	387	荔枝	礮礮坑段0360-0817	5.7	1.33	45	50.136	869.92	91.118	415.59	92.217	1.7279	6.9262	7.8	0.04
108.4.11	388	荔枝	礮礮坑段0360-0582	6.61	2.42	119	148.9	970.8	163.52	546.41	39.02	2.2232	9.4311	13.318	0.06

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.11	389	荔枝	磅礮坑段0360-0205	5.03	1.12	9	31.899	1894.9	224.18	531.28	104.85	1.6925	6.9184	16.712	0.07
108.4.11	390	荔枝	得湖段889	5.91	2.23	51	72.74	1650.6	148.65	767.12	45.419	6.1865	56.172	26.783	0.09
108.4.11	391	荔枝	得湖段0376-0596	5.56	2.23	143	78.965	602.07	137.82	106.84	78.048	2	19.715	4.1155	0.08
108.4.11	392	荔枝	得湖段0884-0000	6.35	2.56	110	91.983	873.23	142.55	80.52	49.69	1.7958	18.757	5.1894	0.07
108.4.11	393	荔枝	得湖段0360-0193	5.28	1.66	95	28.781	69.199	36.891	106.6	26.042	1.472	3.6239	7.1076	0.06
108.4.11	394	荔枝	得湖段0907-0207	5.7	1.95	97	86.458	498.83	112.74	441.85	16.605	0.8427	5.2912	37	0.38
108.4.12	395	檳榔.香蕉	大同路四段.A	3.43	3.45	143	91.208	388.22	63.522	1139	10.729	5.1766	7.6472	27	0.38
108.4.12	395		大同路四段.B	5.19	4.24	151	199.15	2801.5	271.74	542.79	30.094	4.0468	15.135	126	0.57
108.4.12	396	芒果		5.5	2.73	58	89.473	745.29	166.93	50.346	22.939	4.5451	5.6597	20	0.05
108.4.12	397	芭樂	表土.661	4.4	0.84	67	213.73	2480.3	215.06	572.16	81.687	4.6915	12.517	125	0.28
108.4.12	397		底土.661	4.22	0.56	31	92.65	1334.2	134.57	366.17	49.913	2.6914	6.7564	75	0.16
108.4.12	549	水	水井.芋林段718	7.66		2.1	4.6799	194.01	69.078	0	1.4	0	0.01	177	1.76
108.4.12	549	水	河川.芋林段718	7.69		2.5	25.356	125.24	29.476	0	0.02	0	0	120	1.19
108.4.15	398	可可	頂柳段0467-0000	7.5	2.22	94	57.785	6372.2	166.32	178.62	87.186	8.9192	13.874	28.21	0.16
108.4.15	399	可可	頂柳段0466-0000	7.15	1.94	160	44.394	2478.3	143.34	455.47	33.431	11.367	19.069	22.005	0.07
108.4.15	400	芒果	阿蓮中路段2097	7.35	1.26	51	259.18	2185.9	270.16	229.31	56.226	1.7327	6.7024	52.382	0.14
108.4.15	400	番石榴	阿蓮中路段2211	6.27	1.82	51	89.194	1196.2	234.79	283.53	54.526	2.3553	6.6448	52.164	0.07
108.4.15	401		香潭段563 564	7.15	1.86	98	29.851	2644.4	111.9	566.16	46.956	24.703	35.858	30.46	0.2
108.4.15	401	水	香潭段563 564	7.55		0.7	1.4104	101.53	12.3	0	0	0	0	12.38	0.5
108.4.15	402	香茅	Z13.A	5.55	2.37	20	53.656	772.26	172.98	52.393	27.614	0.8365	2.1019	5.4257	0.03
108.4.15	402	荒地	4A1.B	5.94	2.25	47	45.56	698.36	122.81	191.56	68.617	1.2763	1.7763	11.776	0.04
108.4.15	402	帝王芭樂	4E3.C	5.36	3.12	149	143.18	1236.4	222.28	84.106	49.194	0.7735	2.674	51.117	0.38
108.4.15	402	絲瓜	3D1.D	6.45	2.7	44	107.5	1425.7	243.41	103.95	50.376	1.4016	2.8795	28.632	0.06
108.4.15	402	南瓜	8A7.E	5.82	2.3	16	50.928	583.05	149.71	65.021	27.667	1.2425	1.2968	17.122	0.04
108.4.15	402	火龍果	8A2-4.F	6.08	>6	151	385.62	2721.7	491.25	191.03	112.09	1.3969	8.8277	35.662	0.37
108.4.15	402	紅皮香蕉	6A3.G	6.3	4.49	115	189.24	2593.1	424.28	166.5	113.75	1.0986	4.1582	45.444	0.22
108.4.15	402	紅蘿蔔	25F1.H	6.04	3.52	63	116.02	1350.4	268.56	299.9	87.759	2.4498	2.7794	35.519	0.16
108.4.15	402	南瓜	25E2.I	5.47	3.45	84	95.947	792.54	199.08	68.157	54.57	1.7799	2.2468	18.689	0.18
108.4.15	402	玉米	25B2.J	5.96	2.92	52	128.99	1020	209.51	132.19	48.36	1.1916	1.9008	29.64	0.11
108.4.15	402	空地	Z04-1.K	6.15	2.62	26	48.698	754.61	156.22	139.88	57.316	1.6691	2.1081	17.672	0.04
108.4.15	402	葉菜	J05.1	6.8	3.67	69	83.414	2230.4	343.68	64.461	79.06	0.8629	4.1084	87.385	0.32
108.4.15	402	香紅	J11.2	6.88	4.02	96	60.523	2079.5	302.08	80.909	75.915	1.0701	4.4816	76.602	0.38
108.4.15	402	白莧	L04.3	6.75	3.24	58	59.589	1557.7	241.36	90.905	76.957	0.4446	3.3765	72.209	0.22
108.4.15	402	葉菜	L08.4	7.16	3.5	70	51.852	1627	264.45	96.751	84.83	0.4709	5.0946	65.457	0.1
108.4.15	402	葉菜	L16.5	6.22	3.19	51	62.617	1213.2	166.75	58.082	64.061	0.9197	3.1382	53.118	0.35
108.4.15	402	白莧	M04.6	7.1	3.83	73	71.259	1923	306.33	56.178	96.177	0.2651	3.784	75.602	0.16
108.4.15	402	優愛	M07.7	6.63	3.14	75	93.865	2347.7	349.42	86.676	67.208	0.6395	3.1944	89.294	0.28
108.4.15	402	白莧	M18.8	7.07	3.13	83	113.51	1986.2	297.01	55.173	69.523	0.6184	3.4267	68.848	0.17
108.4.15	402	葉菜	O15 .9	6.47	3.54	93	136.66	1820	331.53	118.47	91.255	1.1933	2.7096	48.076	0.13
108.4.15	402	黑菜	F11.10	6.21	1.8	190	125.83	3459.4	592.34	89.053	84.031	0.9496	8.0674	69.833	0.33
108.4.15	402	尖葉	H06.11	6.56	5.07	154	109.19	2194.4	391.08	52.01	86.182	0.8864	5.8289	77.15	0.45
108.4.15	402	島菜	A10.12	6.5	5.86	155	109.5	2717.4	478.81	83.687	83.849	0.9479	7.9814	64.556	0.22
108.4.15	402	小松	C03.13	6.22	5.15	177	137.06	2725.7	499.82	174.42	79.122	1.5599	8.3974	76.395	0.39
108.4.15	402	島菜	D03.14	6.15	>6	184	183.04	3588.6	595.02	156.11	88.668	2.0468	9.2151	79.183	0.45
108.4.15	402	美味	D06.15	5.66	>6	160	150.5	3723.7	567.94	68.415	72.86	0.5591	11.244	78.06	0.32
108.4.15	402	優愛	E10.16	6.28	3.88	169	115.16	2108.3	390.43	92.717	57.635	0.8352	3.625	69.568	0.42

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.15	405	水	新庄段820	7.69		1.2	0.7215	26.392	6.2853	0	0	0	0	11.7	0.2
108.4.16	403	紅毛丹	坪頂段.表土	4.37	2.24	46	114.17	436.11	60.873	5.4404	72.973	0.6052	5.1791	62.354	0.36
108.4.16	403		坪頂段.30cm	4.36	2.44	19	73.057	192.88	54.771	0.4975	41.715	0.8156	3.971	10.53	0.09
108.4.16	403		坪頂段.施肥區	6.14	3.26	124	837.92	6508.6	177.41	17.312	93.371	1.7202	8.441	152.2	1.18
108.4.16	404	玉米	萬丹	7.11	3.03	104	251.95	2419.4	307.27	334.29	150.42	3.3435	8.6842	378.89	0.4
108.4.16	404	蔬菜	萬丹	7.42	0.92	19	70.626	2391	244.52	748.77	100.5	1.5308	7.9809	465.66	0.79
108.4.17	405	酪梨	新庄段820.A區	5.46	3.22	133	51.582	1379.8	129.3	204.01	20.629	2.1564	3.677	20.235	0.07
108.4.17	405	香草	新庄段820.C區	5.24	2.93	162	57.178	1194.9	106.11	346.92	11.209	3.1058	3.8142	23.598	0.05
108.4.17	406	火龍果	建功段594-4	4.8	2.92	170	205.25	1046.9	158.34	586.27	19.522	13.54	9.4953	29.275	0.14
108.4.17	406	火龍果	建功段594	6.6	2.7	86	30.234	2496.8	157.83	766.18	56.751	8.1431	8.3876	33.689	0.04
108.4.17	406	香蕉	建功段490	5.64	2.37	129	97.446	2720.7	176.94	808.29	45.205	10.691	6.8704	31.822	0.32
108.4.17	406	香蕉	建功段587	7.56	1.32	55	21.109	2522.1	152.86	231.05	117.59	6.0839	5.807	33.962	0.1
108.4.17	407	酪梨	昌榮段0305-0000	5.5	1.45	164	30.894	506.21	43.935	455.68	12.481	5.6196	4.6809	14.618	0.04
108.4.17	408	香蕉	竹山溝段	5.12	1.46	23	45.59	412.01	86.766	175.6	21.022	1.8408	4.1288	11.975	0.03
108.4.17	409	印加果		6.35	3.38	180	464.51	4952.9	488.01	337.41	195.58	1.8743	10.04	86.404	0.52
108.4.17	410	果樹	G	7.11	1.59	75	25.128	2199.6	70.657	188.81	73.977	6.6463	9.0901	27.751	0.06
108.4.17	410	果樹	C	5.84	1.86	173	46.458	1106.9	67.425	579.87	40.424	7.5902	12.822	27.045	0.05
108.4.17	410		AD	6.17	1.26	144	23.674	1374	47.32	324.15	26.791	7.4769	14.336	24.335	0.04
108.4.17	410	果樹	AB	5.13	1.61	180	60.47	459.54	35.996	500.99	14.418	5.7021	9.1624	26.478	0.06
108.4.18	411	南瓜.紅豆	彭新1094.1093.A區	6.38	1.61	23	44.505	980.4	65.739	275.67	83.112	5.2752	6.191	16.405	0.07
108.4.18	411	南瓜.紅豆	彭新段1092內.B區	5.5	1.4	14	38.095	640.9	41.875	324.35	47.63	6.4431	5.4996	26.524	0.04
108.4.18	411	南瓜.紅豆	彭新段1092.1095.C區	5.42	1.46	6	26.48	601.35	34.297	386.05	40.3	6.0384	4.2632	19.441	0.05
108.4.18	411	南瓜.紅豆	彭新段1092內.1099.1101.D區	5.8	1.39	9	25.614	718.86	56.516	332.25	53.759	5.3599	4.1849	10.939	0.03
108.4.18	411	水	彭新段1092內 1094 1095 1099 1101	7.22		1	2.1919	138.34	14.916	0	0	0	0	18	0.67
108.4.18	412	美濃瓜.洋香瓜	0426龍頸段02160000.A	6.87	1.26	139	52.805	2204.2	59.628	267.85	64.415	1.9898	9.2794	12.592	0.22
108.4.18	412		0426龍頸段02160000.B	7.25	0.97	55	35.21	1664.6	74.032	282.29	70.082	5.2133	33.606	14.374	0.15
108.4.18	413	空心菜	J16	6.74	2.82	60	64.336	1912.8	306.79	59.951	68.634	0.6907	3.4284	82.231	0.19
108.4.18	413	蕃茄	K07	6.28	2.94	62	77.368	1899.7	290.57	104.09	78.909	1.8362	4.3	92.533	0.21
108.4.18	413	青江	L07	6.33	2.62	52	77.689	1795.2	275.78	73.773	60.365	0.6443	5.9185	86.713	0.21
108.4.18	413	空地	L20	6.7	3.36	61	127.34	2038.1	390.7	102.51	87.11	1.8876	4.6948	77.29	0.19
108.4.18	413	莧菜	M06	6.22	3.1	72	95.029	2168.3	333.94	72.904	62.069	0.6285	4.1095	90.278	0.35
108.4.18	413	莧菜	M15	6.24	3.17	50	92.448	2137.6	228.83	47.234	75.503	0.5614	3.8443	91.128	0.39
108.4.18	413	空地	M17	6.46	2.89	55	85.607	1769.1	235.72	66.545	72.951	1.1357	4.1111	76.566	0.26
108.4.18	413	青江	006	5.94	2.92	99	122.62	1957.5	291.98	107.42	54.461	1.6006	3.9656	85.654	0.3
108.4.18	413	塌棵	016	6.26	3.72	116	183.97	2155.6	302.32	92.238	74.144	2.1784	4.7227	75.165	0.27
108.4.18	413	小白菜	F06	5.86	4.64	138	110.96	1984.6	333.15	148.9	75.042	1.0961	6.4587	59.545	0.25
108.4.18	413	小白菜	G05	5.84	4.41	177	90.34	1926.6	288.84	154.77	82.572	1.9858	7.8854	79.4	0.3
108.4.18	413	小松	A04	6.25	6.01	184	128.87	2615.5	408.8	120.69	138.84	1.4668	9.8276	114.93	0.35
108.4.18	413	小白菜	A13	5.63	5.43	146	102.57	2176.5	375.06	203.68	92.329	1.6309	9.7765	87.808	0.44
108.4.18	413	空心菜	B05	6.08	>6	206	106.78	2643.7	405.14	149.4	105.66	2.0416	10.829	102.27	0.5
108.4.18	413	美味	C08	6	5.58	237	136.66	2720.6	347.8	237.37	111.2	2.4662	11.205	108.05	0.32
108.4.18	413	菜心	D09	5.29	>6	209	152.47	2261.7	342.03	253.88	86.73	3.1309	13.895	98.427	0.57
108.4.18	413	黑葉白菜	E06	5.79	>6	279	96.988	2436.5	326.8	125.79	91.978	1.3089	14.453	141.46	0.71
108.4.18	413	蕃茄	C1-5	6.6	4.16	157	204.33	2307.8	298.7	96.941	103.45	1.5756	10.316	42.648	0.17
108.4.18	413	荒地	3D5	5.17	2.08	13	26.439	714.82	113.01	119.67	21.717	2.1125	2.4134	17.866	0.03
108.4.18	413	荒地	AC7	6.36	2.2	21	53.407	1166.8	182.93	163.79	66.628	5.035	4.8074	43.988	0.07

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.18	413	諾麗果	Z02-2	4.98	1.97	10	26.689	598.35	106.36	129.48	24.977	2.3277	2.5191	20.192	0.03
108.4.18	413	百香果	Z09-2	5.34	2.68	40	175.43	929.51	193.77	47.613	41.335	1.9427	3.1493	28.241	0.17
108.4.18	413	香蕉	6A7	5.72	5.06	132	244.21	3678	452.9	184.72	112.02	1.6289	6.2708	50.393	0.29
108.4.18	413	冬瓜	25B4	4.99	2.28	31	52.156	507.74	103.41	133.7	30.196	2.0029	1.8401	25.105	0.05
108.4.18	413	玉米	25D2	5.19	3.57	86	142.23	1336.7	226.29	184.67	71.589	3.3883	3.628	38.865	0.25
108.4.18	413	結頭茴香	8A2-5	5.3	2.98	65	75.924	753.28	152.01	72.876	31.537	1.4971	3.2878	21.047	0.04
108.4.18	413	南瓜	8A4-1	6.01	3.12	70	54.856	894.14	142.37	141.89	56.709	1.9171	2.3576	21.06	0.04
108.4.18	413	玉米		5.59	2.7	45	71.953	980.77	160.39	351.74	55.628	3.3329	3.3505	38.955	0.14
108.4.18	413	玉米	3B	6.66	2.23	23	42.758	812.49	132.21	202.52	83.373	6.1451	5.601	38.396	0.05
108.4.2	315	水稻	太源段0953 0952 0951 1234 0934 0948 0625	6.79	2.16	58	56	1212	174	803	72	5.2	6.8	32	0.09
108.4.2	315	水稻	太源段1166 1151	6.35	2.01	93	80	2097	210	1186	75	7.4	13	28	0.12
108.4.2	315	水稻	內寮村段0461 0462	6.11	2.17	55	78	1361	285	970	80	3.8	4.8	27	0.08
108.4.22	414	鳳梨	賽喜段1194	4.25	2.59	53	76.034	307.02	74.798	172.59	38.217	1.9694	3.1879	7.5	0.28
108.4.22	415	水	地下水	7.76		2.5	1.5939	116.8	13.855	0	0	0	0	14	0.54
108.4.22	415	水	過濾水	5.19		0.3	0.5	2.7851	0.4223	0	0	0	0	2.3	0.03
108.4.23	416	紅龍果	清溪段360 360-1A	4.82	2.7	112	207.06	1736	149.12	284.43	31.474	4.7043	14.017	30.249	0.42
108.4.23	416	紅龍果	清溪段360 360-1B	5.77	3.49	125	250.85	3108.2	294.69	402.31	51.525	4.645	15.916	56.882	0.57
108.4.23	416	紅龍果	清溪段360 360-1C	4.84	3.41	54	370.07	2565.5	291.78	501.42	35.778	6.2692	17.54	55.672	0.86
108.4.23	417	洋香瓜	振北段127	6.79	2.98	109	62.642	1969.7	238.71	297.95	67.47	2.9225	6.2395	14.695	0.07
108.4.23	418	愛女小番茄	九如	5.25	1.8	53	115.77	633.45	127.22	539.66	48.213	2.5441	3.283	63.948	0.14
108.4.23	419	黑豆原生種	橋33	5.82	2.43	10	73.475	1220.7	265.96	311.55	33.669	2.713	2.8878	31.706	0.05
108.4.23	419	黑豆原生種	橋34C	5.81	2.25	9	65.116	1060.8	257.83	380.7	35.578	2.7812	3.1489	38.28	0.04
108.4.23	419	黑豆原生種	橋34a	5.85	2.22	13	65.688	1004	225.61	259.64	37.791	2.5775	2.5549	31.791	0.05
108.4.23	419	黑豆原生種	橋35	5.84	2.3	9	53.828	1132.5	258.34	473.31	34.667	2.7198	3.5458	45.424	0.04
108.4.23	419	黑豆原生種	射96a	5.85	3.47	3	64.33	1403.9	355.37	226.13	61.16	3.3233	3.3987	34.753	0.05
108.4.23	419	黑豆原生種	三塊	6.49	2.49	12	84.738	1487.7	406.19	502.81	106.8	4.0238	5.2096	40.062	0.05
108.4.23	420		燕巢2	5.49	2.5	135	192.84	2633	225.08	1035	75.225	9.8925	31.904	78.948	0.34
108.4.23	421		中安段0178-0000(15)	7.45	3.77	84	114.83	2358.1	419.56	183.92	94.652	2.3143	49.89	144.26	0.3
108.4.24	421	葉菜	中安段0178-0000(14)	7.9	1.8	109	99.977	2899.1	520.4	177.2	101.69	2.4774	11.855	148.73	0.15
108.4.24	421		中安段0178-0000(16)	7.86	3.29	147	100.84	2554	428.64	201.46	90.242	2.2166	10.011	119.12	0.12
108.4.24	421		中安段0178-0000(17)	7.87	3.19	106	74.463	2166.8	370.38	173.52	93.089	2.6359	11.178	132.89	0.14
108.4.24	421		中安段0178-0000(18)	7.77	3.57	62	86.076	2383.1	421.61	175.26	90.458	2.7149	10.429	142.87	0.17
108.4.24	421		中安段0178-0000(19)	6.84	>6	15	233.41	4280.8	751.16	146.68	152.58	1.2632	21.661	279.29	0.57
108.4.24	421		中安段0178-0003(20)	7.24	4.22	119	222.26	2466.5	450.51	309.49	104.42	2.1648	10.956	153.02	0.43
108.4.24	422	芭樂、黃金果	孔宅段1232 1032	6.98	2.22	21	38.948	1502.3	181.48	239.16	79.186	12.327	14.333	28.482	0.05
108.4.24	423	苦瓜	美崙段1639	5.57	1.39	138	95.857	1037.4	71.786	262.59	35.114	6.8365	10.321	24.445	0.19
108.4.24	424	蓮霧	大港洋段(正常)	6.29	2.02	149	101.57	2013.4	170.27	753.84	22.849	6.577	10.931	35.855	0.07
108.4.24	424		大港洋段(異常)	5.92	1.88	141	220.69	1957.5	188.63	772.17	25.755	7.0359	12.972	34.052	0.13
108.4.24	425	樹木	9	5.67	2.49	31	61.182	787.77	101.2	128.56	40.269	2.7915	4.5881	16.228	0.07
108.4.24	425		11	6.13	2.79	31	73.638	1103.8	135.06	214.22	50.052	3.1307	5.9657	11.487	0.08
108.4.25	426	無花果	木柵段0930-0001	7.07	2.45	16	54.155	1289	293.56	172.33	53.566	0.8842	16.478	46.623	0.15
108.4.25	427		A區	4	1.39	70	163.96	427.94	68.818	500.49	10.949	2.4917	3.2908	22.67	0.43
108.4.25	427		B區	6.58	2.46	112	97.764	2410.8	88.871	281.03	59.654	4.4767	16.811	19.812	0.08
108.4.25	429	萵苣	J08	7.03	2.88	60	93.161	1621.9	303.13	59.899	49.681	0.8451	2.818	60.368	0.16
108.4.25	429	優愛	L13	6.99	2.51	43	90.506	1385.5	271.59	86.556	64.682	0.7019	3.2356	64.07	0.19
108.4.25	429	青江	L26	6.37	3.21	51	143.25	1275.7	293.51	66.074	63.36	1.0878	3.6259	64.779	0.38

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.25	429	青江	M09	6.69	2.79	74	70.536	1374.5	254	83.355	62.011	0.5916	3.3942	76.325	0.24
108.4.25	429	菜心	M23	6.87	3.11	83	125.36	1426.6	241.17	47.497	71.025	0.421	3.7957	70.966	0.35
108.4.25	429	葉菜	004	6.76	3.14	71	71.288	1161.5	201.68	101.61	65.764	1.0535	10.442	52.732	0.11
108.4.25	429	青江	012	6.36	5.13	122	149.76	2325.2	512.65	181.22	87.977	1.3154	8.6262	77.137	0.61
108.4.25	429	葉菜	G04	6.31	4.94	149	119.2	2031.5	359.57	122.98	87.201	1.47	7.2261	61.965	0.33
108.4.25	429	島菜	H03	6.31	5.48	182	91.144	1701.8	347.09	89.504	67.539	1.2088	6.8836	60.744	0.31
108.4.25	429	黑葉白菜	B03	6.37	5.39	206	122.68	2165.7	415.18	91.969	88.195	1.7459	8.3231	76.502	0.55
108.4.25	429	小白菜	C13	6.47	5.5	120	118.97	2032.4	402.4	259.67	112.41	2.574	9.0337	63.95	0.34
108.4.25	429	葉菜	D07	6.29	5.22	141	108.58	1682.3	319.3	106.22	73.677	1.6238	7.2507	62.193	0.37
108.4.25	429	小白菜	D15	6.78	4.52	128	80.715	1260.5	253.31	260.61	92.961	2.4336	8.292	39.879	0.07
108.4.25	429	島菜.優愛	E03	6.61	>6	100	326.95	3505.8	553.5	117.58	129.01	0.925	11.816	81.428	0.48
108.4.25	429	荒地	4G3	6.4	1.94	17	49.585	517.43	102.88	211.72	92.83	1.5051	2.6412	11.771	0.03
108.4.25	429	芭樂	4E1	6.64	3.07	9	138.93	1437.2	227.55	273.24	96.699	2.0543	3.7762	31.707	0.12
108.4.25	429	諾麗	Z02	5.51	1.61	45	33.448	410.07	83.149	131.06	27.752	1.7403	2.3543	12.57	0.02
108.4.25	429	香茅	6E	7.19	2.03	16	72.045	1410.7	183.93	191.41	93.52	1.4552	2.4594	20.159	0.05
108.4.25	429	檸檬	6A5	6.65	3.03	44	165.19	1036	251.7	164.09	96.334	1.7097	2.408	53.536	0.07
108.4.25	429	荒地	6F-1	6.58	1.4	12	45.696	1031.8	356.21	496.85	115.9	1.6719	4.1387	37.58	0.16
108.4.25	429	荒地	6F-4	6.5	1.24	11	38.912	819.52	298.73	420.78	84.413	1.3965	3.9431	35.832	0.11
108.4.25	429	玉米筍	25C2	7.15	2.87	33	70.885	1571.2	165.53	628.23	118.81	3.225	2.7927	21.827	0.06
108.4.25	429	玉米	8A2-1	6.61	2.62	51	128.12	733.69	152.55	347.51	74.168	2.3383	2.0765	25.013	0.11
108.4.25	429	南瓜	8A8	6.27	2.28	18	62.003	833.86	182.68	90.292	47.642	1.4438	2.0844	35.364	0.15
108.4.25	429	玉米筍	8C2-1	6.71	3.34	55	103.22	916.46	169.97	469.58	86.509	2.7493	2.7082	21.96	0.07
108.4.25	429	空地	溫室11	6.95	4.62	132	96.484	2638.7	381.01	124.03	122.91	0.7385	6.8044	78.491	0.3
108.4.25	429	空地	溫室10	6.65	>6	189	159.79	3152	548.82	96.022	135.8	1.0251	9.9415	88.592	0.42
108.4.26	428	梅	寶來段266-2	5.9	4.83	44	165.82	1567.8	177.19	189.44	60.413	2.5754	4.8528	9.4992	0.05
108.4.26	430	蕃茄	仁武	7.18	2.57	233	1240.1	4226.7	565.63	556.88	61.287	10.008	24.712	249.05	1.43
108.4.29	431		龍肚段1899 1890	6.42	2.96	76	129	3249	352	521	68	5	7.5	39	0.3
108.4.29	432	野蓮	中興段343	7.33	2.1	34	54	8433	201	71	0.4	0	0.04	32	0.72
108.4.29	432	野蓮	中興段342	7.39	1.87	27	63	8179	232	34	19	0.03	0.5	42	0.71
108.4.29	432	野蓮	竹頭角段3599	7.15	1.6	14	124	4940	558	1395	121	6	15	27	0.53
108.4.29	432	水	中興段343	7.73		2.1	2.7	142	26	0.6	0	0	0.01	22	0.69
108.4.29	432	水	竹頭角段3599	7.33		2.8	2.9	71	25	0.6	0	0	0.01	20	0.45
108.4.29	433		942-8	7.64	1.6	95	102	1801	278	489	67	5.9	11	60	0.31
108.4.29	433		942-20	7.64	1.4	51	71	2952	299	387	89	2.3	4.3	50	0.24
108.4.29	434		上	7.77	1.4	85	118	4633	251	679	93	4.1	6.7	23	0.16
108.4.29	434		下	6.47	1.61	83	138	1187	125	946	28	4.7	5	22	0.11
108.4.29	435	檸檬	A	6.26	1.96	103	125	2833	159	770	59	11	83	40	0.23
108.4.29	435	檸檬	B	6.25	1.87	121	124	2847	156	780	57	11	82	40	0.21
108.4.3	316	木瓜	新成段599	7.04	1.33	44	301	5237	302	253	114	2.4	10.1	44	0.39
108.4.3	317	木瓜	新成段600	7.33	1.19	14	98	3878	225	332	119	3.2	7.1	20	0.29
108.4.3	319	雜作	興美段1582-0000	5.29	1.88	186	189	1847	142	684	39	5.6	19	27	0.18
108.4.3	320	茶葉		3.83	>6	24	84	88	42	330	38	1.3	4.8	22	0.17
108.4.3	321	茶葉	寶山段383	4.7	>6	19	77	241	32	86	64	2.5	5.9	13	0.06
108.4.3	322	玉米	8A2-3	6.36	2.55	35	79	1176	233	289	52	2.5	2	28	0.09
108.4.3	323	葉菜	005000C04	6.68	4.62	147	156	2653	535	231	93	1.7	7.3	84	0.25
108.4.3	324	香蕉	6A4	6.21	3.5	61	203	2097	476	200	76	1.6	2.8	33	0.13

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.3	325	香港菜心	006000G03	6.52	5.19	114	117	4035	820	78	80	1.5	8.2	75	0.39
108.4.3	326	荒地	6F-3	6.46	2.23	19	78	1134	322	189	69	1.7	2.2	21	0.05
108.4.3	327	玉米	25D1	6.52	3.19	45	107	1862	397	50	43	11	2.7	38	0.06
108.4.3	328	酪梨	202-1	5.35	2.48	26	127	804	227	56	22	1.3	2.6	19	0.03
108.4.3	328	荒地	4F1	6.22	2.48	44	117	799	244	123	37	1.5	1.5	12	0.05
108.4.3	329	紅秋葵	25F3	6.37	2.5	30	95	1116	239	333	68	2.7	2.8	39	0.08
108.4.3	330	絲瓜	3D4	6.73	2.22	28	91	1055	252	85	44	1.01	1.8	35	0.08
108.4.3	331	南瓜	8A5-2	6.85	2.49	36	66	1122	234	222	73	2.1	1.7	32	0.05
108.4.3	332		8C2-3	6.47	1.93	14	45	1123	284	88	54	1.2	1.7	15	0.02
108.4.3	333	葉菜	0040C3L14	7.33	2.53	42	71	2111	319	83	79	0.6	3.5	53	0.14
108.4.3	334	玉米	25A1	6.75	2.98	68	102	1073	242	226	76	2.6	2.7	34	0.06
108.4.3	335	葉菜	005000E04	6.36	4.59	246	103	2223	538	102	103	1.6	7.3	75	0.33
108.4.3	336	白莧	005000D05	6.43	4.01	203	98	2014	509	85	75	1.4	6.8	75	0.36
108.4.3	337	空心	0040F3 013	5.44	2.02	47	68	806	237	68	28	1.3	2.7	60	0.26
108.4.3	338	葉菜	005000A05	6.58	5.22	186	102	2528	581	71	112	0.9	12	80	0.31
108.4.3	339	蒲瓜	8B1-1	5.86	2.79	31	81	991	260	64	49	1	2.3	29	0.06
108.4.3	340	葉菜	0040D3M14	6.69	2.77	47	114	2793	530	66	77	0.7	3.9	94	0.29
108.4.3	340	空心菜	0040AJ03	6.91	2.64	69	80	1882	389	68	67	1.2	5	56	0.13
108.4.3	341	空心菜	005000B8	6.53	5.09	240	141	3175	758	110	101	1.9	11	76	0.3
108.4.3	342	塌棵	F9	6.13	5.19	223	124	2881	669	94	85	1.6	9.3	92	0.5
108.4.3	342	美味	0040D1M05	6.59	2.91	67	82	1731	448	55	87	0.6	3.7	91	0.27
108.4.3	342	小白	005000A05	6.96	3.84	170	141	2065	711	124	136	1.3	7	69	0.21
108.4.3	342	葉菜	0040E5N04	6.56	2.38	89	259	1603	462	98	88	1.2	4.9	60	0.23
108.4.3	343	玉米	25B1	6.68	3.02	67	116	1338	321	102	78	2	3.1	38	0.08
108.4.30	436		燕巢區	5.2	1.11	49	19	172	29	46	15	0.4	0.7	3.6	0.02
108.4.30	437	香檬	耆老段916	6.64	1.04	9	34	742	59	86	14	0.8	1.4	6.8	0.02
108.4.30	437	水	耆老段916	7.99		2.9	1.6	79	20	0.6	0	0	0.01	16	0.46
108.4.30	438	菜	鹽田段1609-0003.表土	6.54	1.8	107	99	1570	296	257	38	2.5	16	384	0.39
108.4.30	438	水	鹽田段1609-003	7.86		5.5	77	86	81	0.7	0	0	0.02	555	2.02
108.4.30	438	菜	鹽田段1609-0003.底土	6.8	0.91	31	57	988	236	215	24	1.2	6	231	0.18
108.4.8	344	檸檬	鹽東段55 1區	5.92	1.52	126	66.711	1743.5	123.55	682.55	26.261	9.7502	26.197	22.06	0.09
108.4.8	344		鹽東段55 2區	4.61	2.51	102	78.508	1783	133.32	775.68	32.397	6.0073	24.066	23.664	0.23
108.4.8	344	水	鹽東段55	7.45		1.2	1.0018	86.618	20.788	0	0	0	0	6.6	0.53
108.4.8	345	苦瓜	新房段0521-0000	6.91	0.7	96	98.855	2170	156.73	375.23	56.83	4.5003	11.704	56.078	0.14
108.4.8	345	水	新房段0521-0000	7.49		1.6	21	117.77	26.764	0	0.05	0	0	86	1.07
108.4.8	346	大黃瓜	玉城段	7.03	1.59	79	71.425	2689.2	166.22	747.34	48.611	5.83	6.8651	26.485	0.14
108.4.8	347	小蕃茄		6.38	1.33	33	44.198	1348.8	203.53	295.08	25.226	1.8671	3.0045	54.467	0.05
108.4.8	348	小蕃茄		7.5	1.33	69	561.74	5410.2	509.22	356.98	135.03	4.1252	9.2261	184.89	0.59
108.4.8	349	鳳梨	小平頂段1115	3.66	1.68	117	41.872	110.23	29.826	257.05	9.5896	0.5766	1.507	12	0.07
108.4.8	350	鳳梨	夢裡段17	3.63	1.75	104	41.06	106.97	27.574	227.97	9.3599	0.5273	2.637	15.381	0.07
108.4.8	351	番石榴		6.65	2.15	129	54.273	2072.5	246.93	136.97	62.743	4.0838	11.296	20.743	0.05
108.4.8	352	水		8.03		2.1	0.9404	40.769	8.2536	0	0	0	0	21	0.32
108.4.8	353	青江	0040 D2M10	6.94	2.8	49	74.201	1435.2	295.37	93.648	89.055	0.5112	3.2253	67.296	0.2
108.4.8	354	葉菜	0040 A2113	7.04	2.89	71	71.461	1999.9	449.47	76.705	72.205	0.6285	3.0701	64.302	0.22
108.4.8	354	美味油菜	00500 B04	6.57	5.58	160	123.13	3394.2	808.6	88.224	101.83	0.9571	8.2971	70.13	0.41
108.4.8	354	葉菜	005000 D4	6.69	4.19	158	163.62	2967.6	623.99	160.41	98.547	1.2588	7.4657	76.533	0.3

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.4.8	354	青江	005000 D13	6.63	4.64	123	204	3033.5	678.9	170.25	119.76	1.163	8.4285	65.94	0.36
108.4.8	354	空心	0040 F1005	6.21	2.7	62	89.807	1521.6	357.32	85.861	57.712	0.9471	2.5798	56.662	0.23
108.4.8	354	青江	005000 C09	6.49	4.53	140	130.11	2460	583.5	158.33	100.82	1.3167	8.6517	73.086	0.31
108.4.8	354	空心	006000 F04	6.26	4.33	196	102.81	2390.4	522.85	115.66	81.223	0.7347	8.0123	50.265	0.28
108.4.8	354	黑葉白菜	005000 E07	6.08	4.38	164	114.53	2478.5	605.2	172.77	83.169	1.44	7.324	69.332	0.42
108.4.8	354	白莧	0040 F2008	6.03	2.54	70	84.918	1555	343	75.349	43.73	0.6914	2.987	72.617	0.24
108.4.8	354	葉菜	0040 C5L21	6.27	2.43	27	81.092	1334.5	347.6	59.763	56.72	0.9589	2.5261	44.883	0.17
108.4.8	354	葉菜	0040 D5M21	6.53	2.97	36	75.133	1718.2	391.33	45.197	67.269	0.7368	3.2651	53.641	0.13
108.4.8	354	小松	0040 C5L24	6.49	2.95	43	88.736	1337.2	343.95	60.42	59.959	0.9608	3.1271	58.738	0.27
108.4.8	354	葉菜	006000 G08	6.28	4.54	154	83.893	1826.7	467.29	64.526	75.302	0.6718	6.9589	52.858	0.27
108.4.8	355	蕃茄	0040 B2K08	6.92	3.51	60	77.477	2470.8	464.75	94.322	101.74	0.8344	4.2471	104.53	0.48
108.4.8	355	空心菜	0040 C3L12	6.49	2.86	32	88.629	1547.6	358.51	65.683	52.767	0.371	3.1776	89.552	0.34
108.4.8	356	空心菜	005000 A07	6	5.09	53	179.73	2861.8	691.62	106.72	87.619	1.2294	8.4987	69.698	0.44
108.4.8	357	檸檬	6B	5.91	4.71	90	255.44	2398.6	331.88	112.6	94.138	0.8143	5.208	31.679	0.35
108.4.8	358	荒地	204-2	6.72	2.18	17	84.911	1494.4	267.95	121.06	65.214	1.3648	1.8919	16.597	0.05
108.4.8	358		4E7	7.89	2.78	11	80.504	6640.1	157.18	44.38	90.66	1.104	4.1482	16.174	0.11
108.4.8	360	玉米	25A4	5.63	2.43	41	67.122	507.38	113.4	92.266	38.111	0.8655	1.7273	17.169	0.11
108.4.8	361		25E1	5.94	3.05	32	108.23	695.57	219.73	75.844	53.394	1.6331	3.1285	29.767	0.06
108.4.8	362	酪梨	25B5	4.98	2.42	16	64.036	131.49	67.887	36.687	23.913	0.2904	0.9296	13.311	0.04
108.4.8	363	荒地	7E4	7.03	2.56	22	74.061	1234.4	330.74	178.09	107.12	1.142	6.1251	25.767	0.07
108.4.8	364	蒲瓜	8C1	6.3	2.87	38	99.269	1092.7	206.98	187.61	57.262	1.9224	4.1303	22.095	0.04
108.4.8	364	南瓜	8A4-2	5.63	2.7	36	63.708	584.24	162.84	107.47	36.387	1.4689	1.5318	18.149	0.03
108.4.8	365	黃秋葵	8C3	6.51	2.7	26	65.483	654.55	180.35	229.62	92.204	1.7122	2.1455	26.423	0.04
108.4.9	366	葉菜	13	7.79	2.9	115	67.289	2345.8	355.65	201.41	98.147	2.4643	17.393	114.82	0.14
108.4.9	366	葉菜	12	7.62	4.26	121	154.5	2592.6	424.22	212.47	123.98	2.5867	25.519	111.47	0.12
108.4.9	366	葉菜	11	8.17	2.42	90	77.872	2756.8	382.51	264.81	133.04	1.9822	11.67	96.532	0.1
108.4.9	366	葉菜	10	7.62	3.37	106	79.941	1850.3	302.07	235.32	92.998	1.9114	10.429	107.33	0.13
108.4.9	366	葉菜	9	7.44	2.77	103	89.791	2309.7	411.82	190.43	74.15	1.8666	9.7091	136.32	0.2
108.4.9	366	葉菜	8	7.56	2.78	87	80.009	2602.6	408.31	192.89	89.651	2.3389	11.912	102.34	0.09
108.4.9	366	葉菜	6	7.9	4.17	109	122.26	3058.2	534.33	199.07	128.71	2.6743	11.983	109.45	0.16
108.4.9	367		A	4.89	2.7	101	257.63	1089.1	86.381	981.02	21.763	3.8548	19.1	26.004	0.3
108.4.9	367		B	4.94	1.33	124	49.592	521.15	58.314	685.95	14.639	3.6549	9.1057	14.879	0.07
108.4.9	368	芭樂	倉1	7.06	0.7	101	40.641	1695.1	52.896	304.68	59.512	2.5216	7.4677	17.147	0.08
108.4.9	368		.前1	7.43	1.47	60	51.64	6991.4	94.832	1.7	20.7	<MDL	0.0304	23.337	0.3
108.4.9	368		.前2	7.33	2	56	103.6	7424.8	159.82	0.8	18.3	<MDL	<MDL	59.069	0.72
108.4.9	368		前3	7.35	1.75	36	68.107	7101.1	124.01	0.9	25.232	<MDL	0.3418	31.313	0.4
108.4.9	368		木1	5.82	1.32	128	211.06	1080.2	45.837	719.17	48.402	14.518	14.734	40.599	0.2
108.4.9	368		木2	5.67	1.4	106	179.51	1872.7	85.203	801.38	46.134	10.796	14.142	43.85	0.11
108.4.9	369	火龍果	南興段43	7	2.17	69	320.6	2716.4	263.71	661.66	58.929	10.947	16.373	61.896	0.34
108.4.9	369	水	南興段43	7.62		0.4	1.5253	84.473	19.15	0	0.31	0	0	14	0.53
108.4.9	370	苦瓜	崁頂	5.58	2.32	135	636.36	4904.5	323.08	574.47	104.86	4.4581	16.748	80.538	0.9
108.5.1	439	蔬菜		7.15	1.81	96	53	1434	125	200	92	2.9	29	28	0.08
108.5.1	440	芭樂	新勢段920	7.86	1.81	22	44	3103	199	73	59	2.9	4.7	40	0.17
108.5.1	441	檸檬		6.07	1.82	93	171	4430	236	465	82	3.2	15	25	0.17
108.5.1	441	水		7.95		3.2	3.2	94	23	0.6	0	0	0.01	15	0.51
108.5.10	486	水	太源段921.洗車	7.34		1.6	3.1	69	31	0	0	0	0	26	0.47

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.5.10	486	水	太源段953.951.952.948朝明伯	7.3		1.4	2.9	74	31	0	0	0	0	26	0.47
108.5.10	486		太源段1166.1151黑Y伯	7.63		1	1.9	96	32	0	0	0	0	15	0.52
108.5.10	486	水	中華段471.469.470.468鐵門	6.86		1.2	1.7	53	22	0	0	0	0	14	0.36
108.5.10	486	水	三民段260.261	6.95		0.9	1.6	66	23	0	0	0	0	16	0.42
108.5.10	487	檸檬.金桔	坑一小段0033-0000 0035-0000 0035-00 22 0040-0000 00	7.23	1.18	60	47	2292	119	196	50	6.5	12	26	0.07
108.5.10	487	水	信興段0185下冷水坑段一小段	7.66		2	4.5	128	26	0	0	0	0	13	
108.5.10	488	香蕉.芭樂	南興段553 553-1 553-2 714.上段	5.52	1.52	123	62	813	66	385	12	2.8	8	85	0.02
108.5.10	488	香蕉.芭樂	南興段553 553-1 553-2 714.中段	5.9	1.54	108	76	1302	118	598	19	3.5	5.3	9.1	0.02
108.5.10	488	香蕉.芭樂	南興段553 553-1 553-2 714.下段	5.34	1.33	124	73	703	53	385	11	2.3	3.6	7.1	0.01
108.5.10	488	水	井水	7.22		1.4	1.2	104	17	0	0	0	0	11	0.49
108.5.10	489	可可.羊奶頭	柑園段205等	7.24	2.03	85	125	2306	146	333	73	3.2	11	20	0.05
108.5.10	489	水		7.29		1.5	1.03	23	8.9	0	0	0	0	11	0.16
108.5.10	490	可可	圳頭段0916	6.72	2.21	164	54	4125	220	576	32	5.7	12	34	0.08
108.5.10	490	水		7.77		1.8	1.6	93	19	0	0	0	0	11	0.48
108.5.10	491	咖啡	涼山段1759-1	4.84	3.98	20	127	1464	434	56	36	2.1	6.6	11	0.05
108.5.10	491	咖啡	佳義段1106	7.77		1.8	1.6	93	19	0	0	0	0	11	0.48
108.5.10	491	水	涼山段1759-1	7.31		1.3	0.7	22	14	0	0	0	0	7.9	0.17
108.5.10	491	水	佳義段1106	7.46		1.3	0.8	17	12	0	0	0	0	9.2	0.15
108.5.10	492		牛角灣段428	3.82	5.05	18	42	157	49	81	21	2.1	3.8	3.8	0.04
108.5.10	492	水	牛角灣段428	6.61		2.2	1.1	11	8.7	0	0	0	0	22	0.17
108.5.10	493	果樹	榮興段665	5.81	2.17	98	75	2598	180	190	71	3.4	20	20	0.14
108.5.13	494	荔枝	溪埔段169-3	7.22	1.0385	53	73.241	2934.9	113.63	259.47	74.68	2.0373	5.5726	10.716	0.04
108.5.13	494	水	溪埔段169-3	7.65		2.3	2.3	83	16	0.64	0.14	0.03	0.03	18	0.53
108.5.13	495	荔枝	溪埔段169-3	4.16	2.0029	80	38.163	316.67	50.983	63.469	34.402	1.3065	2.757	10.704	0.08
108.5.13	495	水	溪埔段169-3	7.69		3	1.5	65	9.4	0.64	0.14	0.01	0.01	12	0.43
108.5.13	496	荔枝	溪埔段169-3	4.74	2.2975	128	835.47	2287	108.96	159.1	36.689	1.1338	3.8638	30.77	2.09
108.5.13	496	水	溪埔段169-3	8.19		2.8	1.8	45	14	0.64	0.14	0.01	0	15	0.33
108.5.13	497	百香果	荖濃段45-180	7.35	2.7592	81	188.7	3522.2	391.81	155.28	104.5	2.754	7.2958	27.212	0.15
108.5.13	497	水	荖濃段45-180	8.01		0.7	3.2	59	22	0.64	0.14	0.01	0	30	0.54
108.5.13	498		中柳段948	6.15	2.7242	107	191.9	3849.9	290.79	714.2	76.398	9.798	12.694	52.151	0.41
108.5.13	498		新歸來段0110-000 0111-0000	6.78	2.0143	109	182.05	3967.9	239.86	754.4	78.181	16.285	19.142	43.307	0.12
108.5.13	498	水	中柳段948	7.62		2.2	4	150	21	0.64	0.31	0.01	0	14	0.89
108.5.13	498	水	新歸來段	7.6		2.4	5	143	17	0.64	1.02	0.01	0.01	17	0.8
108.5.13	499	瓜類	玉泉段0424	7.13	2.1424	69	82.904	3014.9	165.29	190.41	92.981	6.1992	7.4325	19.777	0.07
108.5.13	499	葉菜	玉泉段0424	6.75	1.9991	40	50.396	2144.1	133.21	202.81	62.583	6.1267	5.3242	20.689	0.06
108.5.13	500	水	A.鹽龍段711	7.53		1.7	69	149	72	0.65	0.91	0.01	0	312	2.7
108.5.13	500	水	B.鹽龍段712	7.57		1.8	71	165	57	0.64	2.04	0.01	0.01	535	3.56
108.5.14	501	檸檬	萬蟹	5.85	2.2822	102	98.933	2334.4	267.76	629.52	30.415	8.0081	9.269	27.093	0.05
108.5.14	502	水稻	佳和段1614	6.98	3.3284	31	100.57	2538.3	266.58	972.66	172.12	14.905	6.5374	34.021	0.04
108.5.14	502	水稻	靶場段442	6.28	2.0815	17	41.265	1320.4	194.86	1169.4	71.314	7.8542	3.6508	22.934	0.05
108.5.14	502	水稻	靶場段441	5.82	2.1712	9	60.409	1186.1	199.86	1290.7	143.64	8.3395	3.7058	28.29	0.07
108.5.14	502	水	佳和段1614	7.94		1.5	11	42	20	0.64	0.14	0.01	0	13	0.42
108.5.14	502	水	靶場441 442	7.73		1.2	1.8	98	31	0.64	0.14	0.02	0	14	0.76
108.5.14	503	水		7.2		1.9	30	84	25	1.02	0.2	0.01	0	131	1.13
108.5.14	504	可可		6.82	1.3154	64	30.793	1311.6	91.824	392.1	33.429	5.0303	3.4016	20.762	0.05
108.5.14	504	水		7.69		1.6	1.5	122	18	0.64	0.14	0.01	0	11	0.22

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.5.14	505	香莢蘭	頂鹽田段1661	5.94	2.0067	15	38.448	1035.6	250.07	1204.1	22.825	14.708	18.134	113.48	0.11
108.5.14	505	水	頂鹽田段1661 地下水	7.79		1.8	11	171	55	0.66	0.41	0.01	0	235	1.81
108.5.14	509	水	大洲段0645	8.02		2.2	2.1	96	17	0.64	0.14	0.01	0.05	18	0.57
108.5.14	510	水	大洲段637	7.95		3	0.6	3.4	3	0.64	0.14	0.01	0.12	15	0.1
108.5.14	511	水	大洲段0650-0001	7.73		3.1	1.2	6.2	3.9	0.68	0.17	0.02	0.03	18	0.12
108.5.14	512	水	九塊段735-7	7.89		1.2	13	90	18	0.64	0.14	0.01	0.01	21	0.61
108.5.15	506	印度棗	菜寮區	5.6	2.905	124	154.92	4026.1	333.33	543.85	104.21	6.0745	15.165	48.299	0.18
108.5.15	507	印度棗	第6區	7.42	2.7938	83	856.57	6140.2	1043.7	645.11	228.53	3.8045	26.805	759.92	0.8
108.5.15	507	印度棗	溪埔區	7.56	2.5799	69	895.81	5905.6	738.65	304.34	166.41	5.3003	22.422	220.2	0.52
108.5.15	507	印度棗	大玉	7.13	3.5842	94	632.08	5989.5	902.49	838.7	229.54	4.7964	34.981	69.824	0.25
108.5.15	508	印加果	大路關段大路關小段83	5.6	4.8688	151	297.9	4951.5	312.44	335.07	100.32	5.0272	23.71	27.596	0.23
108.5.15	509	玉荷包	大洲段0645	5.76	2.1014	40	105.39	1094.5	374.2	173.4	28.019	2.6376	3.5888	14.897	0.02
108.5.15	510	玉荷包	大洲段637-0000	4.45	2.496	25	73.034	566.81	341.74	77.737	19.779	1.882	2.8345	19.095	0.04
108.5.15	511	玉荷包	大洲段0652-0001	4.41	2.2134	67	65.329	1205.5	154.01	176.47	39.316	3.8057	11.323	15.794	0.03
108.5.15	512		九塊段735-7	6.43	1.6115	20	73.802	5486.1	222.58	335.53	190.14	7.5032	11.788	30.195	0.1
108.5.16	512		九塊段737	7.24	2.0854	27	129.54	2980.8	159.74	389.61	127.5	8.1087	11.378	17.525	0.06
108.5.16	513	芒果	花海段306表土	7.8	2.25	0.4	120	3962	597	360	218	4.2	7	34	0.07
108.5.16	513		花海段306底土	7.98	1.61	4.8	47	4095	576	297	139	3.5	6	24	0.05
108.5.16	514			6.65	1.12	77	150	2246	149	442	95	6.6	25	28	0.16
108.5.16	515	南瓜	赤崁村294.白沙國中1	7.07	3.77	22	209	6375	837	8	33	0.2	0	282	0.11
108.5.16	515		赤崁村294.白沙國中2	5.95	4.11	24	136	5679	907	9	54	0.3	2	276	0.12
108.5.17	516	蓮霧	佳和段1716 1-1	6.72	1.8	113	386	5615	506	479	90	13	66	111	0.16
108.5.17	516		佳和段1716 1-2	7.21	3.3	107	589	7346	658	235	88	10	29	124	0.24
108.5.17	516		佳和段1716 2-1	6.41	4.46	113	474	7614	675	356	97	11	70	170	0.29
108.5.17	516		佳和段1716 2-2	6.81	4.54	102	369	7423	683	325	111	10	64	168	0.16
108.5.17	516		佳和段1716 3-1	6.93	4.18	133	211	7727	627	270	98	13	74	130	0.14
108.5.17	516		佳和段1716 3-2	7.32	4.56	113	268	7425	617	99	95	9.3	75	137	0.09
108.5.20	517		中崙段82	7.54	1.25	67	83	5894	287	453	182	6.27	19	30	0.15
108.5.20	517		中崙段82-1	6.68	0.71	88	48	3271	80	314	79	4.18	18	14	0.06
108.5.21	518	葉菜	中安段0195-1. 5-1溫室	5.67	1.95	47	183	1584	264	308	33	2.37	6	21	0.06
108.5.21	518	葉菜	中安段0195-2. 5-2	6.13	1.32	25	72	1559	187	350	33	2.05	4.4	13	0.03
108.5.21	518	葉菜	中安段0178-000. 3-1	6.01	2.1	16	76	2406	373	370	62	3.16	7.6	30	0.05
108.5.21	518	葉菜	中安段0178-000. 3-2	6.32	3.11	25	126	2825	427	493	82	3.91	7.5	47	0.08
108.5.21	518	葉菜	中安段0178-000. 2-1	6.05	2.21	22	94	2587	426	363	50	3.26	9	25	0.04
108.5.21	518	葉菜	中安段0178-000. 2-2	6.43	2.07	32	143	2616	450	346	69	3.01	11	45	0.06
108.5.21	518	葉菜	中安段0178-000. 1-1	6.31	2.23	31	86	2413	424	458	82	3.43	8.4	52	0.06
108.5.21	518	葉菜	中安段0178-000. 1-2	6.46	2.17	30	101	2256	415	352	73	3.15	8.8	39	0.06
108.5.21	518	葉菜	中安段0178-0. 7	7.96	3.2	93	146	4505	746	239	155	3.3	12	81	0.13
108.5.21	519		靶場段290.純瀘泥	7.99	4.46	63	45	8182	318	88	2.3	0.18	0.05	29	0.18
108.5.21	519		靶場段290. 右後3	7.64	1.8	57	70	4270	151	284	106	3.8	4.5	18	0.1
108.5.21	519		靶場段290. 前1	8.01	2.42	24	52	8331	231	5	7.13	0.34	0.05	24	0.12
108.5.21	519		靶場段290. 中溝3	7.97	3.33	50	240	8406	194	3	1.5	0.18	0.03	33	0.16
108.5.21	519		靶場段290. 右2	7.96	2.84	36	96	8535	114	3	5.8	0.21	0.05	20	0.13
108.5.22	520	有機水稻	龍泉水段211.211(1-5)212(1-2)213(1-3)	7.86	3.27	51	43	7515	225	0	46	0	0.07	127	0.26
108.5.22	520	有機水稻	龍泉水段293(6.8.9.13.16.22.23.24.28.29)	7.84	3.05	34	38	7336	161	45	148	0.9	6	75	0.18
108.5.22	520	有機水稻	龍泉水段205.206(1-3).207.208.298(1-3).299(1.4	7.88	1.81	24	61	3894	153	757	183	3.7	15	43	0.08

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.5.22	520	有機水稻	良水段184.187.188.203(1-2).204.215.299(2.3).	7.77	3.36	7.3	36	7264	189	0	21	0	0.09	61	0.17
108.5.22	520	有機水稻	龍泉水段158-1.302.409-2	7.88	3.44	63	34	7426	146	0	1.4	0	0	49	0.19
108.5.22	521	蓮霧	超峯段170 表土	6.89	>6	72	1458	4944	974	296	387	16	142	1102	0.95
108.5.22	521	蓮霧	超峯段170 底土	7.69	2.57	121	818	3634	578	447	123	13	33	620	0.6
108.5.22	521	水	超峯段170	8.17	4.6	2.16	118	18	48	0.07	0	0	0	400	2.16
108.5.23	522		表土	6.08	2.03	31	77	1384	263	378	45	1.4	2.8	15	0.04
108.5.23	522		底土	5.35	2.22	28	79	1140	259	409	35	1.4	2.8	19	0.02
108.5.23	523		A區	7.57	2.92	68	71	5305	535	520	82	4.4	12	211	0.34
108.5.23	523		B區	7.64	3.5	80	334	4921	520	490	120	3.5	14	39	0.1
108.5.23	524		內文段467	4.4	5.08	23	87	143	65	40	35	0.83	1	23	0.04
108.5.23	524		內文段468	4.49	>6	30	134	313	142	56	85	1.4	2.5	19	0.06
108.5.23	524	水	內文段467	6.42	0.8	0.07	0.8	17	3.4	0	0	0	0.01	9.1	0.07
108.5.23	524	水	內文段468	6.3	0.7	0.07	0.7	10	3.1	0	0	0	0.01	8.5	0.07
108.5.23	525	水		7.3	0.4	0.11	0.8	15	5.7	0	0.02	0	0	9.1	0.11
108.5.23	526	水		7.24	0.6	0.1	0.8	14	4.9	0	0	0	0	8.2	0.1
108.5.23	527		內文段431	3.85	>6	92	145	637	113	110	40	1.03	2.4	36	0.11
108.5.23	527	水		6.87	0.6	0.1	0.9	16	5.04	0	0	0	0	9.3	0.1
108.5.23	529	鳳梨	萬隆1219 1	4.9	1.53	87	57	847	58	200	23	3.6	3.3	11	0.02
108.5.23	529		萬隆1219 2	4.70	1.87	75	83	1309	75	211	39	4.4	4.74	12	0.03
108.5.23	530	水		7.67	0.2	0.14	0.8	15	7.6	0.25	0	0	0	11	0.14
108.5.24	531	小松菜	J04	6.37	3.57	67	132	2456	490	70	67	1.2	3.8	69	0.44
108.5.24	531	青江菜	J15	7.06	3.24	60	130	2499	557	72	79	0.7	3.5	78	0.15
108.5.24	531	青江菜	L03	6.91	2.91	48	92	2112	413	86	62	0.53	3	57	0.18
108.5.24	531	青江菜	L17	6.66	3.36	60	126	1861	445	74	59	0.93	3.43	43	0.17
108.5.24	531	小胡瓜	M03	6.52	3.29	65	92	2170	426	95	82	0.5	2.7	69	0.27
108.5.24	531	空心菜	M20	6.67	3.69	82	240	2683	479	116	108	1.12	4.4	80	0.38
108.5.24	531	美味菜	3	6.2	3.43	57	115	1991	407	70	54	0.8	3	70	0.3
108.5.24	531	白莧菜	14	5.88	3.23	72	186	1630	389	94	51	0.93	2.4	56	0.29
108.5.24	531	青江菜	F05	6.45	4.71	57	100	2184	532	124	86	1	5.3	48	0.11
108.5.24	531	小白菜	G07	5.6	4.59	132	117	2216	578	103	65	1.11	5.7	55	0.37
108.5.24	531	小白菜	H05	5.62	5.72	109	162	2756	696	99	73	0.93	7.3	64	0.53
108.5.24	531	青江菜	A09	6.11	>6	42	176	3189	750	83	89	0.96	7.9	67	0.39
108.5.24	531	小松菜	B07	6.22	5.22	110	211	3258	725	161	96	1.1	8.4	72	0.44
108.5.24	531	小芥菜	C10	6.36	5.1	102	187	3385	768	194	102	1.7	8.08	83	0.45
108.5.24	531	小松菜	D11	6.31	>6	72	240	3754	829	180	90	1.62	10	81	0.53
108.5.24	531	空心菜	E02	5.87	5.48	157	209	3296	769	141	85	1.5	9.9	86	0.71
108.5.24	531	小白菜	8CE-2	6.49	4.06	80	238	3477	684	114	103	1.4	7.2	59	0.51
108.5.24	532	露天瓜果	Z11	6.44	2.08	20	104	1328	326	213	46	1	1.5	31	0.06
108.5.24	532	露天瓜果	6C	7.94	2.22	15	176	5378	424	367	158	2.23	4.2	31	0.12
108.5.24	532	露天瓜果	25A2	6.86	3.37	51	126	2859	311	160	100	1.34	6.4	14	0.07
108.5.24	532	露天瓜果	25C3	6.4	2.78	31	104	1724	477	187	72	0.91	2.4	32	0.09
108.5.24	532	露天瓜果	25F2	5.26	2.87	72	158	1430	240	231	57	1.54	2.5	33	0.15
108.5.24	532	露天瓜果	8A2-2	6.59	2.66	22	96	1826	369	114	72	1.21	2.1	29	0.06
108.5.24	532	露天瓜果	8A5-1	5.97	2.65	15	100	1336	414	289	79	2.24	2	28	0.06
108.5.24	532	露天瓜果	8B4	6.46	3.08	59	105	1599	305	275	57	1.9	2	20	0.07
108.5.24	533	棗	阿蓮段93 94	5.9	1.96	82	244	1652	220	767	36	2.02	8.4	14	0.06

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.5.24	533	棗	阿蓮段3500	8.03	1.81	12	146	4856	644	359	138	2.23	6.7	41	0.13
108.5.24	533	棗	中路段2909 2910	6.31	2.01	73	362	3227	225	733	98	4.3	31	22	0.07
108.5.24	533	棗	中路段2686	6.65	1.97	59	174	2036	459	694	75	5.6	9.4	56	0.06
108.5.24	534		泰武段 1	3.82	>6	19	56	78	28	92	38	2.6	2.7	7.9	0.06
108.5.24	534		泰武段 2	3.75	1.8	21	57	18	30	89	33	2.6	3.2	8.2	0.05
108.5.27	535	愛玉	梅山段0234-0001	7.67	3.6	135	112	908	154	53	27	1.4	1.1	8.7	0.01
108.5.27	535	梅子.紅肉李	梅山段0234-0002	7.71	6.13	96	188	983	190	52	58	0.9	1.8	7.5	0.03
108.5.27	535	梅子	梅山段0261-0001	6.09	4.84	81	328	2774	452	143	69	3.1	4.5	14	0.03
108.5.27	535	水	梅山段0234-0001	8.01		0.5	1.4	29	14	0	0	0	0	4.8	0.25
108.5.27	535	水	梅山段0234-0002	7.97		0.7	1.4	32	14	0	0	0	0	4.8	0.26
108.5.27	535	水	梅山段0261-0001	8.02		1.3	1.4	28	14	0	0	0	0	4.8	0.26
108.5.27	536		283	5.69	5.68	70	208	1963	249	183	70	2.7	4.5	8.5	0.04
108.5.27	536	水		8		1.2	0.7	30	9	0	0	0	0	3	0.34
108.5.27	537		319-1	8.72	4.87	117	184	2501	339	102	69	1.3	3.2	10	0.03
108.5.27	537		319-2	5.52	4.96	141	172	2237	291	105	76	1.3	3.4	9.2	0.03
108.5.27	537	水	319-1、319-2	8.07		1.3	2.2	44	17	0	0	0	0	7.3	0.21
108.5.27	538	檸檬	新莊段732.底土	5.37	0.99	114	42	671	45	368	16	3.9	5.3	10	0.04
108.5.27	538	檸檬	新莊段732-1.底土	4.88	0.92	135	44	484	40	497	16	3.2	4.9	8.8	0.02
108.5.27	538	檸檬	新德段1090.底土	5.75	0.98	92	57	852	50	607	33	5.8	8.4	11	0.02
108.5.27	539	蔬菜	上東勢段131	5.82	0.83	16	48	3733	160	460	133	1.7	5.2	199	0.14
108.5.28	540	苦瓜	官倉段23-1	5.06	2.89	125	341	2557	235	482	95	5.5	13	32	0.29
108.5.28	540	苦瓜	官倉段24-1	5.97	2.53	126	14	0.1	1.4	500	88	5	9	19	0.08
108.5.29	541	百香果	大港洋段0787-0000	5.29	1.19	71	53	2424	104	682	60	15	24	34	0.09
108.5.3	442	酪梨	振北段977號	6.89	1.32	95	49	1538	138	203	30	4.2	5.5	13	0.05
108.5.3	442	小黃瓜	振北段977號溫室	7.45	1.25	33	46	2389	420	338	62	3.2	9	30	0.1
108.5.3	442	水	振北段977	7.44		1.8	1.7	123	32	0.7	0	0	0.02	8.2	0.58
108.5.3	443	青梅	馬雅段0842-0000	4.22	>6	24	189	394	55	51	21	0.9	1.9	4.5	0.11
108.5.3	444	青梅	馬雅段0642-0000	4.23	>6	20	179	324	52	47	20	0.7	16	4.4	0.09
108.5.3	445	青梅	馬雅段0642-0000	4.12	>6	24	192	340	53	44	18	0.7	1.6	12	0.08
108.5.3	446	青梅	馬雅段0642-0000	4.18	>6	29	197	406	57	48	20	0.8	3.2	13	0.1
108.5.3	447	青梅	高中段0611-0000	4.8	>6	12	150	2194	559	76	48	1.1	9.3	17	0.08
108.5.3	448	青梅	達卡奴瓦段1134-0000	5.04	>6	115	622	2061	299	72	44	2.5	3.7	27	0.1
108.5.3	449	青梅	達卡奴瓦段1196-0000	6.4	>6	90	221	6961	441	194	169	2.9	18	16	0.07
108.5.3	450	青梅	達卡奴瓦段1236-0039	7.5	2.62	58	359	3784	528	284	140	3	10	12	0.11
108.5.3	451	青梅	馬雅段0112-0000 0205-0000	6.64	4.87	15	181	3956	422	193	136	2.2	6.4	8.1	0.06
108.5.3	452	青梅	達卡奴瓦段0985-0000	5.97	>6	80	246	4462	407	50	49	1.3	7	7.5	0.04
108.5.3	453	青梅	達卡奴瓦段1191-0000	5.12	>6	18	171	3592	387	42	58	0.4	4.3	8.1	0.07
108.5.3	454	青梅	達卡奴瓦段0517-0000	5.43	5.56	81	540	2490	255	77	37	1.3	5.4	12	0.05
108.5.3	455	青梅	達卡奴瓦段1151-0000	4.66	4.41	20	122	1874	357	64	30	1.3	2.2	8.2	0.07
108.5.3	456	青梅	達卡奴瓦段0789-0001	6.25	5.65	145	520	6299	343	128	72	10.008	73	20	0.05
108.5.3	457	青梅	達卡奴瓦段1175-0000	6.49	>6	135	434	8827	540	157	143	48	457	24	0.13
108.5.3	458	青梅	達卡奴瓦段1095-0000	6.67	4.55	25	340	4444	495	254	159	2.4	6.4	14	0.08
108.5.3	459	青梅	達卡奴瓦段0506-0000	4.53	>6	36	248	1326	228	47	37	0.7	11	13	0.08
108.5.3	460	青梅	達卡奴瓦段0979-0001	5.46	5.76	147	426	2705	269	88	54	1.4	5.7	12	0.07
108.5.3	461	青梅	達卡奴瓦段0954	4.38	6.03	19	181	761	129	45	27	0.9	3	12	0.07
108.5.3	462	青梅	瀾富羅段0058-0000	5.02	5.94	23	110	2382	389	43	22	0.9	3.9	7.7	0.02

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.5.3	463	青梅	南沙魯段0089-0000	5.16	5.83	21	407	1877	580	49	105	1.5	9.4	17	0.15
108.5.3	464	野生菜	寶山段0162-0000	3.66	>6	35	68	83	23	99	33	2.2	2.6	6.9	0.14
108.5.3	465	野生菜	寶山段0083-0000	3.61	>6	52	78	229	53	222	50	2.3	4.2	9.7	0.19
108.5.3	466	野生菜	寶山段0306-0000	3.6	>6	44	69	177	43	231	51	2.3	4.3	20	0.2
108.5.3	467	野生菜	寶山段0017-0000	4.58	>6	14	101	339	115	59	55	1.3	3.9	6.3	0.06
108.5.3	468	洋香瓜	東阿里關段1430-1	7.35	2.49	77	231	6975	913	263	155	169	10	78	0.22
108.5.30	542		豐田	5.12	1.53	24	44	2266	147	343	96	4.01	7.3	111	0.64
108.5.30	542		科大路	4.65	1.05	10	46	3282	138	582	149	2.04	5.5	205	0.14
108.5.30	543			7.98		2	1.1	40	8.1	0.7	0.3	0	0.01	17	0.31
108.5.30	544	紅龍果	A前	5.08	3.53	121	217	6110	347	206	183	3.6	30	45	0.18
108.5.30	544	紅龍果	A後	5.14	4.56	127	356	7392	538	220	193	2.9	43	53	0.23
108.5.30	544	紅龍果	B前	6.01	2.84	124	175	7162	464	189	221	5.9	27	39	0.19
108.5.30	544	紅龍果	B後	4.1	4.03	87	185	7280	529	124	232	1.9	39	66	0.23
108.5.30	545		表土1	4.27	2.64	13	83	1775	334	300	45	6.6	5.1	18	0.04
108.5.30	545		表土2	4.96	2.37	5	58	1503	292	366	51	6.6	5.5	19	0.02
108.5.30	545		底土1	4.67	2.23	5.6	32	1109	237	234	56	3.7	4.2	18	0.02
108.5.30	545		底土2	6.32	2.01	5.2	39	1690	357	179	43	3	3.7	16	0.03
108.5.30	546	火龍果	屏東望嘉A區	4.01	3.15	59	78	384	79	239	53	1.06	4.5	18	0.05
108.5.30	546	百香果	屏東望嘉B區	4.3	3.91	85	206	841	150	323	76	1.4	6.9	12	0.08
108.5.30	546	火龍果	屏東望嘉C區	3.91	3.08	44	74	329	70	277	58	1.2	4.4	19	0.05
108.5.30	546	百香果	屏東望嘉D區	4.22	1.8	56	123	500	104	315	61	1.3	4.5	19	0.04
108.5.31	547	大漿果	旗尾段0450(16~20、50)	7.75	0.84	5.7	90	3805	315	211	135	0.8	4.1	12	0.05
108.5.31	550	蜜橘	表土	6.33	1.25	5.3	60	516	81	18	23	0.2	1.6	12	0.01
108.5.31	550		底土	6.24	0.84	8.1	47	294	56	16	14	0.11	0.9	8.6	0.02
108.5.6	469	檳榔		4.2	2.35	135	150	1123	92	803	39	3	3.9	46	0.21
108.5.6	470	洋香瓜	田土.1B_S	7.8	3.85	24	199	7276	718	0.6	24	0.03	0.4	278	0.16
108.5.6	470	洋香瓜	泥炭土.2B_P	7.14	>6	35	389	7307	884	2.6	49	0.01	1	274	0.44
108.5.6	470	洋香瓜	田土+泥炭土.3B_SP	5.36	>6	0.14	0.35	22118	2338	4025	128	24	23	399	1.5
108.5.6	470	洋香瓜	泥炭土.4A_P	8.39	3.74	46	317	8341	445	0.5	7.4	0.02	0.06	225	0.11
108.5.6	470	洋香瓜	田土+泥炭土.5A_SP	7.01	>6	0.26	0.36	41121	7821	45984	1181	52	100	987	0.35
108.5.6	470	玉米	土壤.營區.5S1(A)	7.22	>6	0.24	0.39	45733	6940	42737	1216	56	93	1020	0.66
108.5.6	470	玉米	6S2(A)	8.39	4.63	49	316	7944	481	1.2	13	0.02	0.2	249	0.11
108.5.6	470	玉米	7S3(A)	8.43	4.91	29	348	7119	594	3.4	46	0.4	3.9	217	0.09
108.5.6	471	花胡瓜	新埔段6400	4.92	2.9	108	298	2506	175	499	63	5.2	8	26	0.41
108.5.6	471	花胡瓜	農場段402(C7區)	7.62	1.82	66	87	6988	118	92	77	4.7	13	14	0.1
108.5.6	472	花胡瓜	西勢段791	7.75	1.89	37	71	5410	136	193	97	5.7	31	20	0.15
108.5.6	472	花胡瓜	西勢段402(C1區)	8.09	1.76	31	96	9948	151	56	81	4.6	17	23	0.11
108.5.7	473	水	萬隆段472.472-2.472-3	6.81		1	0.4	3.4	0.12	0	0	0	0	1.62	0.02
108.5.7	474	水稻	四重溪段282	6.8	2.87	24	117	2816	515	1157	264	6.5	10	55	0.07
108.5.7	475	水		7.83		2	3.3	124	21	0	0.4	0	0	12	0.5
108.5.7	480	香檬	尾崙段10180000	7.64	2.1	43	183	4457	690	271	111	5.2	79	340	0.4
108.5.8	476	蓮霧	佳和段1079	5.38	3.55	93	1662	5275	485	736	125	8.8	46	158	1.08
108.5.8	476	蓮霧	佳和段2399 2400	7.65	2.98	87	649	7077	620	231	467	6.1	21	704	0.94
108.5.8	477	無花果	田厝段0614	6.5	2.1	129	352	6772	268	696	99	6.9	33	66	0.17
108.5.8	478	番石榴	新洋段1279	7.48	0.7	51	51	1896	118	169	29	2	12	21	0.05
108.5.8	479	芒果	新枋山段298	7.19	2.84	44	217	3088	475	167	87	6	11	26	0.05

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.5.9	481	芭樂	代天府段399	8	1.87	43	365	9210	568	195	134	2.6	13	373	0.46
108.5.9	482	芭樂	阿蓮段25310000 25320000 25330000.A區	7.34	1.67	144	300	4222	397	316	33	1.8	14	79	0.11
108.5.9	482	芭樂	阿蓮段25310000 25320000 25330000.B區	5.29	1.53	103	280	1397	247	544	7.6	1.4	5.1	91	0.04
108.5.9	482	芭樂	阿蓮段25310000 25320000 25330000.C區	6.04	1.46	174	277	2433	356	412	16	1.4	7.6	106	0.06
108.5.9	482	芭樂	阿蓮段25310000 25320000 25330000.D區	6.43	1.41	121	229	3066	392	407	36	1.7	12	75	0.06
108.5.9	482	水		7.47		2.7	21	115	48	0	0	0	0	135	1.08
108.5.9	483	瓜菜.葉菜	橋中段23.24.35	7.34	1.32	27	46	2604	269	328	50	2.9	7	22	0.02
108.5.9	484		A	7.56	2.65	164	115	6205	363	929	182	12	64	43	0.07
108.5.9	484		B	7.47	1.8	70	145	7572	472	1133	143	12	61	62	0.06
108.5.9	484		C	7.86	0.77	11	61	7749	278	448	270	2.8	13	29	0.35
108.5.9	485	臍橙		6.46	1.75	11	28	1535	73	38	30	0.3	0.8	85	0.01
108.6.10	564	小黃瓜.苦瓜	新全段409-410東	5.34	1.26	66	55	990	65	543	32	5.9	6.7	18	0.13
108.6.10	564	小黃瓜.苦瓜	新全段409-410西	5.23	1.25	92	68	1192	82	532	30	5.9	7.1	21	0.16
108.6.10	565	蔬菜	九塊段 0528-0004 0529-0060	7.2	1.04	116	38	3114	116	392	75	7.5	22	46	0.13
108.6.10	565	蔬菜	九塊段 0512-0007	7.08	0.97	125	86	3177	101	315	99	6.1	15	68	0.32
108.6.10	566	小玉西瓜	大崗山下，全	7.62	1.75	76	58	7262	222	28	82	2.1	5.1	34	0.19
108.6.10	566	小玉西瓜	大崗山下，田上	7.38	2.32	101	135	5603	291	56	107	2.9	11	49	0.21
108.6.10	566	小玉西瓜	大崗山下，田中下	7.05	1.61	60	133	3035	285	104	72	3.1	8.1	52	0.24
108.6.10	567	果樹 蘿蔔	打鐵段 298-22號	6.14	3.6	39	73	2643	220	316	45	5.7	19	43	0.13
108.6.10	567	水	打鐵段 298-22號	7.53		2.3	2.23	68	13	1.33	0.2	0.3	0.05	21	0.47
108.6.10	568	果樹 秋葵	打鐵段 315號 315-1號	6.49	2.93	112	41	1966	213	345	28	5.1	6.5	69	0.11
108.6.10	568	水	打鐵段 315號	7.3		2.5	1.4	93	12	1.32	0.3	0.3	0.05	15	0.62
108.6.10	569	番石榴	南華段 0541-0000號	4.49	1.27	35	192	494	87	324	20	3.9	4.3	20	0.29
108.6.11	570	番石榴	建興段 558號 1	6.69	3.42	37	110	1601	237	419	107	7.7	11	130	0.13
108.6.11	570	番石榴	建興段 558號 2	6.48	3.99	40	110	1549	287	448	112	7.6	11	228	0.21
108.6.11	570	番石榴	建興段 558號 3	7.07	4.91	92	166	2106	390	403	92	8.5	11	188	0.15
108.6.11	570	水		8.05		0.03	0.43	0.7	0.1	1.31	0.2	0.3	0.05	2.9	0.01
108.6.11	571	果樹	中正段 595號表土	7.27	1.05	124	57	1246	133	422	87	3.3	9.9	28	0.05
108.6.11	571		中正段 595號底土	7.28	1.55	146	57	1693	153	456	95	5	14	28	0.05
108.6.12	572	蓮霧	竹仔腳 4786 表	4.21	2.58	162	2	74	15	1186	116	11	22	94	0.44
108.6.12	572	蓮霧	竹仔腳 4786 底	4.41	2.44	154	1.51	98	16	768	111	10	18	85	0.39
108.6.12	572	蓮霧	內庄段 0385 表	5.39	2.79	150	426	101	49	983	135	13	32	104	0.53
108.6.12	572	蓮霧	內庄段 0385 底	6.22	2.18	184	503	122	56	550	128	12	30	103	0.44
108.6.12	573	蓮霧	復興 266.264 表	5.5	4.22	162	372	94	46	904	138	15	100	144	0.16
108.6.12	573	蓮霧	復興 266.264 底	5.8	1.66	181	601	147	52	687	57	9.1	52	45	0.14
108.6.12	573	蓮霧	復興 299 表	5.25	1.8	142	708	168	55	1323	132	12	85	92	0.23
108.6.12	573	蓮霧	復興 299 底	5.87	1.72	101	699	145	48	1020	109	11	57	54	0.24
108.6.12	574	蓮霧	內庄 0841 表	6.75	4.34	158	604	146	69	694	373	30	83	232	0.26
108.6.12	574	蓮霧	內庄 0841 底	4.17	1.67	113	639	194	80	832	40	8.4	5.8	74	0.18
108.6.12	574	蓮霧	新埔段 1220 表	6.28	1.75	149	553	179	64	768	80	4.7	16	313	0.21
108.6.12	574	蓮霧	新埔段 1220 底	6.65	1.65	134	102	2508	416	989	61	4.8	7.4	278	0.44
108.6.12	575	蓮霧	武丁段 962 表	6.59	2.28	138	98	1144	203	534	54	6.9	19	51	0.06
108.6.12	575	蓮霧	武丁段 962 底	6.79	2.11	124	216	1329	323	342	42	5.5	12	44	0.07
108.6.12	575	蓮霧	鎮林段 268 表	7.69	2.73	41	37	2773	178	606	721	15	20	556	0.4
108.6.12	575	蓮霧	鎮林段 268 底	7.57	2.35	190	52	1926	111	353	315	9.7	3.2	489	0.33
108.6.12	576	蓮霧	佳和 1962 表	6.77	1.52	179	283	4410	779	629	316	6.9	20	516	1.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.6.12	576	蓮霧	佳和 1962 底	6.91	2.23	98	132	1949	233	1005	231	8.8	32	376	0.75
108.6.12	576	蓮霧	佳和 2204 表	7.4	2.04	28	90	2155	252	444	351	6.9	13	208	0.44
108.6.12	576	蓮霧	佳和 2204 底	7.12	2.34	152	93	2749	200	809	264	12	64	232	0.34
108.6.12	577	蓮霧	內庄段 0186 表	6.89	5.59	146	68	1701	110	505	417	11	90	214	0.21
108.6.12	577	蓮霧	內庄段 0186 底	6.95	4.57	171	34	4283	146	700	364	13	73	191	0.23
108.6.12	578	蓮霧	新埔 0977 表	3.22	2.39	170	60	1516	91	1691	41	5.7	26	81	1
108.6.12	578	蓮霧	新埔 0977 底	6.57	1.25	94	124	853	205	307	129	3.8	8.1	67	0.54
108.6.12	579	蓮霧	三千段 0651 表	6.87	>6	172	102	644	156	84	316	3.2	72	319	0.73
108.6.12	579	蓮霧	三千段 0651 底	7.07	4.59	67	141	1272	242	109	217	5.9	36	284	0.71
108.6.12	580	蓮霧	下庄段 0030 表	7.06	4.08	148	103	973	176	259	402	10	121	300	0.52
108.6.12	580	蓮霧	下庄段 0030 底	6.57	4.36	106	318	1948	489	664	298	14	129	204	0.51
108.6.12	581	蓮霧	新華段 945 表	4.22	>6	134	628	2439	748	566	252	12	151	318	0.58
108.6.12	581	蓮霧	新華段 945 底	4.05	>6	195	422	3196	212	604	241	15	139	317	0.85
108.6.12	582	蓮霧	佳和 2207 表	7.39	2.8	56	561	4005	307	45	451	4.4	12	593	0.48
108.6.12	582	蓮霧	佳和 2207 底	7.25	3.16	39	222	3011	306	328	390	10	16	1109	1.11
108.6.12	583	蓮霧	鎮安 557 表	6.1	>6	188	208	3218	340	119	369	4.7	207	811	0.93
108.6.12	583	蓮霧	鎮安 557 底	7.03	2.43	144	1386	4693	228	581	204	7.8	34	351	0.49
108.6.12	584	蓮霧	鎮林 108a 表	5.24	3.61	205	2025	6961	383	905	244	14	32	230	0.89
108.6.12	584	蓮霧	鎮林 108a 底	6.43	2.51	166	267	6635	346	1180	132	16	22	244	0.37
108.6.12	585	蓮霧	下庄段 686 表	5.83	4.37	149	272	1087	154	985	234	12	62	141	0.19
108.6.12	585	蓮霧	下庄段 686 底	6.65	2.09	96	90	7540	513	356	136	7.1	29	88	0.19
108.6.12	586	蓮霧	同安段 1649 表	7.07	5.59	178	142	2802	337	94	348	3.8	74	173	0.2
108.6.12	586	蓮霧	同安段 1649 底	7.85	2.18	39	167	4594	401	32	362	1.02	3	66	0.14
108.6.12	586	蓮霧	同安段 1494 表	7.51	1.66	96	211	7096	559	320	226	8.6	20	211	0.46
108.6.12	586	蓮霧	同安段 1494 底	7.39	1.6	48	142	8206	427	361	177	9	13	179	0.5
108.6.12	587	蓮霧	同安段 0530 表	5.49	2.7	147	257	8071	932	832	40	8.8	7.8	192	0.49
108.6.12	587	蓮霧	同安段 5030 底	6.94	1.53	18	287	3325	472	82	261	4.3	7.7	242	0.56
108.6.12	587	蓮霧	牛埔段 0532 表	3.93	2.23	185	462	4261	632	978	67	8.6	11	86	0.25
108.6.12	587	蓮霧	牛埔段 0532 底	6.56	1.53	57	585	3878	653	78	294	6.1	27	95	0.29
108.6.12	587	蓮霧	新華段 951 表	4.05	>6	172	880	3999	642	598	669	13	195	392	1.16
108.6.12	587	蓮霧	新華段 951 底	4.06	4.59	126	241	7358	352	1402	233	12	58	213	0.75
108.6.12	588	蓮霧	新埔 842 表	3.9	2	138	581	8467	792	1000	128	9.7	17	183	0.26
108.6.12	588	蓮霧	新埔 842 底	6.75	2.1	155	130	7251	668	1025	113	8.8	16	169	0.24
108.6.12	588	蓮霧	富田段 134 表	7.17	2.02	128	57	7864	425	306	159	12	53	571	0.41
108.6.12	588	蓮霧	富田段 134 底	7.09	1.31	125	1695	6083	141	194	79	4.9	23	468	0.27
108.6.12	589	蓮霧	成功段 134.135 表	7.34	1.53	102	2409	6243	201	295	190	4.5	15	1715	1.51
108.6.12	589	蓮霧	成功段 134.135 底	7.55	1.62	19	677	7172	618	327	116	5.1	7.2	650	0.5
108.6.12	590	羅漢松	興美段 1412	7.23	2.76	52	66	3746	109	201	158	5.3	53	43	0.1
108.6.12	590	羅漢松	興美段 1413	6.55	2.22	100	150	1389	166	243	121	2.8	11	18	0.05
108.6.13	591	榴槤	明崙段0107 0003 A	6.27	2.38	92	249	1058	172	227	89	2.6	26	73	0.25
108.6.13	591	榴槤	明崙段0107 0003 B	5.55	3.22	77	379	1186	236	251	115	3.2	30	161	0.66
108.6.13	592		購買土料	7.34	>6	32	364	5226	662	19	21	0.7	2.02	2258	2.85
108.6.13	593	香蕉	玉水段 226號 1	7.51	1.39	76	53	2752	417	656	118	3.6	8.9	710	0.98
108.6.13	593	香蕉	玉水段 226號 2	6.61	1.75	63	80	1624	319	1142	105	3.6	9.4	539	0.88
108.6.13	593	香蕉	玉水段 226號 3	6.28	1.69	78	115	1795	374	1449	94	4.2	10	1015	1.51
108.6.13	593	水		7.62		7.5	13	63	20	1.31	0.2	0.04	0.05	84	0.73

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.6.13	594		1區	7.43	2.36	84	38	2833	149	285	190	4.2	17	24	0.07
108.6.13	594		2區	7.24	2.1	120	59	4791	120	174	107	3.9	33	28	0.08
108.6.13	594		3區	7.26	3.42	124	77	4502	171	371	204	6.8	34	30	0.08
108.6.13	595	木瓜	表土	7.64	1.19	90	46	4697	125	331	249	7.5	32	33	0.06
108.6.13	595	木瓜	底土	7.65	0.84	152	45	4784	125	351	202	4.7	18	21	0.07
108.6.14	596	番石榴	燕東段 449號 表土	5.87	1.61	110	389	1831	154	399	61	5.4	27	68	0.11
108.6.14	596	番石榴	燕東段 449號 底土	5.32	1.74	151	219	1350	197	139	31	2	7.7	80	0.17
108.6.14	596	番石榴	燕北段 225號 表土	7.18	2.44	105	304	3560	391	462	225	6.1	23	150	0.23
108.6.14	596	番石榴	燕北段 225號 底土	7.31	1.73	145	138	3732	484	435	233	5	15	184	0.28
108.6.14	596	印度棗	燕北段 225號 表土	7.43	1.74	134	475	4471	489	702	246	8.2	34	137	0.25
108.6.14	596	印度棗	燕北段 225號 底土	7.44	1.88	12	409	3607	486	509	198	5.6	15	171	0.29
108.6.14	597	胡麻	龍泉水段 304	5.84	1.94	47	82	406	72	49	41	1.4	3.9	22	0.02
108.6.14	597	胡麻	龍泉水段 409	6.51	20.9	151	50	1065	98	214	66	2.5	9.6	31	0.04
108.6.14	598	檸檬	昌榮段 0978	3.72	1.62	139	95	583	43	976	41	12	22	25	0.35
108.6.14	599	檸檬	彭新段	5.48	1.05	161	37	604	35	161	42	2.4	14	15	0.02
108.6.14	600	檸檬	昌榮段 0753	3.46	1.26	83	102	290	37	373	36	4.8	4.4	23	0.26
108.6.14	601		翁公園段 3444號	5.1	2.38	133	64	1261	141	440	40	5.4	13	34	0.16
108.6.14	601		大寮區 2393 山子頂2393號	5.93	1.89	40	78	1183	110	816	71	6.5	16	35	0.08
108.6.14	601		大寮區 2393 山子頂段 2052-2053號	6.63	1.94	145	64	861	94	606	119	4.5	15	29	0.03
108.6.14	602	木瓜	阿拔泉段 59	5.93	1.73	165	72	786	57	814	71	8.8	16	18	0.03
108.6.14	603	水	水稻 佳佐 1	6.74		2	1	19	9.5	1.3	0.2	0.03	0.05	15	0.22
108.6.14	603	水	水稻 佳佐 2	6.95		1	1.23	57	9.5	1.3	0.2	0.03	0.05	8	0.4
108.6.14	603	水	水稻 本田 1	7.17		2.1	1.11	23	12	1.3	0.2	0.03	0.05	17	0.28
108.6.14	603	水	水稻 魚池田	7.21		1	1.02	23	8.6	1.3	0.2	0.03	0.06	12	0.24
108.6.14	603	水	水稻 新田	7.09		2.5	2.82	51	19	1.3	4.8	0.04	0.06	114	0.8
108.6.14	603	水	水稻 歸來 2	6.78		2.3	3.3	120	15	1.3	0.2	0.03	0.05	16	0.73
108.6.14	603	水	水稻 歸來 4	6.88		2.9	6.3	105	12	1.31	0.4	0.03	0.06	16	0.7
108.6.14	603	水	水稻 歸來 5	6.99		1.9	4.9	109	12	1.3	0.4	0.03	0.05	24	0.75
108.6.14	603	水	蔥 歸來 8	7.08		2.5	1.8	82	14	1.3	0.2	0.03	0.05	12	0.57
108.6.17	604	紅藜	185縣道 紅藜試作田 A	5.26	3.42	119	553	6677	524	249	52	2.2	4.1	13	0.02
108.6.17	604	紅藜	185縣道 紅藜試作田 B	5.09	3.8	99	231	8150	570	227	80	2.4	4.8	13	0.03
108.6.17	604	紅藜	185縣道 紅藜試作田 C	5.05	3.98	110	356	8469	617	283	63	2.3	4.8	13	0.03
108.6.17	604	紅藜	185縣道 紅藜試作田 D	5.04	4.05	115	312	1531	198	253	80	2.5	5.1	16	0.03
108.6.17	605	水稻	崁頂頂仁段 32區	6.43	2.23	38	1123	1134	166	942	133	6.5	6.2	56	0.07
108.6.17	605	水稻	崁頂頂仁段 33區	7.47	1.68	23	348	5210	764	948	338	4.4	5.4	45	0.08
108.6.17	605	水稻	崁頂頂仁段 34區	6.09	1.95	41	381	4238	699	864	119	5.2	4.2	49	0.08
108.6.17	605	水稻	崁頂頂仁段 68區	7.04	2.17	35	534	6801	419	454	151	5.5	6.9	14	0.09
108.6.17	605	水稻	萬巒頭溝水 453	5.49	3.39	19	446	4848	426	1379	228	9.1	7.1	29	0.09
108.6.17	605	水稻	萬巒頭溝水 462	4.98	3.05	60	771	4399	444	720	71	5.6	10.4	18	0.17
108.6.17	605	水稻	萬巒頭溝水 463	5.84	8.29	89	1188	3887	398	599	133	5.6	16.6	20	0.19
108.6.17	605	水	崁頂	7.28		1.7	346	997	207	1.2	0.5	0.02	0.03	36	0.49
108.6.17	605	水	萬巒	8.29		1	486	1283	242	1.1	0.2	0.02	0.03	16	0.38
108.6.17	606	鳳梨	底土	6.95	1.11	36	197	5786	660	183	87	3.4	6.8	10	0.06
108.6.17	632	水	達卡努瓦段130 132	7.94		0.04	0.9	23	8.5	1	0.3	0.02	0.03	9.4	0.2
108.6.17	633	水	新田段0109	7.57		1.4	1.5	95	19	1	0.3	0.02	0.03	12	0.22
108.6.18	607	百香果	1182	6.11	1.96	74	299	4534	741	763	34	8.1	6.2	37	0.13

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.6.18	608	葉菜	中安段0178-4 6-1網室	5.17	1.4	59	216	2042	263	247	30	1.8	9.6	30	0.32
108.6.18	608	葉菜	中安段0178-4 6-2網室	5.34	1.27	35	222	2905	270	273	19	1.8	6.3	15	0.08
108.6.18	608	葉菜	中安段0178-3 7-1網室	6.15	2.23	38	721	1620	210	252	52	3.5	7.7	72	0.1
108.6.18	608	葉菜	中安段0178-3 7-2網室	5.89	1.67	33	73	959	230	308	45	3.8	8	80	0.11
108.6.18	608	葉菜	中安段0178-4 8-1網室	6.19	1.39	23	44	893	199	276	51	1.7	7.7	46	0.07
108.6.18	608	葉菜	中安段0178-4 8-2網室	5.57	1.39	38	90	730	184	204	32	4.2	6.1	44	0.12
108.6.19	609			6.38	1.38	9.1	40	1109	288	41	8	1.2	1.3	84	0.03
108.6.19	610	水稻	龍泉水段184-2 208-1 214 188-1 188-2 301	7.37	2.79	28	31	6976	165	92	58	0.4	6.2	95	0.18
108.6.19	611	檸檬	羌崙段0736	7.06	1.88	132	251	3497	592	125	67	5.2	44	22	0.1
108.6.19	612	檸檬	埔崙段1765	6.71	1.54	99	122	1509	80	380	47	12.1	6.6	13	0.03
108.6.19	613	檸檬	阿拔泉段0180	3.35	1.05	131	130	255	101	709	27	13.4	5.3	27	0.36
108.6.19	614	檸檬	昌榮段436 437	4.8	1.74	156	79	1043	40	881	17	6.9	12	15	0.03
108.6.19	615		溝坪段362-1	4.47	1.75	52	46	441	37	121	14	1.2	2.2	12	0.05
108.6.19	615		溝坪段366	4.28	1.46	58	42	107	9	140	16	1.1	2	7.1	0.03
108.6.19	616	檸檬	振北段271.273	5.36	1.66	109	93	610	76	553	25	4.9	4.7	7.5	0.03
108.6.19	617	檸檬	田子段0649-0001	6.05	1.05	121	105	1008	60	482	28	4.4	8.3	9.6	0.02
108.6.19	618		A	5.49	2.88	166	114	995	211	348	62	3.8	9.3	16	0.03
108.6.19	618		B	5.75	6.24	150	303	3198	512	415	103	3	28	28	0.07
108.6.19	618		C	6.47	6.81	152	382	5539	554	150	202	4.5	102	49	0.07
108.6.19	618		D	6.76	7.35	138	130	5645	534	280	157	4.6	47	48	0.06
108.6.19	618		E	4.84	4.25	18	94	211	73	50	32	2.7	4.9	7	0.02
108.6.19	618		F	4.65	4.98	18	136	464	130	66	40	3.6	6.6	7	0.03
108.6.19	619	蔬菜		6.49	2.23	134	249	4592	223	311	92	4.6	27	51	0.12
108.6.19	620	芒果	大港洋段0604-0000	6.34	3.84	88	99	2170	244	815	109	7.1	8	32	0.06
108.6.19	620	蜜棗	大港洋段0605-0000	5.79	4.13	150	195	1764	244	978	90	7.3	7.4	25	0.07
108.6.20	621	檸檬	彭厝段605	5.6	1.53	108	76	1516	67	631	39	11.6	14	13	0.05
108.6.20	622	檸檬	彭厝段0604	4.48	1.13	90	49	442	22	269	17	11.3	4.1	8	0.05
108.6.20	623	胡瓜.花胡瓜	九如段766	4.15	1.8	11	163	3217	90	1008	97	12.5	40	44	0.23
108.6.20	624	胡瓜.花胡瓜	九清段	6.56	2.25	108	62	2454	200	705	91	5.9	16	24	0.07
108.6.20	625	胡瓜.花胡瓜	武洛段	6.57	1.41	121	74	2081	124	707	54	8.8	17	18	0.03
108.6.20	626	胡瓜.花胡瓜	大港洋段	4.1	1.52	122	454	2875	370	825	147	11.3	22	139	1.89
108.6.20	627			4.87	2.66	121	184	1846	92	839	68	8.9	27	35	0.18
108.6.20	628	南瓜.水稻.紅豆	建安段322	7	4.5	80	238	3789	901	512	202	14.1	17	337	0.21
108.6.20	628	南瓜	大埔段594	8.07	1.81	19	54	2918	451	195	166	6.7	6.6	1971	0.96
108.6.21	629	檸檬	源泉段1122-0000	6	1.46	111	34	548	49	730	12	4.9	5.7	18	0.03
108.6.21	630	香蕉	新田子段514.上區	6.3	1.2	110	47	1710	76	476	71	3.5	10	20	0.19
108.6.21	630	百香果	新田子段514.下區	3.96	1.38	68	133	584	53	441	17	2.1	4.2	17	0.42
108.6.21	630	檸檬	新日段0877	6.41	1.11	98	74	1062	88	761	21	4.8	6.1	19	0.06
108.6.21	631	檸檬	源泉段2046	5.28	1.95	85	102	1593	69	776	23	14.3	18	19	0.04
108.6.21	632	咖啡	達卡努瓦段132	5.45	6.22	150	137	1727	258	125	50	1.7	3.3	18	0.03
108.6.21	633	香蕉	新田段0109-0000	7.09	2.37	90	67	3782	269	338	164	5.3	7.9	38	0.11
108.6.21	634	紅豆	寶厝段753	6.23	2.23	50	61	1998	100	1424	216	7.5	10	28	0.09
108.6.21	635	紅豆	水泉段344	6.83	2.31	57	37	1516	82	810	118	5.1	6.1	61	0.08
108.6.21	636	紅豆	頂新段380.381	6.6	1.66	51	38	1138	89	1410	28	7.4	6.4	20	0.06
108.6.21		咖啡	達卡努瓦段130	5.21	5.99	72	97	1279	127	111	40	1.6	4.4	8.8	0.02
108.6.21		芒果	新田段0109-0000	7.38	2.34	81	43	2426	225	416	83	6.9	10	43	0.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.6.21		芒果	新田段0109-0001	6.75	3.33	66	71	2769	241	565	57	7.5	9	23	0.05
108.6.21		果樹	新田段0109-0001	6.2	2.7	103	55	1847	178	495	74	6.3	8.3	21	0.04
108.6.24	638	地瓜	九如	5.17	1.73	121	172	1452	72	949	35	8.7	21	24	0.06
108.6.24	638	地瓜	大寮	6.72	1.4	43	90	1475	148	228	74	2.5	7.4	12	0.05
108.6.24	639	樹葡萄.百香果	圍子內段4512東1	7.42	0.7	11	42	2102	185	481	160	3	9	125	0.33
108.6.24	639	樹葡萄.百香果	圍子內段4512西1	7.81	0.77	13	57	1998	195	814	172	7	26	183	0.51
108.6.24	639	樹葡萄.百香果	圍子內段4512西2	7.84	0.84	10	70	3328	264	718	168	3.2	9.5	151	0.5
108.6.24	640	芒果	燕巢區深中路62號表土	8.07	1.68	9	78	5745	376	157	135	1.1	4.9	25	0.09
108.6.24	640	芒果	燕巢區深中路62號底土	8.05	1.33	7	59	6018	424	184	126	0.9	3.7	25	0.09
108.6.24	641	水	上洛陽段278	7.89		2.2	3.1	109	13	0	0.02	0	0.07	12	0.68
108.6.24	642	神祕果	金瓜寮段519.520A區	7.66	2.23	10	90	3611	525	338	147	3.1	11	298	0.31
108.6.24	642	神祕果	金瓜寮段519.520B區	7.89	2.22	8	108	3116	418	453	179	4.1	9.3	235	0.18
108.6.24	642	神祕果	金瓜寮段519.520C區	7.36	1.46	25	28	1101	79	218	67	3	15	15	0.03
108.6.24	642	神祕果	清水段0357	7.65	1.39	69	87	4911	108	245	92	5.8	23	20	0.04
108.6.24	642	神祕果	旗尾段2147~2	7.8	1.45	26	51	2974	263	309	123	5	9.1	21	0.05
108.6.24	642	水	金瓜寮段519.520.A區	8.34		2.5	4.3	100	23	0	0.02	0	0.07	38	0.82
108.6.24	642	水	金瓜寮段519.520.C區	8.23		2.5	2.4	107	16	0	0.7	0	0.06	28	0.73
108.6.24	642	水	清水段0357	8.17		1.8	2.4	94	15	0	0.02	0	0.06	19	0.67
108.6.24	642	水	旗尾段2147-2	8.23		2.5	1.9	79	12	0	0.01	0	0.06	17	0.56
108.6.24	643	水	磚子瑤段4914-1	7.6		1.5	5.8	117	14	0	0.2	0	0.06	21	0.75
108.6.25	643	菜.瓜果類	磚子瑤段4914-1	6.31	2.37	48	85	1818	161	445	40	4.4	11	13	0.03
108.6.25	644	蕃茄	美濃第一小段108-1	7.12	1.26	58	40	1388	130	798	104	2.7	3.6	30	0.06
108.6.25	644	蕃茄	竹頭角段4578-0002	7.12	1.61	35	50	1585	207	909	106	4.9	5.3	33	0.05
108.6.25	644	蕃茄	美濃第一小段108	7.77	1.19	19	35	3168	206	465	127	3.9	7.2	35	0.12
108.6.25	644	蕃茄	竹頭角段4576-0000	7.22	1.12	12	51	1287	194	475	97	2.7	5.6	20	0.05
108.6.25	645	酪梨.玉荷包.紅藜	賽嘉915.上方	4.61	3.58	23	84	176	40	28	23	0.9	2.5	6.2	0.04
108.6.25	645	酪梨.玉荷包.紅藜	賽嘉915.下方	5.14	5.84	76	117	997	216	75	51	2.3	7.5	19	0.06
108.6.25	645	酪梨.玉荷包.紅藜	賽嘉915.住家旁	5.48	5.92	113	105	936	249	75	29	2.4	7.8	11	0.05
108.6.25	646	愛玉	大武段1013-0000	5.03	3.76	14	34	348	67	36	30	2.4	2.9	11	0.04
108.6.25	646	愛玉.咖啡	霧台段1047-0000	6.15	2.51	9	39	1399	118	56	71	5.2	8.2	11	0.03
108.6.25	647	咖啡	去怒段0677-0000	4.29	>6	27	48	94	20	44	33	1.3	4.6	8	0.03
108.6.25	648	地瓜.長豆.樹豆.小芋	佳暮段0389-0000	5.74	4.02	25	48	1872	194	18	52	2.1	6.9	10	0.05
108.6.25	649	芋頭.小米.樹豆.薑黃	佳暮段395	7.18	1.6	123	43	2553	164	123	92	3.1	22	19	0.05
108.6.25	650	小米.紅藜.芋頭	佳暮段685	7.97	1.38	34	31	2148	85	153	117	2.9	8.8	12	0.06
108.6.25	651	芋頭.	佳暮段688	7.62	3.57	115	104	3973	221	51	114	5.2	14	18	0.05
108.6.25	652	鳳梨	建興段832	6.7	1.46	75	56	1063	54	248	54	4.3	8.6	9	0.04
108.6.25	653	玉米	南州	7.91	1.38	18	36	3910	211	288	132	11	9.4	18	0.08
108.6.25	653	竹	成功段944.945	7.72	2.1	34	31	7619	182	108	153	3.5	27	33	0.08
108.6.25	653	竹	成功段1070.1084.1077.1111	7.19	3.25	81	120	4771	245	522	243	4.5	22	85	0.37
108.6.25	653	竹	土庫段0929-373 0946-26 0929-63	7.61	2.8	51	41	7643	205	101	169	3	30	34	0.07
108.6.25	653	蔬果	新吉洋段1052.1067	7.84	2.35	6	38	7162	255	107	271	3.8	11	34	0.14
108.6.26	654	檸檬	泰和段0515	5.59	1.34	128	182	1046	35	387	35	4.9	13	18	0.1
108.6.26	655	檸檬	新田段2653-001	7.54	1.06	27	60	5170	232	520	254	5.2	22	40	0.23
108.6.26	656	檸檬	彭南段0404	6.66	1.19	122	62	706	42	311	23	7.6	8.4	10	0.03
108.6.26	657	檸檬	泰和段0520	4.86	1.46	129	20	353	35	429	12	6.7	16	25	0.09
108.6.26	658	瓜類		5.97	2.18	131	152	573	122	399	35	5.1	3.4	39	0.12

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.6.26	659	酪梨	里港	6.9	1.06	129	64	1708	102	388	71	5.5	69	34	0.05
108.6.27	660	蜜棗	舊寮段147-539	6.04	1.48	141	148	1198	67	525	47	6.3	13	23	0.04
108.6.27	660	蜜棗	舊寮段149-537	6.06	1.8	146	102	1207	72	646	56	8.1	15	24	0.03
108.6.27	660	蜜棗	舊寮段149-540	5.89	1.47	172	99	764	51	809	36	6.3	11	17	0.03
108.6.27	660	蜜棗	舊寮段149-558	6.73	1.41	116	61	1182	77	785	90	8.2	12	17	0.04
108.6.27	660	蜜棗	舊寮段149-559	5.85	1.27	119	59	956	47	807	32	7.8	17	25	0.05
108.6.27	661	香蕉	土庫段1092-305.A3	7.8	2.62	39	526	6108	289	711	375	5.4	14	145	0.34
108.6.27	661	香蕉	土庫段1092-305.C1	7.69	2.17	50	199	7102	270	359	459	3.8	18	59	0.25
108.6.27	661	香蕉	土庫段1092-41.C區	7.3	2.85	109	41	2618	146	630	141	6.6	29	16	0.07
108.6.27	661	香蕉	土庫段1092-42.B區	7.48	2.8	98	34	2498	117	556	154	5.8	29	12	0.07
108.6.27	661	香蕉	土庫段1256-19.A區	7.44	2.72	120	37	4582	283	707	158	7.2	29	22	0.04
108.6.27	662	木瓜	大坵段0911	7.9	1.05	15	34	3514	136	529	217	3.5	16	63	0.14
108.6.27	663	檸檬	風和路21巷24號	5.53	3.08	136	130	1411	78	722	93	14	18	57	0.08
108.6.27	664	檸檬	福安路97	6.01	1.8	141	63	1750	92	1147	51	11	14	40	0.19
108.6.28	665	芭樂	隆安段0509	6.68	4.72	173	449	5071	334	438	91	3.6	38	67	0.15
108.6.28	665	蓮霧	隆安段0509	6.83	>6	188	933	7169	635	96	167	0.6	77	168	0.24
108.6.28	666	小蕃茄	美濃段3138	6.52	1.8	105	85	1171	111	1029	62	4.4	7.9	27	0.03
108.6.28	666	小蕃茄	美濃段3139	6.46	1.54	114	71	849	87	628	70	4.9	5.7	25	0.05
108.6.28	667	苦瓜	頂孝段831-1(A)	7.28	1.25	90	105	2445	142	626	298	5.3	15	50	0.35
108.6.28	667	苦瓜	頂孝段831-1(B)	7.33	1.26	97	117	3698	202	638	296	4.7	15	72	0.51
108.6.28	668		赤新段0083-0000號	5.33	2.37	95	103	639	100	356	33	3.3	4.7	11	0.04
108.6.3	551		龔林段0291號.表土	6.58	2.63	24	120	1999	160	127	90	6.3	21	15	0.05
108.6.3	551		龔林段0291號.底土	6.53	1.94	21	77	2052	150	130	54	3.02	9.5	19	0.05
108.6.3	551		王公庵段.苦苓腳小段1145號.表土	7.51	1.61	21	85	6409	270	451	193	5.1	15	60	0.16
108.6.3	551		王公庵段.苦苓腳小段1145號.底土	7.98	0.71	6.2	59	6766	208	220	200	2.1	4.9	30	0.09
108.6.3	552	毛豆	興美段1778號	6.3	1.53	49	98	1513	178	362	75	3.5	4.6	33	0.08
108.6.5	553	小黃瓜	玉田段	7.59	0.7	11	76	5838	451	1214	190	4.1	7	171	0.37
108.6.5	553	小黃瓜	塔樓段(小)	6.82	1.19	142	156	1729	135	580	52	4.3	8.5	13	0.05
108.6.5	553	小黃瓜	塔樓段(大)	5.69	1.67	123	297	2958	198	950	82	7.6	14	63	0.37
108.6.5	554	香蕉	新林段0354-0000	5.67	2.03	146	164	2877	163	694	43	9.3	24	38	0.09
108.6.5	554	水		7.16		0.9	2.5	125	14	0.6	0.6	0	0.01	57	0.82
108.6.6	555	榴槤	崙潮段214號	6.13	2.57	65	538	1760	327	293	116	2.6	23	101	0.42
108.6.6	556	水	花.內門	7.81		1.3	4.2	40	14	0.7	0	0	0.01	26	0.39
108.6.6	556	水	花.旗山	7.34		2.5	2.7	74	17	0.6	0	0	0.01	24	0.54
108.6.6	557	蓮霧	鹿寮段997號	5.83	2.3	115	455	3393	203	833	68	5.1	17	174	0.21
108.6.6	558	電信蘭	頂忠段23號	7.34	1.72	50	32	7046	254	769	162	10	16	87	0.3
108.6.6	559	電信蘭	八爺段944-1號	6.2	1.8	51	43	2675	249	483	41	3.7	27	23	0.1
108.6.6	560	電信蘭	萬隆段129號	7.64	0.91	28	56	4420	442	460	200	2.8	76	16	0.07
108.6.6	561	電信蘭	明崙段596-1號	6.67	1.12	51	34	1633	144	327	29	3.3	22	16	0.07
108.6.6	562	電信蘭	佳佐段889-5號	6.7	0.98	27	31	1092	87	297	53	1.8	25	13	0.03
108.6.6	563	水	農地.富	8.12		3.2	0.7	15	2.7	0.6	0	0	0.04	37	0.23
108.6.6	563	水	農地.自	7.89		3.1	1.8	55	11	0.6	0	0	0.05	11	0.37
108.6.6	563	水	農地.高	7.87		0.8	3.8	44	14	0.5	0	0	0.02	26	0.4
108.6.6	563	水	農地.地	7.2		2.7	1	7.7	5.04	0.6	0	0	0.08	14	0.13
108.7..24	732	芋頭	內埔鄉	5.54	2.508	34	167.39	1716.8	272.07	777.92	121.92	15.24	17.061	26.051	0.04
108.7..24	735	香檬	新田村	6.01	1.8903	53	211.08	1443.2	274.25	241.05	77.974	4.7063	10.829	18.092	0.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.7.1	669	蓮霧	佳和路1427	7	3.11	113	228	6628	482	153	201	6.7	23	64	0.12
108.7.1	669	蓮霧	佳和段1473	6.35	4.76	90	919	5845	450	376	183	8.6	34	52	0.11
108.7.1	669	蓮霧	佳和1474	6.76	5.26	152	777	7048	649	96	208	4.2	81	104	0.12
108.7.1	669	水	佳和路1427	7.76		1.2	17	119	33	0.8	1.8	0.02	0.02	27	0.84
108.7.1	669	水	佳和段1473	7.93		1.2	13	128	35	0.8	1.7	0.02	0.03	25	0.88
108.7.1	670			5.31	2.89	23	124	1226	297	750	32	2.9	3	48	0.06
108.7.12	703	愛文	七里段11.表土	6.68	5.29	42	149	2825	320	464	172	19	12	34	0.05
108.7.12	703	愛文	七里段11.底土	7.25	2.21	14	27	1206	292	170	47	2.7	3.2	35	0.02
108.7.12	704	火龍果		6.93	3.22	154	222	3144	207	296	76	3.3	38	53	0.07
108.7.12	704	水		7.62		3.1	8.2	78	31	0	0	0	0	76	0.82
108.7.12	705	茄子	武洛段221	7.07	2.17	143	77	2022	85	1111	70	24	26	27	0.04
108.7.12	706	花生.菜豆	湖西北段1695	8.17	4.76	87	106	6719	483	0	16	0.08	0.8	204	0.09
108.7.12	706	甘藷	湖西南段1236	8.3	4.19	91	107	6721	483	1	32	0.23	7.4	242	0.08
108.7.15	707	火龍果	南華段0747-0004	5.7	1.88	80	382	462	112	516	34	9.1	11	13	0.06
108.7.15	708	水	華城. HO711	7.73		1.3	13	92	84	0	0	0	0	168	1.23
108.7.15	708	水	向陽.SO711	8		0.09	1.7	55	16	0	0	0	0	18	0.33
108.7.15	709	山蘇	草埔段965	6.48	>6	8.1	190	2785	659	35	215	1	9	19	0.08
108.7.15	709	水	草埔段965	8.08		0.09	1.5	21	12	0	0	0	0	12	0.16
108.7.15	710	山蘇	丹路段488	6.95	5.54	8.9	94	2441	645	26	126	0.6	7.6	17	0.06
108.7.15	710	水	丹路段488	8.02		0.08	1.5	35	20	0	0	0	0	12	0.22
108.7.15	711	水	草埔段341	8.03		0.08	1.5	21	12	0	0	0	0	13	0.14
108.7.15	714	水	建功段0319-0000	7.49		0.06	2	100	25	0	0.6	0	0	15	0.52
108.7.16	711	山蘇	草埔段341	6.4	3.88	2.6	71	1438	500	40	51	0.8	3.4	27	0.03
108.7.16	712	瓜菜	大港洋段1117	5.47	1.95	126	195	927	77	557	203	7	31	32	0.05
108.7.16	713	芒果	南世段1493	6.36	3.11	43	100	1710	191	198	42	9.4	67	15	0.04
108.7.16	714	蓮霧	建功段0319-0000表土	6.3	3.18	104	344	1880	245	747	95	8.1	46	61	0.12
108.7.16	714	蓮霧	建功段0319-0000底土	6.56	1.96	23	324	3012	248	206	145	4.9	21	40	0.15
108.7.16	715			4	1.89	101	482	2539	415	296	96	2.5	12	113	2.18
108.7.16	716	芒果	磚仔地段0340-0000	5.41	1.32	83	102	620	67	293	30	4.2	22	14	0.24
108.7.17	717	荔枝	杉林 火燒橋 表土	4.51	2.86	7.7	56	227	66	138	18	1.3	8	7.1	0.02
108.7.17	717		杉林 火燒橋 底土	4.56	2.86	5.9	54	206	41	134	13	1.4	6	6.3	0.01
108.7.17	718	蘆荀	茄苳坑段565號	6.64	2.01	39	63	1708	193	447	197	3.3	7.7	38	0.2
108.7.18	719		寮前	6.52	1.27	9.5	64	598	184	705	68	14	25	40	0.06
108.7.18	719		中一師	6.25	1.12	11	42	519	260	441	27	7.3	7.9	132	0.16
108.7.18	719		馬沙	6.47	1.46	13	43	542	279	511	15	12	18	146	0.13
108.7.18	719		芒果	6.48	1.47	9.8	85	610	191	600	60	10	21	51	0.08
108.7.19	720	洋香瓜	柑園段47號	6.22	2.65	16	72	902	249	826	43	4	8.8	50	0.26
108.7.19	721	雜木	牡丹段272	5.25	3.62	1.5	73	434	230	36	31	0.8	2.5	28	0.02
108.7.2	671	檸檬	大明路52號	6.39	1.66	130	128	3112	80	587	40	6.3	13	17	0.2
108.7.2	672	苦瓜.胡瓜	社安段864A	5.94	2.07	95	299	2590	168	812	65	4.3	21	34	0.24
108.7.2	672	苦瓜.胡瓜	社安段864B	5.39	1.86	138	78	1553	64	723	32	4.5	14	26	0.11
108.7.2	673	火龍果	A	5.16	1.4	57	41	564	76	181	25	2	2.9	17	0.07
108.7.2	673	火龍果	B	6.62	1.61	62	59	968	112	320	53	2.4	3.7	21	0.02
108.7.2	674	木瓜	南興段0032	6.87	2.02	127	81	1906	118	704	79	4.8	7.2	23	0.06
108.7.2	675	木瓜	路竹段2002-0002中華段1496-000	7.76	2.03	13	164	2310	352	170	98	1.9	6.3	15	0.04
108.7.22	722		新埔2260.2261表土	6.76	1.9525	138	208	1112.6	250.07	515.19	80.212	21.022	169.98	39.54	0.09

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.7.22	722		新埔2260.2261底土	6.93	1.5432	99	208.5	907.94	209.57	374.74	63.547	19.715	121.27	43.191	0.13
108.7.22	722		北寧段0297號表土	6.94	1.5359	130	193.82	1158.1	255.16	416.08	22.76	6.9469	7.974	25.442	0.05
108.7.22	722		北寧段0297號底土	6.86	1.1888	54	30.436	574.99	51.446	185.1	19.079	4.8845	5.0376	25.034	0.05
108.7.22	722	水	新埔2260.2261	7.89		1.62	7.9928	201.35	29.406	1.2661	0.9443	0.0247	0.0366	27.991	0.64
108.7.22	722	水	北寧段0297號	7.96		2.8	2.1756	73.484	16.092	1.2674	0.3552	0.0258	0.0319	25.129	0.33
108.7.22	723	水稻	廣福段89	6.99	2.2239	57	64.491	1224.8	159.31	1248.2	59.419	8.0957	9.1401	35.088	0.04
108.7.22	723		廣福段92	6.22	1.7377	81	66.523	1062.1	173.97	533.5	50.651	5.9387	9.665	26.754	0.04
108.7.22	723		廣福段122	7.75	2.001	60	56.709	1313.6	213.42	827.35	55.486	8.0703	10.653	25.88	0.03
108.7.22	723		金瓜寮段503	5.7	1.8813	32	35.743	904.51	112.74	1056.7	44.523	9.5121	8.3839	39.051	0.07
108.7.22	723	水	廣福段89	7.99		1.69	6.4635	218.22	39.84	1.3481	0.6233	0.0243	0.0376	34.121	0.8
108.7.22	723	水	廣福段122	8.05		1.69	6.7912	201.73	38.271	1.2452	0.5967	0.0243	0.0297	34.556	0.78
108.7.22	723	水	金瓜寮段503	8.19		2	5.3349	230.41	45.111	1.2756	0.4839	0.0247	0.026	39.569	0.85
108.7.22	724	茄子	第一區	7.09	1.6099	132	816.69	1729.9	281.44	1661.7	39.226	9.2503	21.795	87.356	1.44
108.7.22	724		第二區	7.25	1.3289	148	219.69	2301.8	181.49	1290.3	63.19	7.7482	19.245	73.645	1.02
108.7.23	725		振興村	6.45	1.0489	82	31.32	773.48	75.741	312.45	43.293	10.894	16.235	20.327	0.03
108.7.23	726		頂新段366-1	6.59	1.0528	29	131.65	2454.1	182.27	809.59	273.96	7.6263	12.885	125.85	0.52
108.7.23	726		頂新段366-2	7.21	1.2605	109	89.922	1194.7	72.338	1068	255.75	10.822	26.523	33.932	0.09
108.7.23	727	小黃瓜.豆類	茄苳腳段1059	6.91	1.5432	150	60.392	980.99	94.085	1296.9	68.318	17.131	49.168	40.355	0.04
108.7.23	728	南瓜	九如段	6.94	1.4734	81	62.381	2140.6	70.814	732.18	68.667	12.459	23.602	29.641	0.05
108.7.23	728	彩椒	九如段	7.49	1.8154	122	88.972	1591	132.42	936.58	71.977	19.434	36.714	36.579	0.06
108.7.23	729	茄子	九清段1295	6.46	1.2594	117	41.997	1302.8	84.118	895.33	114.96	15.019	31.765	60.293	0.09
108.7.23	730	香蕉	過溝段617號	6.96	1.8258	47	93.003	1505.5	218.23	417.82	195.46	4.4692	15.507	27.629	0.04
108.7.23	730	水		8.32		2.38	2.7644	104.04	24.354	1.2372	0.3517	0.0249	0.0203	16.329	0.45
108.7.23	731		田厝村 A	7.54	>6	185	374.01	10658	1862.8	21.655	145.57	0.4387	15.967	95.377	0.45
108.7.23	731		田厝村 B	6.77	>6	162	368.55	7651.3	1884.6	21.695	118.99	0.4423	42.572	206.61	0.33
108.7.23	731		田厝村 C	4.18	>6	214	395.98	10264	1718.7	24.126	159.22	0.4809	33.973	130.63	0.41
108.7.23	731	香莢蘭	田厝村 D	3.8	1.3166	41	77.45	1710	202.42	254.55	103.25	5.8854	17.864	24.498	0.03
108.7.23	731	水		8.25		3.73	3.0872	247.73	45.709	1.3	0.4864	0.024	0.0239	39.613	0.79
108.7.23	742	水	九和段9號	8.13		0.12	7.244	177.08	32.21	1.3	0.39	0.0245	0.0204	31.535	0.63
108.7.24	734	花胡瓜	美濃段4399	6.75	1.3906	83	2314	4505.1	1931.5	449.24	245.19	7.9718	11.623	902.09	2.66
108.7.24	736	蔬菜	仁愛段783-94 783-172 783-173	6.06	2.9683	152	212.57	2843.2	427.5	457.81	178.51	16.25	149.55	138.97	0.06
108.7.25	737	小蕃茄	1灣	5.8	1.6764	115	342.08	1660	384.5	798.97	117.26	11.458	20.519	54.091	0.05
108.7.25	737	小蕃茄	2灣	5	1.8189	109	289.46	1359.1	306.49	933.05	129.71	11.745	18.136	45.413	0.04
108.7.25	737	小蕃茄	3灣	6.56	2.0105	105	291.78	1602.2	354.02	1179.5	176.59	13.521	19.314	47.545	0.04
108.7.25	737	小蕃茄	4灣	5.95	1.7377	87	315.3	1407.3	317.59	643.6	114.94	9.7265	17.576	48.367	0.06
108.7.25	737	小蕃茄	西區	7.03	1.8795	74	230.66	1678.5	291.65	1279.9	208.07	14.108	19.452	26.622	0.03
108.7.25	738	黃椰子	大春場(病土)	6.53	2.5676	101	124.23	2129.6	225.99	463.07	125.91	8.9166	61.516	54.073	0.05
108.7.25	738	黃椰子	鹽埔場(正常)	4.44	1.3376	106	74.7	631.3	85.08	556.81	31.158	13.63	29.283	18.455	0.03
108.7.25	739		1	4.37	1.4665	94	156.92	1912.6	310.64	719.83	117.85	9.8397	24.47	43.971	0.08
108.7.25	740	稻米		5.02	1.3376	5.6	102.3	2963.8	68.553	1615.2	396.87	8.6558	12.765	26.238	0.11
108.7.26	741	芭樂	大樹.內埔	5.03	2.1712	103	155.95	1445.3	168.94	751.2	63.792	8.2376	21.33	24.679	0.04
108.7.26	742	芭樂	九和段9號	5.14	1.3314	116	72.834	948.62	129.32	760.5	52.701	8.6188	18.535	35.99	0.03
108.7.29	743		土庫段116號	7.53	1.1122	63	22.538	2310.9	30.635	96.444	126.16	3.279	6.855	15.957	0.09
108.7.29	744	香蕉	A區	7.59	1.7311	141	37.375	898.75	61.824	781.02	31.155	18.242	18.547	44.343	0.04
108.7.29	744		B區	7.27	1.3376	131	35.323	748.37	65.194	574.12	12.027	4.2526	3.247	25.391	0.03
108.7.29	744		C區	7.28	1.1976	117	20.989	661.35	36.799	400.84	16.007	8.4453	6.4356	23.766	0.04

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.7.29	744		D區	6.21	1.4651	148	16.432	677.79	33.815	575.77	20.849	9.834	12.115	38.604	0.03
108.7.29	744		E區	6.38	1.656	149	114.36	775.13	81.38	743.92	18.854	2.5516	12.615	29.649	0.03
108.7.29	745	玉米	南州	7.14	0.6278	16	16.009	664.84	30.243	209.5	34.647	2.4439	5.2531	15.344	0.02
108.7.29	746		竹田鄉鳳新段940	6.2	2.1075	122	67.593	916.25	52.087	671.17	36.7	9.6563	16.031	19.457	0.04
108.7.29	747		竹田鄉鳳新段0973-0000	6.05	1.4734	45	22.259	835.73	43.611	1123.7	142.19	8.5574	10.78	21.645	0.06
108.7.29	748		竹田鄉鳳新段0973-0001	4.75	1.7295	40	29.863	489.13	48.124	1320.1	55.966	10.001	11.758	30.984	0.03
108.7.29	749	芭樂	龍泉段58號	7.33	3.0115	151	92.358	77.848	4.4657	176.46	14.964	6.4662	2.236	12.949	0.08
108.7.29	750	玉女蕃茄	石安潭段1847號	4.06	1.3984	96	64.075	1079.1	228.65	218.55	118.44	4.7365	18.597	475.92	0.65
108.7.29	751	芒果,芭樂,地瓜	新農段0561-0000	5.92	1.8795	51	37.354	128.09	21.834	110.61	14.174	2.8756	5.1641	13.468	0.01
108.7.29	751	水	新農段0561-0000	7.97		2	1.03	26	10	0.81	0.22	0.01	0.03	13	0.2
108.7.29	751	水	新農段0561-0000	7.97		2	1.03	26	10	0.81	0.22	0.01	0.03	13	0.2
108.7.29	752	香檬	崙新段1486.表土	7.29	1.1152	59	20.217	255.13	42.905	158.57	29.095	3.7687	8.5006	15.116	0.02
108.7.29	752	香檬	崙新段1486.底土	7.02	1.3945	90	51.677	550.74	93.638	218.85	48.994	5.5284	9.1861	20.256	0.03
108.7.29	753	棗子	頭前溪.健康	7.82	1.4515	146	99.326	1315.1	63.679	507.14	70.109	11.379	93.698	95.429	0.05
108.7.29	753	棗子	頭前溪.不健康	6.35	0.8386	125	81.954	739.65	39.198	547.34	38.364	7.0832	29.042	29.281	0.04
108.7.29	754	火龍果	犁頭鏢段299-13	6.84	2.7242	126	52.698	678.67	67.348	416.31	60.334	23.273	23.599	28.034	0.04
108.7.3	676	小蕃茄	北勢段262-12-8	7.64	2.3	130	973	6164	1011	136	151	4	13	225	0.4
108.7.3	676	小蕃茄	北勢段262-12-10	7.04	3.14	147	444	5552	565	388	210	7.3	66	165	0.41
108.7.3	677	香蕉	3分地A S108001	5.17	2.98	170	75	1555	67	822	57	10	32	30	0.07
108.7.3	677	香蕉	3分地B S108002	4.41	2.87	172	513	1584	89	518	75	9.2	24	30	0.45
108.7.3	677	香蕉	3分地C S108003	3.82	2.66	99	483	1105	55	969	11	6.5	9	33	0.2
108.7.3	677	香蕉	6分地A S108004	6.78	2.23	111	140	2939	225	265	35	4.9	23	22	0.14
108.7.3	677	香蕉	6分地B S108005	5.92	2.14	57	91	2082	154	208	26	3.1	8	17	0.15
108.7.3	677	香蕉	6分地C S108006	6.04	2.23	99	65	2589	122	300	25	4	9.3	26	0.07
108.7.3	678	蓮霧	佳和段1607表土	6.38	2.35	178	837	4666	230	694	144	7.9	82	67	0.13
108.7.3	678	蓮霧	佳和段1607底土	6.68	1.94	155	962	4325	224	467	86	5	31	39	0.13
108.7.3	679	檀香柏	澄湖高峰會	6.89	1.8	33	99	1369	298	167	65	2.8	12	13	0.05
108.7.3	679	紅仙丹	國王傳奇	7.62	1.67	54	89	2946	229	251	85	3.8	9.1	33	0.06
108.7.30	755	棗子	華崗段0127-0000	6.94	1.6796	111	76.049	894.62	140.11	374.3	123.1	5.9047	30.807	82.379	0.13
108.7.30	756	棗子	挖子段1103-0087	6.68	1.6638	98	142.39	1038.5	156.21	187.82	75.828	3.8887	30.209	36.712	0.05
108.7.30	757	水稻	有機田A	6.77	0.5677	0.4	64.905	1884.7	45.426	341.16	247.51	6.4413	3.7453	36.064	0.17
108.7.30	757	水稻	有機田B	8.05	1.9433	0.6	89.861	1982.4	47.978	529.58	227.9	8.0295	4.6462	42.126	0.19
108.7.30	757	水稻	有機田C	7.18	0.6355	0.2	70.342	1832.3	52.935	392.82	262.32	8.3083	4.4605	34.299	0.19
108.7.30	757	水稻	有機田D	6.38	1.7492	2.7	72.749	1241.6	34.683	919.91	109.47	17.109	10.076	64.949	0.14
108.7.30	758	可可	東振新段218	6.37	2.4316	152	114.95	391.92	83.522	955.32	17.755	4.4892	8.9735	34.594	0.03
108.7.30	759	花胡瓜	六塊厝1(上) 頭前溪段1256	6.38	0.9177	60	34.868	872.45	16.478	133.02	49.824	4.4848	6.0305	18.519	0.05
108.7.30	759	花胡瓜	六塊厝1(下) 頭前溪段1256	8.03	0.9118	40	40.491	1054.2	30.059	234.54	74.139	6.3124	7.9428	19.122	0.07
108.7.30	759	花胡瓜	六塊厝2(上) 頭前溪段1256	8.02	1.1111	41	77.222	1583	36.125	150.28	93.402	9.9066	14.966	29.893	0.07
108.7.30	759	花胡瓜	六塊厝2(下) 頭前溪段1256	7.94	1.6669	33	97.308	1999.2	52.055	75.022	109.55	6.9729	15.845	24.282	0.09
108.7.30	759	花胡瓜	六塊厝3(上) 頭前溪段1256	8.09	1.4036	46	75.277	2025.9	39.08	70.054	132.23	8.5183	16.623	23.942	0.08
108.7.30	759	花胡瓜	六塊厝3(下) 頭前溪段1256	8.2	1.1789	132	53.199	1801.3	24.447	104.09	99.257	5.4965	15.807	22.416	0.07
108.7.30	760	小黃瓜	定國359	7.88	0.8401	0.6	31.388	1438.5	113.5	485.32	221.39	2.1488	7.2218	50.152	0.21
108.7.30	760		定國359 樣1號	6.22	3.3845	11	76.903	683.51	74.823	306	74.329	3.5537	34.468	41.571	0.02
108.7.30	760		定國359 樣2號	7.07	3.4239	21	112.25	1877.8	174.74	557.91	257.66	3.2413	15.246	60.229	0.43
108.7.30	760		定國359 樣3號	7.73	0.9152	11	54.855	1492.4	152.55	565.22	254.29	2.6645	10.138	72.789	0.28
108.7.30	760		定國359 樣4號	6.29	3.2086	96	68.129	1029.5	186.43	346.76	82.061	3.5411	34.18	38.012	0.02

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.7.30	760		定國359 樣5號	7.26	2.2155	16	92.753	2007.5	171.29	564.39	332.15	3.6472	15.724	60.02	0.39
108.7.30	760	水	灌水17	7.88		1.8	2.3	62	29	0.78	0.2	0.01	0.02	19	0.5
108.7.30	760	水	灌水18	7.13		2.4	2.9	67	32	0.78	0.22	0.01	0.02	16	0.49
108.7.30	760	水	灌水19	7.73		2.6	3.2	130	35	0.77	0.2	0.01	0.02	18	0.72
108.7.30	760	水	灌水20	7.72		2.4	3.1	125	34	0.77	0.21	0.01	0.02	18	0.73
108.7.30	761	可可樹	梓信段735-1	7.15	1.3867	22	55.346	969.04	168.13	414	65.58	3.2972	12.067	23.831	0.03
108.7.30	762	檳榔.可可	竹頭角段3395.3396	7.01	1.6084	136	123.35	836.42	162.72	894.73	58.822	9.2746	14.934	31.487	0.04
108.7.30	763	可可樹	梓信段749號	7.05	1.3239	23	56.401	1017.4	200.62	407.06	53.393	3.1962	9.4113	16.004	0.02
108.7.30	764	百合	霧台A區表土	5.54	1.8	27	207.87	946.41	152.47	56.139	58.093	4.6613	5.2222	18.643	0.02
108.7.30	764	百合	霧台B區表土	5.78	4.7162	12	124.86	710.33	165.05	91.774	135.59	3.559	7.4142	15.018	0.45
108.7.30	769	水	番子寮段0781-0001	7.87		1.2	2.3	39	10	0.8	0.2	0.01	0.01	6.3	0.26
108.7.30	775	水		7.78		2.6	1.08	17	8	0.8	0.4	0.01	0.02	34	0.2
108.7.31	765	青椒	官倉段23-2	5.81	2.42	116	159.48	1143	242.15	366.92	58.338	8.3901	13.031	56.471	0.24
108.7.31	765	青椒	官倉段24-2	6.05	2.8388	128	191.02	1148.8	183.64	274.48	60.907	5.6928	7.8751	32.165	0.1
108.7.31	765	苦瓜	官倉段24-3	5.78	2.9854	134	205.46	861.27	141.1	323.29	61.033	6.7245	12.774	31.803	0.06
108.7.31	766	香蕉	南寮巷1-1號	7.45	1.9991	129	145.79	1277.5	142.66	334.21	134.97	9.6111	17.846	28.739	0.07
108.7.31	767	芒果	南世段1730	6.74	3.1	23	71.108	1030.3	395.93	163.43	65.753	8.6039	5.3716	42.458	0.03
108.7.31	767	芒果	南世段1738	6.96	3.0606	13	108.3	698.74	333.05	74.105	30.102	4.6275	5.175	24.757	0.01
108.7.31	767		南世段1761	5.6	3.1119	26	77.958	976.42	369.15	142.76	25.383	2.8245	4.1007	54.821	0.02
108.7.31	767	芒果	南世段1865	5.71	2.9711	34	151.86	992.02	204.87	98.874	61.849	7.0898	12.219	25.569	0.02
108.7.31	767	芒果	南世段1870	6.08	3.1574	14	78.061	1124.8	366.04	107.11	49.713	5.4938	3.4003	36.202	0.02
108.7.31	767	芒果	南世段1887	5.76	2.802	0.7	41.489	653.53	398.17	57.217	20.964	1.8838	2.4152	41.978	0.01
108.7.31	767	芒果	加祿段	5.86	2.9022	151	99.299	556.92	195.95	652.99	29.423	6.6889	13.674	64.057	0.02
108.7.31	768	洋香瓜	振北段127.1-A	6.49	2.4527	141	76.323	855.24	199.41	287.87	90.52	4.4053	9.3968	59.384	0.25
108.7.31	768	洋香瓜	振北段127.1-B	6.31	2.6469	149	112.73	990.47	211.27	392.42	111.6	5.8384	12.807	78.173	0.37
108.7.31	768	洋香瓜	振北段127.2-A	6.7	2.9999	136	68.969	743.37	158.52	292.79	63.569	4.2431	9.3784	33.221	0.11
108.7.31	768	洋香瓜	振北段127.2-B	7.28	2.7804	124	48.649	778.47	158.56	422.92	105.55	6.172	10.324	36.267	0.08
108.7.31	769	咖啡	瑪家段1159號	4.66	>6	17	77.69	133.49	33.714	90.271	42.289	4.7701	8.0092	15.128	0.03
108.7.31	769	紅藜	番子寮段0781-0001	6.58	2.3534	38	56.378	691.04	100.14	144.98	35.874	6.663	10.294	20.357	0.06
108.7.31	770	印加果	2138泝水段04250000	5.33	1.8867	28	75.998	746.81	184.35	364.41	49.891	2.8397	5.9805	30.863	0.02
108.7.31	771	印加果	半廊段0565號	8	1.1954	42	105.2	908.85	89.19	344.15	143.95	4.2462	10.603	29.166	0.07
108.7.4	680	香蕉	大響營段1小段105	5.57	3.14	66	103	1576	257	169	58	4.5	18	12	0.07
108.7.4	680	香蕉	新力段63	6.13	2.78	12	96	1917	244	153	77	2.6	8.2	14	0.06
108.7.5	681	愛玉	表土正常轉彎處左邊	7.06	1.47	102	329	2597	147	155	88	2.2	21	31	0.07
108.7.5	681	愛玉	表土異常轉彎處	7.39	1.25	68	121	3706	186	296	163	2.4	15	16	0.04
108.7.5	682	無花果	廣安路216號001	7.49	3.01	119	168	2823	249	103	84	0.9	10	11	0.05
108.7.5	682	無花果	廣安路216號002	7.08	>6	148	222	7496	556	49	122	1	45	23	0.08
108.7.5	682	水	廣安路216號	8.24		1.7	2	75	13	0.8	0.2	0.02	0.02	12	0.45
108.7.5	683	紅龍果	高華段	5.4	1.81	87	220	1415	63	450	26	7.4	15	14	0.03
108.7.8	684	山蘇	草埔段83	5.14	>6	42	139	1036	318	94	103	3.3	45	29	0.17
108.7.8	684	水	草埔段83	8.13		0.8	0.8	11	6.3	0.8	0.2	0.02	0.02	7	0.14
108.7.8	685	山蘇	草埔段917.916.920	6.54	4.91	35	94	2198	481	87	125	1.6	6.3	44	0.07
108.7.8	685	水	草埔段917.916.920	8.32		0.8	2	32	18	0.8	0.2	0.02	0.02	24	0.32
108.7.8	686	山蘇	草埔段1172.1490	5.15	5.05	23	72	481	220	38	61	0.5	2.7	19	0.03
108.7.8	686	水	草埔段1172.1490	8.31		0.8	0.9	26	11	0.8	0.2	0.02	0.02	8.4	0.23
108.7.8	687	山蘇	草埔段1282.1239	6.54	4.76	95	160	2353	430	79	94	1	5.9	49	0.15

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.7.8	687	水	草埔段1282.1239	8.16		0.4	1	13	6.4	0.8	0.1	0.02	0.02	18	0.18
108.7.8	688	山蘇	草埔段73.76.77.78	6.35	4.29	20	110	1326	396	97	118	1.3	7.6	21	0.05
108.7.8	688	水	草埔段73.76.77.78	8.09		1.2	0.9	3.8	4	0.8	0.3	0.02	0.02	8.7	0.09
108.7.8	689	山蘇	草埔段1164	6.25	>6	14	102	2228	340	62	142	2	6.4	30	0.07
108.7.8	689	山蘇	丹路段3-4	7.39	5.99	15	117	3246	702	16	108	0.5	3.4	43	0.08
108.7.8	689	山蘇	草埔段1138	6.28	5.17	25	105	1599	375	53	88	101	3.6	33	0.05
108.7.8	689	水	草埔段1164	8.11		0.9	0.6	16	8	0.8	0.2	0.02	0.02	8.4	0.18
108.7.8	689	水	丹路段3-4	8.17		0.9	0.7	16	8	0.8	0.2	0.02	0.02	7.9	0.17
108.7.8	689	水	草埔段1138	8.15		0.6	0.7	16	8	0.8	0.1	0.02	0.02	7.9	0.17
108.7.8	690	山蘇	草埔段79.81	5.26	>6	45	154	1143	350	88	102	3	4.5	29	0.16
108.7.8	690	水	草埔段79.81	8.21		1.1	1	24	10	0.8	0.1	0.02	0.02	6.8	0.19
108.7.8	691	山蘇	草埔段199	6.78	>6	29	346	3121	644	73	192	1.4	4.6	28	0.09
108.7.8	691	水	草埔段199	8.23		0.8	0.9	24	11	0.8	0.2	0.02	0.02	8.2	0.23
108.7.8	692	山蘇	草埔段1289	7.37	>6	35	150	5089	785	51	258	1.3	13	44	0.13
108.7.8	692	水	草埔段1289	8.18		1.8	0.9	19	9	0.8	0.1	0.02	0.02	7.4	0.19
108.7.8	693	山蘇	草埔段197	6.44	5.66	18	236	2007	435	41	122	1	5.1	26	0.07
108.7.8	693	水	草埔段197	8.14		1.3	0.9	22	10	0.8	0.1	0.02	0.02	9.1	0.21
108.7.8	694	山蘇	草埔段944	5.39	5.3	31	150	1399	243	45	66	1.1	3.1	23	0.07
108.7.8	694	水	草埔段944	8.11		1	0.9	18	8	0.8	0.1	0.02	0.02	6.1	0.18
108.7.8	695	山蘇	草埔段541	6.75	4.88	32	82	2672	546	90	101	1.2	4.9	36	0.05
108.7.8	695	水	草埔段541	8.14		1.3	0.7	15	7	0.8	0.1	0.02	0.02	7.6	0.15
108.7.8	696	山蘇	草埔段3990	5.61	>6	11	85	1355	383	130	98	1.1	3.6	99	0.1
108.7.8	696	水	草埔段3990	8.14		0.6	0.6	17	7.7	0.8	0.1	0.02	0.02	7.9	0.14
108.7.8	697	山蘇	草埔段241.235	6.78	4.67	18	85	2787	579	109	124	1.5	5.1	36	0.05
108.7.8	697	水	草埔段241.235	8.2		0.9	0.6	17	7.5	0.8	0.1	0.02	0.02	7.8	0.16
108.7.8	698	山蘇	草埔段1282.1239	7.07	4.33	37	133	3043	455	155	159	3.9	17	30	0.04
108.7.8	698	水	草埔段1282.1239	8.16		0.9	1	18	8	0.8	0.1	0.02	0.02	6.1	0.17
108.7.8	699		表土.竹頭角147	5.94	2.24	128	241	2847	271	749	39	1.9	11	104	0.36
108.7.8	700		表土.竹頭角957	6.08	1.8	145	611	3284	485	1033	71	3.5	6.9	125	0.69
108.7.8	701	蜜棗	2分	6.68	2.14	158	167	3308	122	456	81	4.4	17	19	0.05
108.7.8	701	蜜棗	3分	6.71	2.07	166	156	5623	129	510	131	4.3	59	42	0.06
108.7.9	702		歸來路段406	7.52	1.32	20	25	2021	119	194	66	2.2	3.5	13	0.03
108.7.9	702	水		7.88		3.4	1.4	76	13	0	0	0	0	13	0.49
108.8.1	772	瓜菜	建興路218巷151號棚A	7.15	1.5374	38	65.536	1324.7	237.52	279.83	79.1	3.9921	10.548	105.04	0.7
108.8.1	772	瓜菜	圳頭段577-6.棚6	7.85	2.2324	91	414.9	920.8	213.05	190.2	122.02	4.3075	13.781	53.494	0.14
108.8.1	772	瓜菜	圳頭段577-6.棚7	7.07	2.8525	115	1022.1	2320.5	661.48	194.85	129.82	3.8994	11.773	323.57	2.07
108.8.1	772	瓜菜	圳頭段577-6.棚8	7.45	3.0754	130	779.03	1312.2	329.07	211.38	134.09	4.5709	13.739	188.7	1.35
108.8.1	773	鳳梨	1211號	6.16	1.2535	99	47.498	455.06	49.731	172.62	24.439	7.8839	6.0644	21.083	0.03
108.8.1	773	鳳梨	1210號	5.95	1.191	116	37.477	365.81	33.983	267.49	28.282	6.9206	7.3409	20.276	0.02
108.8.1	774	鳳梨	大社區嘉誠段774	3.49	1.2605	73	271.9	251.45	23.706	517.87	37.379	2.8698	4.0436	22.386	0.74
108.8.1	774	鳳梨	大社區嘉誠段1121	4.38	1.4529	58	56.824	199.81	20.799	289.72	28.943	3.2583	3.7946	17.232	0.03
108.8.1	774	鳳梨	大社區嘉誠段1121-1	4.61	1.048	60	20.473	148.29	0	492.8	11.125	1.9079	2.4861	16.859	0.01
108.8.1	774	鳳梨	大社區嘉誠段1121-2	4.15	1.388	61	48.828	139.5	11.953	333.54	17.254	2.6997	3.2741	19.677	0.05
108.8.1	775	可可	西盛段924	5.68	1.9433	134	61.304	559.48	80.199	691.68	34.084	5.7003	5.5471	30.474	0.03
108.8.1	776	香檬	街尾崙段1018.表土	7.45	1.8	42	98.885	922.49	183.96	311.93	153.43	8.4768	61.295	134.64	0.07
108.8.1	776	香檬	街尾崙段1018.底土	7.72	1.7492	37	76.526	1188.7	236.82	360.56	160.84	9.7321	78.85	137.89	0.06

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.8.12	800	小蕃茄.小黃瓜	大寮段1225B	6.92	1.5316	19	45	1113	131	257	74	3.8	17	14	0.03
108.8.12	801	小蕃茄.小黃瓜	大寮段1225D	6.59	1.4776	16	26	706	110	200	35	3.1	7.4	13	0.02
108.8.12	802	小蕃茄.小黃瓜	大寮段1224	6.63	2.4086	66	156	1130	132	327	74	8.8	22	12	0.06
108.8.12	803	蔬菜.瓜果	燕北段302.303.304	7.32	1.2432	66	58	956	143	154	50	1.9	5.5	22	0.05
108.8.12	804	芒果	隆山北段0342	6.61	2.6444	104	70	1019	226	432	196	6	12	64	0.19
108.8.12	805			7.8	1.3971	42	128	3999	161	694	213	2.8	8	15	0.18
108.8.12	806	檳榔	昌北段09380000北側	6.72	2.7216	104	83	1447	128	806	84	5.2	16	21	0.05
108.8.12	806	檳榔	昌北段09380000南側	6.04	3.9623	136	147	2386	138	934	85	21	66	49	0.1
108.8.12	807	蕃茄	2394-0000	7.81	1.3803	122	138	1923	165	243	99	10	28	68	0.15
108.8.12	807	芭樂	五年.珠不良2458-0000	8.06	1.0461	42	53	1762	140	187	87	4	9	32	0.08
108.8.12	807	芭樂	10個月.滿	7.16	1.6732	78	83	1180	182	553	90	5	12	113	0.22
108.8.12	807	芭樂	五年.珠良2458-0000	8.11	0.985	86	76	2146	179	230	88	4.2	10	35	0.08
108.8.12	807	蕃茄	學校2118	6.83	1.388	118	98	1203	137	499	63	6.5	23	35	0.04
108.8.12	807	水	中路段2458-0000	6.97		2.6	16	200	124	0	0.6	0	0.01	297	2.99
108.8.12	808		旱.0254-0000	8.03	0.9814	52	36	3920	132	371	205	3.1	10	13	0.06
108.8.13	809	地下水	A	7.05		0.2	7.7	10	7.5	0	0	0	0	46	0.29
108.8.13	809	地下水	B	7.18		0.3	9.3	14	10	0	0	0	0.01	54	0.39
108.8.13	810			6.77	1.5993	79	125	796	117	957	65	5.7	5.9	40	0.13
108.8.13	811	木瓜	成功段 1 1 7 9 - 3	8.08	1.1256	15	140	2934	122	791	251	4.5	7.3	72	0.22
108.8.13	811	木瓜	成功段1180	8.12	1.1204	21	134	3746	162	352	299	4.5	8.8	80	0.26
108.8.14	813	小蕃茄	美濃段5794	6.95	1.8171	96	86	1366	109	788	106	7.5	9.1	32	0.14
108.8.15	814	芒果	靶場 表土	7.2	2.2176	10	47	674	156	118	50	1.6	3.4	27	0.02
108.8.15	814	芒果	靶場 底土	7.16	2.1588	7	46	875	196	119	36	1.5	3.6	30	0.02
108.8.15	815	芒果	車城 表土	6.96	2.7268	12	55	604	266	95	41	4.1	4	85	0.03
108.8.15	815	芒果	車城 底土	6.71	2.3019	6.9	28	369	267	47	8.8	1.3	2.3	119	0.03
108.8.15	816	蔬菜	內埔 興義段112號 1~2	5.53	2.7216	8.5	70	948	112	536	21	6.1	10	34	0.11
108.8.15	816	蔬菜	內埔 興義段112號 3~4	4.52	2.7671	129	79	514	85	396	16	4.3	6	33	0.16
108.8.15	816	蔬菜	內埔 興義段112號 5~6	5.27	2.6879	138	105	871	136	786	29	6.5	7.5	41	0.13
108.8.15	816	蔬菜	內埔 興義段112號 7~8	5.65	2.8415	154	73	799	83	683	35	6.2	10	43	0.08
108.8.15	817	西瓜.蔬菜	萬丹B1	8.13	1.3142	72	26	3388	60	118	73	7	14	11	0.07
108.8.15	817	西瓜.蔬菜	萬丹B2	8.05	1.5316	83	20	1764	36	117	68	10	16	11	0.08
108.8.15	817	西瓜.蔬菜	萬丹D1	5.6	1.8241	12	20	192	27	26	17	1.7	2.9	9.5	0.02
108.8.15	817	西瓜.蔬菜	萬丹D2	6	1.8601	9.3	17	3789	41	57	22	2.5	2.7	12	0.01
108.8.15	818	蔬菜		6.39	1.5374	67	80	829	50	417	23	3.4	17	19	0.04
108.8.19	819		B4	6.61	1.8017	226	108	785	119	593	68	2.9	27	16	0.3
108.8.19	819		C1	7.67	34.36	193	742	11039	1268	766	129	1.6	149	507	1.32
108.8.19	819		C2	7.46	39.015	212	1062	10469	1314	730	132	2.4	141	870	1.46
108.8.19	820	冰花玉米	五福729	8.95	3.28	110	460	13352	841	116	82	8.3	16	406	0.12
108.8.19	821	葉菜	馬公東街1694號	8.28	3.6155	225	330	9751	1147	155	121	7.2	14	261	0.15
108.8.19	821	葉菜	馬公東街1670號	8.33	3.4074	61	207	6345	1323	159	142	3.3	4.5	267	0.12
108.8.19	821	葉菜	馬公東街1693號	8.17	3.5427	226	241	8546	1242	178	117	4.8	11	288	0.16
108.8.19	822	甘藷	北澳段601號	8.22	3.1059	231	574	13478	1062	94	104	3.9	12	146	0.12
108.8.19	822	玉米	北澳段602號	8.2	2.9854	134	374	4486	802	114	134	2.6	7.2	75	0.1
108.8.19	822	蔬菜	北澳段611號	8.38	2.8552	130	556	5761	812	114	96	2.6	7.6	156	0.12
108.8.19	823	葉菜	馬坎新段1894	8.09	3.7832	220	741	11607	1130	125	111	3.2	9.3	222	0.15
108.8.19	824	檸檬酪梨	許家段1148號	8.16	4.4609	62	634	7973	1657	130	91	2.5	5.1	306	0.14

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.8.19	825	瓜菜.葉菜	菓葉新段2224號	8.29	2.6982	104	272	22955	134	59	53	1.9	4.2	205	0.07
108.8.19	825	越瓜.花生	菓葉新段111號	8.31	2.2389	45	186	42745	1892	57	30	1.8	3.5	311	0.08
108.8.19	826	地瓜.玉米	菓葉新段2180號	7.39	2.7965	77	269	32133	1692	44	45	1.4	3.8	283	0.88
108.8.19	826	地瓜.花生	菓葉新段477號	8.14	2.8388	23	172	34804	1752	46	42	1.1	2.5	278	0.1
108.8.19	826	花生.蘿蔔	菓葉新段109號	8.28	2.4339	47	172	41528	1998	47	28	1.1	5.1	342	0.08
108.8.2	777	愛文芒果	708號	6.23	6.2698	32	190.8	1408.4	282.4	87.889	133.14	6.096	34.93	33.339	0.04
108.8.2	777	愛文芒果	1082號	6.56	3.2973	45	194.93	996.26	273.61	156.33	92.16	4.7847	10.269	31.444	0.03
108.8.2	777	愛文芒果	1091號	6.52	2.5056	17	118.08	986.19	351.3	159.69	68.471	3.9236	4.9594	30.088	0.02
108.8.2	778	愛文芒果	獅子村35號	6.57	3.04	17	139.1	827.44	219.39	112.49	80.112	3.3159	7.4037	31.556	0.03
108.8.2	779	小米.地瓜	霧台佳暮段0400-0000	6.93	5.2445	99	240.7	1364.7	297.77	63.134	175.4	8.9975	224.38	44.597	0.08
108.8.2	780	小米.芋頭	霧台佳暮段0410-0000	6.32	3.2274	103	97.752	818.73	130.56	85.498	73.501	5.0536	11.421	17.105	0.04
108.8.2	781	咖啡	霧台佳暮段0398-0000	6.45	3.4801	15	57.592	800.54	104.43	107.79	131.01	6.5685	13.172	17.468	0.08
108.8.21	827	紅龍果	845號	7.68	2.2092	262	113	1721	299	786	80	3.2	12	8.9	0.07
108.8.21	827	紅龍果	846號	7.02	4.9834	994	105	2401	362	635	78	5.5	31	14	0.07
108.8.21	827	水		7.48		0.05	2.6	179	62	0	0	0	0	21	0.85
108.8.21	828	無花果	木柵段0930-001	7.48	2.313	36	90	1031	353	244	26	0.5	2.1	29	0.12
108.8.22	828	無花果	木柵段0930-002	7.21	2.8552	52	64	1320	444	276	43	1.4	9.1	34	0.16
108.8.22	829		永興段626.627.628.629號	8.3	0.7002	14	55	366	96	378	112	0.9	1.7	4.7	0.03
108.8.22	830	蜜棗	水蛙潭段85-9 表土	7.82	2.1629	261	253	1318	418	84	67	1.1	14	41	0.11
108.8.22	830	蜜棗	水蛙潭段85-9 底土	8.27	1.3202	56	332	1989	525	1088	92	0.8	9.7	97	0.26
108.8.22	831	蜜棗	燕東段135號 底土	7.72	1.6008	180	188	1420	399	463	116	1.2	7.9	15	0.05
108.8.22	831	蜜棗	燕南段657號 底土	7.85	2.1526	185	273	1400	413	843	60	2.5	7.1	59	0.1
108.8.22	832	棗子	尖山段740 741號	6.51	2.1588	770	163	1493	147	655	47	3.4	20	7.9	0.05
108.8.22	833	牛蒡	新歸來段120.123.126	7.13	1.7377	108	82	956	165	739	211	3.4	5.1	4.8	0.03
108.8.22	834	牛蒡	新歸來段149.150	7.64	1.6764	199	82	1640	168	1011	176	6.9	7.5	5.9	0.05
108.8.22	835		103	4.09	>6	19	95	164	52	462	50	1.4	3.1	4.7	0.05
108.8.22	836		101	5.51	4.6181	42	59	852	199	563	306	1.9	6.3	6.6	0.02
108.8.22	836		100	5.49	4.9979	44	63	850	205	564	303	2	6.5	6.7	0.02
108.8.22	837		33	6.36	5.9739	33	149	2520	341	450	145	1.9	11	6.1	0.06
108.8.23	838	四季桔	中柳段1009-0000號	6.12	1.7459	340	152	1056	320	1204	19	3.6	8.1	8.1	0.03
108.8.23	838		社皮段0448-0000號	7.31	0.9787	464	98	1341	201	734	68	5.2	12	4.7	0.03
108.8.23	839	可可.咖啡	萬巒段1375-0006 1374-0003號	6.41	2.2866	525	158	1333	168	1021	30	5.7	10	5.5	0.03
108.8.23	839	水	萬巒段1375-0006 1374-0003號	7.48		0.13	1.1	110	33	0	0	0	0.09	8.8	0.47
108.8.23	840		A	6.51	2.9683	233	146	1466	305	1296	67	2.9	6.2	5.5	0.04
108.8.23	840		B	6.46	2.3624	208	85	1237	293	1310	63	1.9	5.8	5.5	0.03
108.8.23	841			6.82	2.0278	351	130	1428	273	1633	64	1.8	5.4	12	0.05
108.8.23	842	水蓮	圓潭子段二小段2122-0-0	7.9	1.4651	37	68	2491	550	1680	169	1.7	6.2	17	0.11
108.8.23	843	鳳梨	東勢段0390-000表土	5.12	1.8	175	35	175	77	947	59	1.9	3.7	5.2	0.01
108.8.26	844	愛玉	左邊 表土	6.71	1.8223	154.66	182.71	1972.2	203.91	826.74	85.142	1.9383	5.7034	12.721	0.18
108.8.26	845	番茄	竹頭角段3912-0000 3913-0000	6.62	1.3841	106.18	66.17	756.15	135.32	1015.7	33.011	1.3771	1.7723	5.5419	0.1
108.8.26	846	檸檬	磚仔地段0525-0000號	6.64	1.8921	305.52	45.469	894.79	91.34	352.95	22.926	8.3133	5.7372	6.9162	0.03
108.8.27	847	鳳梨	廣興段1665	4.12	3.0429	23.676	66.699	96.721	2.9296	154.83	10.429	0.2514	0.7745	3.1365	0.1
108.8.27	847	鳳梨	加蚋埔段297.298.299	4.81	1.4036	40.663	79	199.89	44.686	277.05	25.12	0.351	1.3223	2.9365	0.04
108.8.27	847	水		7.51		0.0467	0.5279	59.285	14.304	-0.2836	-0.2836	0	0.0052	7.3553	0.25
108.8.27	848	鳳梨	新泰山段696.700.701	4.75	0.8454	163.82	45.929	126.08	37.393	632.69	13.725	0.6209	1.3746	5.7823	0.02
108.8.27	849	鳳梨	新田子段37	5.03	0.4895	87.263	13.886	128.2	24.962	319.05	11.782	0.276	0.9189	4.0197	0.01

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.8.27	849	鳳梨	新泰山段1041.1014	5.39	0.8341	84.847	31.617	194.46	37.45	335.51	31.31	0.4733	1.6241	3.896	0.04
108.8.27	850			6.73	1.6669	191.66	137.22	947.88	194.62	718.6	48.105	1.923	4.733	8.0331	0.09
108.8.27	854	水		6.78		2.363	281.6	384.52	389.48	-0.374	-0.2836	0	0.0109	3594	28.4
108.8.28	851	檸檬	大仁段1036	7.23	0.902	90.705	31.839	1153.4	123.14	712.17	79.464	2.1488	3.7527	3.2046	0.03
108.8.28	851	水		7.85		0.0075	2.1755	213	28.654	-0.3748	-0.2836	0	0	9.7803	0.64
108.8.28	852		鳳新段943號	5.43	1.4679	127.17	34.545	330.35	70.173	1029.8	25.986	2.0316	3.2164	3.5381	0.03
108.8.28	853		通明路	6.77	2.3624	236.83	124.7	1410.9	219.79	633.95	79.082	3.2309	5.8775	11.148	0.06
108.8.28	853	灌溉水		8.15		0.1731	1.5683	152.49	27.737	-0.3914	-0.2836	0	0.0576	9.829	0.51
108.8.28	855	小蕃茄	進興段961號	7.36	2.4293	95.102	27.513	1298.2	126.96	675.23	47.456	3.6667	3.4703	6.1151	0.05
108.8.28	855	芭樂	長興段705~2	7.09	1.048	56.353	41.831	454.39	112.69	661.32	48.203	1.5952	1.9694	5.0088	0.02
108.8.28	856	薑黃	繁興段343號	6.85	1.4488	80.919	32.625	683.29	130.43	698.28	36.141	2.1815	3.4934	4.6958	0.02
108.8.29	857		A區	7.59	1.1235	7.2391	155.87	2032.7	820.26	894.12	81.154	1.5331	3.7012	69.943	0.97
108.8.29	857		B區	7.64	2.4177	130.3	638.28	3147.5	808.17	612.88	79.378	2.0666	5.7109	155.9	1.33
108.8.29	858			7.3	4.0694	172.52	107.94	2286.5	313.95	1006.8	35.436	1.6278	7.0576	14.578	0.06
108.8.29	859	芒果.芭樂.酪梨	佳興段655號	6.48	2.4433	250.43	116.55	1660.1	310.74	988.86	24.518	3.4559	15.491	49.473	0.07
108.8.29	860			6.3	1.3154	64.655	66.607	635.09	119.79	661.59	72.98	2.3658	3.7411	5.5041	0.04
108.8.29	873			5.36	1.6732	306.6	186.7	1046.8	154.53	703.6	119.5	2.6082	4.6622	8.1782	0.3
108.8.30	861	苦瓜	田厝段	5.41	1.9563	549.85	253.14	1190.7	141.29	1042.1	59.208	2.4395	12.675	9.9702	0.11
108.8.30	862	芒果	五魁段1311 1312	6.86	1.9619	47.936	143.65	1244.1	264.92	487.29	108.45	1.586	2.1247	7.4387	0.02
108.8.30	863	蔬菜	高樹泰山 A	6.29	3.136	363.19	149.74	1535.5	346.73	620.47	21.622	2.1605	6.801	33.16	0.34
108.8.30	863		高樹泰山 B	6.42	2.9883	339.8	38.562	1187.7	182.47	716.84	14.26	1.7968	6.5441	8.1227	0.05
108.8.30	863		高樹泰山 C	6.78	2.022	422.45	59.426	1413.9	191.41	959.1	25.646	3.0992	9.0637	6.2548	0.04
108.8.30	863		高樹泰山 D	6.04	2.5627	391.89	85.758	1257.8	240.63	899.72	18.548	2.1927	5.4164	9.4661	0.07
108.8.30	863	水		8.17		0.0512	0.8603	112.89	32.781	-0.3688	-0.2836	0	0.0013	10.074	0.47
108.8.30	864	蔬菜		7.06	2.4339	122.31	31.522	1268	89.804	356.45	28.747	1.1814	3.4154	3.1464	0.03
108.8.30	864	果樹		6.29	1.8	244.64	71.549	902.17	185.25	645.53	9.0445	3.012	2.7828	4.6702	0.02
108.8.30	864	水		8.16		0.0052	0.5496	110.96	35.5	-0.385	-0.2836	0	0.4179	7.4734	0.41
108.8.30	865	木瓜	阿拔泉594871	6.23	1.9507	319.59	49.676	740.38	97.99	755.01	16.86	2.2509	3.4423	5.0848	0.03
108.8.30	866		月眉段3257	5.86	1.7377	367.17	177.89	755.48	196.28	1558.1	24.766	1.4208	2.8853	13.867	0.06
108.8.5	782	棗子	尖山段689	5.87	1.4515	149	166.2	564.58	97.483	534.96	18.054	5.9238	8.711	23.163	0.06
108.8.5	782	棗子	尖山段689-1	6.89	1.5978	78	117.21	809.66	210.35	206.1	29.846	3.4686	7.6549	49.709	0.15
108.8.5	783	花瓜	九清段563號	6.73	1.6748	116	135.93	629.3	82.04	240.17	39.586	4.6976	11.262	10.842	0.05
108.8.5	784	蔬菜	赤崁段.寮小段4589.4590號	6.19	3.6473	174	349.09	2540.7	712.39	317.79	118.96	1.9733	7.5359	608	2.83
108.8.5	785	素地	牡丹段269.269-2,269-3	6.34	5.3653	36	202.01	955.84	433.96	63.715	97.295	4.5563	8.8275	25.476	0.07
108.8.5	786	木鱉果	新厝-小段60	4.73	1.2501	35	33.445	208.24	12.188	88.073	10.148	2.0979	2.2675	11.789	0.03
108.8.5	786	諾麗	新厝-小段59	4.43	2.496	64	69.92	333.06	63.27	110.27	22.662	2.4599	2.5569	11.249	0.04
108.8.6	787	原生茶	藤枝段148	4.42	>6	90	114.58	169.01	27.411	60.862	49.063	4.2645	3.3602	10.187	0.05
108.8.6	787	咖啡	藤枝段148	4.94	>6	47	186.12	949.19	231.61	34.945	123.1	1.7793	15.989	13.768	0.07
108.8.6	788	水稻	歸來2-1	7.19	2.2282	54	56.282	1159	67.004	240.75	106.03	7.5098	10.678	25.117	0.08
108.8.6	788	水稻	歸來2-3	7.15	2.3624	92	32.377	849.28	45.955	574.25	82.156	8.1488	9.9024	23.828	0.04
108.8.6	788	水稻	歸來5-1	5.51	1.5245	67	82.695	469.63	35.804	368.34	35.637	5.1615	5.9516	6.7619	0.05
108.8.6	788	水稻	歸來5-3	6.03	1.7576	62	93.68	568.09	44.897	603.58	61.359	7.078	6.0367	9.5434	0.04
108.8.6	788	水稻	歸來11-1	7	2.0029	138	26.242	794.03	38.667	667.15	48.698	10.309	15.158	23.592	0.04
108.8.6	788	水稻	歸來11-2	6.2	2.1547	119	60.526	660.71	50.75	857.08	48.515	9.8954	12.818	20.286	0.04
108.8.6	788	水稻	歸來11-3	7.35	2.2432	155	51.206	1173.1	46.084	564.14	144.59	16.58	29.475	26.135	0.08
108.8.6	788	水稻	歸來11-4	7.18	1.8707	159	61.923	803.93	37.397	988.51	188.99	17.221	24.659	24.566	0.06

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.8.6	789	檸檬	美崙段1703-000 1704-0000	7.44	1.0577	11	26.36	938.03	104.35	410.69	110.89	1.9205	4.3527	33.507	0.22
108.8.7	790	檸檬	溝仔墘段582號	5.9	2.0717	92	53.851	860.29	127.74	345.88	26.033	5.3949	8.3141	17.966	0.03
108.8.7	790	檸檬	溝仔墘段583.584.585號	6.14	2.4865	123	67.484	1053.6	164.74	372.95	36.672	6.1442	14.357	23.598	0.05
108.8.7	790	辣椒	溝仔墘段586號	6.6	2.4865	118	30.794	1022	142.96	480.94	61.801	9.5195	19.074	32.41	0.04
108.8.7	790	辣椒	溝仔墘段590-2號	6.15	2.719	28	45.993	1051.2	151.22	446.45	81.81	5.3812	7.091	20.322	0.05
108.8.7	790	水	溝仔墘段582 583 584 585 586	7.9		1.4	1.1996	109.08	23.067	0	0	0	0	11.362	0.51
108.8.7	793	水	潮州	7.52		1.2	1.2298	78.052	22.435	0	0	0	0.0059	13.895	0.43
108.8.8	791	葉菜	新甲段441-6號	7.33	1.8	79	25.384	1347.4	236.48	52.139	60.442	1.9215	11.198	85.012	0.2
108.8.8	791	葉菜	新甲段441-8號	7.17	1.6008	106	22.305	866.86	153.95	84.206	58.821	3.6979	14.096	130.81	0.28
108.8.8	791	葉菜	新興段543號	7.44	1.3984	82	46.63	776.09	153.2	175.93	43.146	3.4233	9.1251	117.97	0.24
108.8.8	792	棗仔	中安段0625-0000號	7.46	1.6145	131	59.301	844.17	71.92	250.75	81.476	4.4465	41.064	28.242	0.06
108.8.9	793		鳥松	7.68	1.047	20	21.968	681.19	48.895	106.58	16.047	0.4459	3.6629	8.8825	0.03
108.8.9	793		麟洛	7.74	1.4693	8	23.019	1596.6	158.32	269.3	86.972	4.2838	11.285	75.321	0.18
108.8.9	794		1	6.24	1.1921	120	253.83	487.69	63.999	530.87	20.841	10.968	12.551	9.9863	0.03
108.8.9	794		2	6.35	1.405	131	208.9	552.93	61.521	472.61	17.505	8.586	10.132	10.574	0.06
108.8.9	794		3	6.63	1.4063	111	102.6	763.93	71.442	389.49	15.543	5.8993	5.0671	7.1184	0.02
108.8.9	795	雪蜜棗	燕巢南角宿段0486-0000號	6.73	1.7426	106	131.55	626.83	154.87	126.59	46.488	3.2401	17.879	27.589	0.09
108.8.9	796		大仁東段182	4.13	2.719	145	122.64	190.67	31.758	916	16.949	3.3885	8.4891	12.068	0.06
108.8.9	796		大仁東段0317	4.39	3.4239	145	119.78	387.66	35.884	753.81	21.771	26.042	31.701	11.503	0.05
108.8.9	796	水	振北910	7.62		0.3	1.9913	16.94	2.2107	0	0	0	0	3.6628	0.1
108.8.9	796		大仁東段0318	7.68		0.3	2.1391	17.236	2.891	0	0	0	0.0063	5.0447	0.11
108.8.9	797		光明段0163.0164	4.32	3.0941	143	102.85	334.79	30.972	703.2	19.36	21.734	26.165	10.77	0.05
108.8.9	797		高華段0327 0328	4.06	2.5275	160	143	201	39	1027.6	18	3.4	7.4	14	0.08
108.8.9	797	水	高華238	7.85		0.7	1.8264	47.285	12.33		0	0	0	4.114	0.25
108.8.9	797		高華236	7.87		0.7	1.9158	47.474	12.489	0	0	0	0	4.0757	0.25
108.8.9	798		農科段50-2	6.86	2.2134	31	29.625	878.21	62.731	134.64	98.909	3.0535	11.605	8.7665	0.03
108.8.9	798		農科段50-5	7.09	1.7409	20	35.28	793.22	44.9	68.996	53.569	2.0166	9.3109	6.0107	0.03
108.8.9	799	水	萬龍段472 472-2 472-3號	7.68		0	0.0198	2.1112	0	0	0	0	0	0.8394	0
108.9.10	899	荔枝.鳳梨		4.44	2.6571	52	97	400	111	234	35	0.7	3.2	9.7	0.05
108.9.10	900	甘藍	華山段0337-0000	5.46	1.401	419	153	1081	176	844	39	1.7	5.5	15	0.05
108.9.10	901	洋香瓜	中壇段2638-1	6.96	2.427	319	419	3614	714	1600	142	5.1	11	16.8	0.81
108.9.10	901		中壇段2638-2	7.25	2.0974	346	259	3156	586	1910	137	4.9	13	59	0.21
108.9.10	901		中壇段2639	7.09	2.3108	409	278	5181	983	2204	171	4.9	12	204	0.79
108.9.10	902	百香果	鹿寮段966	6.45	1.4542	122	28	799	157	923	109	1.2	3.9	10	0.03
108.9.10	902	百香果	永慶段1035	6.48	2.4223	949	234	2591	227	1182	133	4	18	9.2	0.04
108.9.10	902	百香果	西盛段1285	6.81	2.3197	156	91	1353	278	1505	98	2.3	5.6	13	0.04
108.9.10	902	百香果	西盛段1122	6.69	2.4386	228	101	1433	323	1459	92	2.6	7.9	9.2	0.03
108.9.10	903	木瓜	久愛段0812	5.51	1.2582	303	59	474	149	1355	139	2.3	5.9	8.4	0.02
108.9.10	904	檸檬	老埤段263-8	6.22	1.5359	309	98	1152	305	1699	202	3.8	13	9.5	0.02
108.9.10	904	檸檬	老埤段261-11	6.52	1.0518	216	26	567	94	695	45	1.1	3.5	8.4	0.02
108.9.10	904	水	263-8	7.09		0.1	1.2	213	20	0	0.2	0	0.01	13	0.48
108.9.10	904		261-11	7.21		0.1	1.1	187	20	0	0.2	0	0.04	13	0.43
108.9.10	905	蓮霧	大仁東段0231.0233.0234	6.27	1.4748	563	45	1313	115	1072	84	11	42	8.5	0.02
108.9.10	906	南洋種	德榮段1167	5.97	4.8324	3274	368	5004	309	2504	86	19	104	12	0.06
108.9.10	907	薑.蔬菜	0796-0000	6.57	1.6716	562	36	1762	152	1891	92	3	10	8.4	0.04
108.9.10	907	水		7.33		0.1	1.6	336	56	0	0.2	0	0.02	9.5	0.72

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.9.10	908	蓮霧	玄聖段0127.0129	6.13	2.6242	547	287	2707	300	231	184	4.1	19	12	0.14
108.9.10	909	檸檬	A區	5.67	1.812	429	59	1117	227	1338	17	4	7.5	9.5	0.04
108.9.10	909	檸檬	B區	5.22	1.9656	617	65	836	253	1779	12	3.1	6	10	0.06
108.9.10	910	辣椒	萬丹	7.02	2.0201	287	81	3673	276	2714	212	4.1	15	14	0.1
108.9.10	910	水		7.39		0.1	12	311	36	0	0.5	0	0	32	0.74
108.9.10	911	木瓜	新埤萬隆	5.78	>6	1814	246	4989	313	1496	173	14	15.6	23	0.16
108.9.10	912		上洛陽段0159-0000	6.12	1.8189	665	60	1732	144	1274	96	2.3	17	7.9	0.03
108.9.10	913	紅豆	新全段(0109).1254號減藥	6	2.0086	292	72	1078	153	2064	37	2.1	8.6	14	0.06
108.9.10	913	紅豆	新全段(0109).1254號慣行	6.03	1.8724	330	85	1206	160	2124	38	2.6	8.7	15	0.04
108.9.10	913	紅豆	新全段(0109).1254號有機	5.98	1.8885	294	78	1207	173	2282	50	2.4	32	13	0.04
108.9.11	914	甘藷.芋.南瓜	大武段671	5.77	>6	134	173	1920	305	718	234	2.3	12	6	0.06
108.9.11	916	蔥.辣椒	大武段671	5.76	4.4609	147	118	1559	239	865	187	1.6	8.2	6.3	0.05
108.9.11	917	甘藷.芋.咖啡	大武段672	6.56	3.7028	368	104	2669	306	630	193	3.1	22	6.1	0.06
108.9.11	918	甘藷.芋	大武段890	5.56	4.5305	111	85	2186	342	662	131	1.6	10	7.7	0.09
108.9.11	919	小米.紅藜	大武段897	6.8	2.652	234	122	5938	468	1018	249	3.6	21	6.3	0.08
108.9.11	920	甘藷.芋.紅藜	大武段651	7.22	1.8	594	111	6821	545	899	303	3.4	33	7.7	0.05
108.9.11	921	樹豆	大武段150	6.71	4.1332	392	103	7974	551	1453	377	2.9	26	7.9	0.06
108.9.11	922	芋.小米.紅藜	大武段661	6.18	4.6226	473	176	9562	790	1626	561	3.7	28	6.2	0.07
108.9.11	923	小米.紅藜	大武段660	6.08	4.5438	158	90	3661	404	1045	368	2.5	9.6	5.9	0.02
108.9.11	924	小米.紅藜	大武段659	5.66	5.3822	110	106	1380	189	573	113	1.4	6.4	7.5	0.04
108.9.11	925	小米.紅藜	大武段499	6.07	3.0754	156	93	1727	231	554	188	2.3	9.2	6.2	0.04
108.9.11	926	甘藷.南瓜.紅藜	大武段489	6	4.0672	236	137	2411	258	915	198	2.4	11	6.9	0.05
108.9.11	927		大武段554	5.9	4.8736	198	127	2108	275	808	208	2.3	7.9	6.2	0.03
108.9.11	928	芋.紅藜	霧台段1013	6.28	3.9546	170	94	3063	399	776	261	2.4	16	7.2	0.06
108.9.12	929	葉菜	永隆段835.溫室	6.71	1.1101	110	34	3733	208	823	126	1.9	5.2	7.9	0.17
108.9.12	929		永隆段835.裸地	7.29	1.1266	128	32	4952	138	773	117	3.5	7.5	5.1	0.08
108.9.12	929	水	永隆段835	7.32		0.1	1.5	335	50	0	0.2	0	0.02	9.9	0.69
108.9.12	930	蕃茄.洋香瓜	中壇段2640 2641	6.73	2.9626	314	351	3970	604	2502	140	3.3	9.2	14	0.15
108.9.12	930	蕃茄.洋香瓜	中壇段2673	5.81	2.1691	258	311	2117	322	1901	88	3.5	7	12	0.18
108.9.12	931			6.69	1.8068	427	262	1568	273	1275	78	1.5	6.9	5.9	0.25
108.9.16	932	綠竹筍.香蕉.葉菜	新海豐段229.230.241.319.218.217號 A	7.21	3.6884	624	78	1464	291	603	78	6.4	53	14	0.07
108.9.16	932	綠竹筍.香蕉.葉菜	新海豐段229.230.241.319.218.217號B	6.87	3.1149	354	55	360	109	504	44	3.7	19	13	0.06
108.9.16	932	綠竹筍.香蕉.葉菜	新海豐段229.230.241.319.218.217號C	7.04	3.846	591	135	997	243	484	40	4.8	32	21	0.08
108.9.16	932	綠竹筍.香蕉.葉菜	新海豐段229.230.241.319.218.217號竹林	6.59	3.4971	554	80	941	163	810	57	59	28	10	0.05
108.9.16	936	水	A過濾	8.03		0.01	1.8	48	29	0	0.02	0	0	47	0.36
108.9.16	936		B17	8.03		0.03	2	58	27	0	0.02	0	0	50	0.36
108.9.16	936		C17-1	7.99		0	1.6	110	31	0	0.03	0	0	12	0.42
108.9.16	936		D官倉	7.54		0	5.3	113	25	0	1	0	0	16	0.45
108.9.17	934	檳榔.可可	柑園段0409-0000表土	5	2.9768	738	200	455	142	1470	16	1.3	5.9	15	0.03
108.9.17	934	檳榔.可可	柑園段0409-0000底土	4.64	2.1075	318	172	253	145	1249	20	3.7	5.1	13	0.04
108.9.17	935	果樹	新埔段2117	6.36	2.9106	477	167	768	124	1003	41	18	19	11	0.04
108.9.17	935	果樹	新埔段2117-1	6.59	3.2718	441	313	776	181	709	41	15	21	13	0.08
108.9.17	935	果樹	新埔段2118	6.97	2.0775	199	49	1096	133	871	46	12	11	18	0.04
108.9.17	936	檳榔廢園	官倉段186號~A	5.87	4.0812	939	335	1446	272	1440	23	3	8.9	15	0.06
108.9.17	936		官倉段186號~B	6.83	2.3152	311	147	1307	213	838	125	4.8	7.9	12	0.03
108.9.17	936		官倉段186號~C	6.41	3.2592	427	483	1491	242	1472	69	4.2	8	9.2	0.05

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.9.17	937		S108007	6.09	2.5008	822	251	762	142	882	41	12	16	23	0.07
108.9.17	938		S108008	5.2	1.7295	100	150	634	197	932	21	0.9	4.4	12	0.14
108.9.17	939		S108009	5.38	2.2303	240	230	758	97	573	53	0.8	5.7	13	0.15
108.9.17	940		S1080010	5.27	1.7492	270	43	469	71	951	13	3.4	4	11	0.02
108.9.18	941	鳳梨	中安段161~1 1號	6.95	3.8088	245	388	1518	196	756	51	2	7.4	13	0.12
108.9.18	941	鳳梨	中安段161~1 2號	5.71	1.9581	49	156	872	314	515	40	2	3.6	17	0.1
108.9.18	941	鳳梨	中安段161~1 3號	7.39	1.0489	17	69	12510	319	537	56	1.7	3.5	29	0.16
108.9.18	941	鳳梨	中安段161~1 4號	7.35	1.1757	35	86	905	268	581	81	2.4	4	20	0.09
108.9.18	942	水稻	龍泉段	7.21	2.6242	124	105	1179	204	1448	94	2	4.3	21	0.13
108.9.18	943	電信蘭	新鐘段	6.94	1.5316	187	126	1044	156	905	96	4.5	7.6	20	0.07
108.9.19	944	芭樂	東大園段543	6.9	1.6054	271	115	1289	173	1180	48	2.5	5.3	8.3	0.05
108.9.19	944	芭樂	東大園段690	6.86	1.5345	68	123	773	239	884	76	1.6	3.1	14	0.03
108.9.19	945	芋頭	豐源段0382號1區	6.82	1.5287	240	79	1448	190	1833	177	3.9	9.1	17	0.07
108.9.19	945	芋頭	豐源段0382號2區	5.98	1.6023	431	118	912	164	1882	36	2.5	8	17	0.04
108.9.19	945	芋頭	豐源段0382號3區	5.74	1.6701	419	85	871	163	1978	30	2.6	8	18	0.04
108.9.19	946	百香果	下庄段820號表土	5.05	1.5216	160	104	224	170	1376	81	3	5.6	11	0.01
108.9.19	946	百香果	下庄段820號底土	7.43	3.5427	419	105	5190	443	1264	115	5.1	21	14	0.07
108.9.19	946	水	下庄段820號	7.68		0.03	0.6	69	17	0	0.04	0	0	12	0.23
108.9.19	947	蔬菜	玉成段	6.27	1.8724	428	197	1288	173	1322	99	7.9	16	12	0.08
108.9.19	948	芒果	東寧段	7.22	1.1204	14	86	1857	439	1381	167	3.8	6.6	17	0.18
108.9.19	949	檸檬	新庄段843號	6.51	1.2629	201	61	861	149	851	66	3.2	9.5	9.4	0.02
108.9.2	867	木瓜	司馬段719號	6.86	1.6576	677.45	264.6	1539.6	220.69	1335.5	64.114	2.6072	10.49	6.9772	0.05
108.9.2	867	蕃茄	司馬段755號	7.13	1.6748	473.39	164.58	1393.1	233.88	1010.3	60.789	2.3467	9.9725	8.2171	0.07
108.9.2	868		湖西青螺段1272	7.81	2.2953	12.373	262.72	40683	1906.5	117.55	97.416	1.5257	2.8302	144.79	0.08
108.9.2	868	水		7.67		0.4078	4.6478	217.2	158.4	0.1296	0.0953	0	0.0738	123.66	1.48
108.9.20	950	鳳梨	大響營段A	7.28	2.2346	101	188	2479	101	768	84	5.9	6.2	7.8	0.03
108.9.20	950	鳳梨	大響營段B	4.2	1.7509	97	70	74	99	968	85	1.8	3.2	8	0.02
108.9.20	950	鳳梨	大響營段C	3.87	2.2997	183	382	500	108	1096	75	2.6	4.7	8.5	0.41
108.9.20	951	苦瓜	佳和段910號1區	5.7	2.3646	170	340	715	170	1526	149	2.6	6.2	12	0.03
108.9.20	951	苦瓜	佳和段910號2區	5.71	2.3624	147	369	716	167	1680	146	2.6	8	11	0.03
108.9.20	952	番茄	(林料得)2748號	6.52	1.6638	123	172	1427	416	1620	132	3	8.3	23	0.03
108.9.20	952	番茄	(Y益)	4.88	1.319	139	192	795	165	1414	24	1.5	3.9	12	0.02
108.9.23	953	木瓜	房下1	5.91	4.5172	175.6	68.8	1355.9	251.83	345.4	110.28	2.7715	2.7572	15.394	0.06
108.9.23	953	木瓜	房上2	6.19	4.5482	327.04	238.15	2213.7	386.54	845.63	125.96	5.8608	4.7248	12.102	0.09
108.9.23	953	水稻	平地3	5.9	2.0317	117.04	75.748	781.49	229.54	739.75	81.387	1.8585	4.1029	12.95	0.04
108.9.23	954	水稻.紅豆.香蕉.瓜芽	德興段223	7.21	1.1245	97.99	31.118	827.15	170.31	914.5	44.258	1.9781	6.587	11.077	0.08
108.9.23	954	水稻.紅豆.香蕉.瓜芽	德興段297	7.18	1.4925	128.22	39.779	795.06	142.98	915.11	31.924	1.9026	5.1298	14.843	0.08
108.9.23	954	水稻.紅豆.香蕉.瓜芽	德興段338	6.91	1.2629	115.62	37.234	699.45	194.32	1119.2	62.8	2.1866	5.3984	15.02	0.03
108.9.23	954	水稻.紅豆.香蕉.瓜芽	德興段409	6.9	1.2605	142.11	38.253	1033.2	181.06	990.84	59.251	2.0287	4.6439	12.07	0.08
108.9.23	955	紅豆	三隆段0809	5.98	2.3737	241.01	47.865	844.43	152.39	1470.6	32.872	2.5924	5.8913	30.024	0.06
108.9.23	955	紅豆	三隆段0865	6.16	3.0694	173.75	72.697	989.7	185.67	1560.1	51.532	1.799	5.5336	39.801	0.13
108.9.23	955	紅豆	七塊段1606	6.41	2.7698	181.24	75.829	800.53	219.81	1214.9	73.306	2.8909	5.7215	56.156	0.21
108.9.23	955	紅豆	七塊段1608	6.5	3.0694	228.94	75.273	874.28	255.16	1277.5	72.756	2.8159	6.4454	61.524	0.17
108.9.23	956			7.45	2.2367	321.62	133.48	1695.3	268.35	1492.5	29.957	1.927	5.6133	22.361	0.09
108.9.23	957			7.57	1.8885	277.46	123.24	1858.1	242.43	1266.8	73.286	3.3254	3.4654	25.216	0.11
108.9.23	958			7.3	2.3737	83.645	105.78	1540.3	256.27	1250.6	56.338	5.0944	5.9234	13.985	0.08

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.9.23	959	辣椒	0912-0000	6.82	2.0201	133.27	43.387	1078.5	180.9	989.83	129.63	5.9182	7.0293	29.494	0.19
108.9.23	959	辣椒	0617-0000 0618-0000 0619-0000 0609-0000 00920-0000	7.24	1.9488	107.64	91.377	1182	204.43	1012.8	174.75	6.2443	7.6905	22.945	0.25
108.9.23	960	葉菜.瓜菜	3A(2039-2)	6.8	2.9078	27.871	87.417	1113.5	445.86	1495.8	159.58	0.7725	2.6524	27.771	0.04
108.9.23	960		7C5(2025)	6.77	2.6393	31.229	59.412	1061.2	369.08	1177	150.44	1.2566	2.6095	26.491	0.07
108.9.23	960		7B2(2032)	6.69	1.7525	20.818	47.602	867.57	262.95	456.85	97.328	1.1145	1.92	14.777	0.04
108.9.23	960		7D4(2024)	6.46	2.9162	39.024	61.324	1053.2	303.62	1079.4	99.238	1.8418	2.4068	24.124	0.04
108.9.23	960		8A6(2029)	6.08	3.3845	67.31	69.432	592.92	203.95	554.24	104.51	1.043	2.0869	8.1257	0.03
108.9.24	960	葉菜.瓜果	2015.2016.2017. 2018-5.2034.2035.2036. 2038-5.2023	6.65	2.508	28.989	57.72	1370.6	249.1	690.28	79.622	2.6025	3.0318	9.2097	0.03
108.9.24	961	火龍果	大響段224-57號	6.97	1.4706	177.59	70.745	836.06	216.05	828.63	79.092	3.4263	6.6405	7.6318	0.03
108.9.24	961	香蕉.角瓜	新地段242號台區	6.39	2.5129	592.57	155.61	1355.5	280.44	986.35	36.174	5.852	9.3245	14.644	0.03
108.9.24	961		新地段242號火區	7.13	2.0258	403.56	81.905	1771.5	260.83	1048.9	89.098	4.0113	9.062	10.213	0.05
108.9.24	961	水	大響營段224~57號	7.19		-0.0525	1.6028	70.672	25.003	-0.328	-0.1763	-0.0276	-0.0067	8.1873	0.48
108.9.24	961	水	新地段242號	7.37		-0.0487	2.1922	53.344	23.18	-0.3318	-0.1751	-0.0291	-0.0062	22.417	0.45
108.9.24	962	火龍果	崇蘭農場-1	7.33	1.4679	344.68	36.138	929.34	144.75	467.03	85.199	3.7761	14.756	7.8173	0.06
108.9.24	962		崇蘭農場-2	7.41	1.3906	406.62	33.278	1147.6	149.09	403.45	91.652	3.6928	17.807	8.4174	0.05
108.9.24	962		崇蘭農場-3	7.51	1.0432	131.22	30.269	554.94	98.907	500.51	78.034	2.3201	7.0268	8.1964	0.04
108.9.24	962		崇蘭農場-4	7.32	1.1855	181.09	30.014	868.11	119.44	528.44	106.87	2.9416	9.3383	9.4163	0.04
108.9.24	962		崇蘭農場-5	7.32	1.3166	258.46	28.15	931.57	117.88	399.95	101.45	2.8488	13.09	8.8691	0.05
108.9.24	962		崇蘭農場-6	7.09	1.5345	215.71	37.256	793.82	132.89	541.82	103.98	3.6262	10.911	8.4471	0.06
108.9.24	963	茄子	徑仔段0217-0000	6.91	3.136	155.95	39.283	657.05	131.3	812.55	126.05	4.3841	5.46	12.248	0.16
108.9.24	963	水	0217-0000	6.72		-0.074	9.6799	147.13	23.953	-0.3387	2.0339	-0.0293	-0.0014	14.212	0.82
108.9.24	964	茄子	徑仔段0062-0004	7.85	1.8189	9.9294	31.314	1879.4	258.48	504.9	130.15	2.7593	4.716	11.211	0.08
108.9.24	964	水	0062-0000	7.25		-0.0778	2.3164	148.78	22.199	-0.3414	-0.0887	-0.0305	-0.0083	10.049	0.64
108.9.24	965	絲瓜.長豆	A中崎段1040-3	6.15	2.0974	51.746	93.286	707.48	239.83	614.62	48.004	1.1865	5.362	9.2815	0.04
108.9.24	965	蘿蔔.洋蔥	B中崎段1040-3	5.87	1.7328	49.209	53.925	629.44	171.63	513.21	33.595	1.0322	3.8518	14.798	0.01
108.9.24	966	秋葵	A中崎段1040-3	6.55	2.448	166.77	76.121	930.22	255.63	605.17	44.194	2.0301	11.313	10.718	0.03
108.9.24	966	玉米	B中崎段1040-3	6.3	2.7885	399.79	151.41	1403.3	244.15	749.15	48.938	1.7886	13.631	11.764	0.06
108.9.24	967	水稻	土段1092-195號	7.07	1.4693	13.965	28.109	2057.5	199.49	1296.3	148.48	2.6977	7.3234	29.618	0.27
108.9.24	968		福蓮段586	7.68	1.6669	10.941	36.517	2092.2	364.13	547.46	83.812	1.3698	3.2753	29.441	0.06
108.9.24	969	水		7.26		-0.0636	1.8996	102.34	23.572	-0.3369	-0.1807	-0.0309	-0.0081	17.302	0.55
108.9.25	970	水	德光路338 223 297 409號	7.32		-0.0772	3.5648	135.96	38.541	-0.341	-0.0664	-0.0318	-0.0077	37.026	0.8
108.9.25	971	山竹	楠梓仙段180表土	7.38	1.2582	16.898	41.074	3982.5	483.29	1067.7	167.07	3.2506	8.2409	65.509	0.49
108.9.25	971		楠梓仙段180底土	7.46	1.8	24.848	31.699	2511.7	351.18	1016.1	126.27	3.4496	7.4941	38.379	0.26
108.9.25	972		挖子段二小段2047號	6.82	1.1888	115.85	48.906	807.98	245.75	713.25	64.364	1.1	4.627	16.301	0.12
108.9.25	973	洋蔥	保力段保力小段335-1	7.49	2.226	63.614	61.101	1521.4	420.71	1125	136.97	3.3424	4.6514	17.474	0.05
108.9.25	973	洋蔥	保力段保力小段319	7.8	1.5388	106.34	83.787	2170.2	302.22	663	128	2.6882	5.471	27.291	0.08
108.9.25	974	番石榴	阿蓮段122號	6.4	1.0432	195.65	108.68	684.8	198.17	552.33	48.505	0.5919	3.6636	11.673	0.1
108.9.25	974	水	阿蓮路122號	7.45		-0.0423	2.4235	60.459	18.47	-0.3426	-0.1829	-0.0319	-0.0082	29.066	0.5
108.9.25	975	蓮霧	林邊	5.25	3.6225	620.02	402.5	1608	291.45	1114.4	94.536	3.6958	17.694	25.2	0.15
108.9.25	976		墓前. 1110-000	5.63	2.7938	136.66	62.774	1216.9	212.59	1951.8	118.43	2.2645	7.7613	21.705	0.09
108.9.25	976		井仔1074-000	5.2	2.5824	114.93	39.391	920.77	160.51	2056	49.255	1.7352	7.0803	18.612	0.1
108.9.25	976		榕樹下0010-000	5.55	3.1962	164.08	76.614	1168.5	204.41	1939	41.143	2.5575	9.3351	23.939	0.08
108.9.25	976		屋下0067-000	5.6	3.1329	204.66	64.033	1241.5	197.92	2416	73.965	2.5492	8.6854	25.912	0.08
108.9.25	976		圓頂0079-0000	6.44	2.8552	126.14	34.916	1330.2	163.61	1969.6	133.07	1.6067	6.2985	25.065	0.14

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.9.25	976		路下1196-006	6.28	3.553	148.81	68.925	1451	229.6	2021.4	119.65	2.4622	7.6196	31.595	0.09
108.9.25	977	芭樂	龍肚段1897.1900	6.58	2.7085	173.4	55.794	1979.2	304.61	1288.1	75.043	2.9557	4.8529	18.601	0.04
108.9.25	978	黃秋葵	隘寮段A	5.3	1.2489	224.39	34.415	321.36	89.708	861.39	79.693	4.1878	11.03	11.617	0.02
108.9.25	978		隘寮段B	5.34	1.472	356.28	51.002	516.5	109.72	908.09	89.602	4.1983	13.276	15.02	0.02
108.9.25	979			6.14	1.8102	117.83	35.272	1301.6	318.26	1151.1	46.426	2.1202	3.5012	39.054	0.11
108.9.26	980	苦瓜	1號	5	2.5676	695.47	82.743	1550.6	219.39	1590.6	88.64	6.1116	15.941	19.86	0.27
108.9.26	980		2號	5.63	1.4583	781.77	41.456	1277	106.56	1236.7	46.85	5.2535	19.648	12.156	0.03
108.9.26	980	水		7.17		-0.0823	2.9314	145.82	25.929	-0.333	0.5298	-0.032	-0.008	43.685	0.87
108.9.26	981			6.35	1.4776	148.94	31.317	738.84	141.38	1097	58.385	3.3228	7.0155	10.363	0.03
108.9.26	982		蕃茄	6.89	2.2779	210.46	105.85	1743.9	377.69	1364.1	26.572	3.9329	10.469	45.588	0.11
108.9.26	983		A9	7.03	1.62	125.57	48.025	1936.7	451.66	1059.5	73.885	3.8158	5.7848	247.34	0.29
108.9.26	983		B三	7.38	1.46	119.23	41.41	1125.2	205.34	897.47	31.443	2.692	4.3845	13.26	0.06
108.9.26	984	水	東吉島	7.61		0.1739	4.1301	64.104	35.712	-0.3457	0	-0.0268	0.0141	167.57	1.12
108.9.26	985		A區	7.19	1.47	73.885	49.223	945.6	258.75	741.86	71.586	1.6954	8.9374	34.272	0.05
108.9.26	985		B區	7.19	1.32	80.953	43.825	1143.4	185.4	763.07	73.256	1.1315	6.5441	12.568	0.03
108.9.26	985	水	淺井	7.1		-0.0565	6.4969	150.02	41.371	-0.3425	0.9345	-0.0297	-0.0042	116.41	1.26
108.9.26	985	水	深井	7.22		-0.0432	34.499	65.496	64.457	-0.3402	0.2513	-0.0312	-0.0076	646.4	3.68
108.9.26	986		北勢段214-166-01	6.99	1.27	229.7	24.147	854.38	157.42	1074.8	107.66	4.8437	8.1714	12.385	0.02
108.9.26	986		北勢段214-166-02	6.78	1.25	215.76	19.289	592.56	121.37	830.48	82.5	3.5582	6.4206	8.5389	0.02
108.9.26	987	芭樂	嘉旺段0070號	7.01	0.98	61.786	43.019	1202.3	289.39	447.79	64.882	1.4455	2.9039	22.109	0.05
108.9.26	987	水	嘉旺段0070	7.16		-0.0865	3.3083	145.49	45.92	-0.3418	0	-0.0336	-0.0074	53.172	1.02
108.9.27	988			6.56	0.84	67.656	37.593	745.57	147.02	703.96	90.324	1.1974	3.2436	9.908	0.01
108.9.27	988	水		7.09		-0.0855	2.7074	87.607	13.45	-0.3469	0	-0.0339	-0.0091	9.6138	0.49
108.9.27	989	紅文旦	鳳加路1區 表土	7.27	1.48	537.34	96.594	1309.7	346.78	1020.1	61.483	4.9009	12.647	73.509	0.1
108.9.27	989		鳳加路1區 底土	7.23	1.41	579.46	84	1377.3	356.55	1035.7	55.194	5.1287	12.841	88.862	0.1
108.9.27	989		鳳加路2區 表土	7.04	1.33	442.31	100.26	1115.1	334.56	949.16	55.085	4.0223	10.161	23.793	0.04
108.9.27	989		鳳加路2區 底土	7.13	1.32	473.58	72.382	1213.3	324.06	994.45	50.758	3.8866	8.6179	33.487	0.03
108.9.27	990	水稻	興美段206 207	6.25	1.46	161.02	25.612	931.15	128.57	1058.4	64.008	3.7185	9.0083	16.357	0.03
108.9.27	990		興美段208 209	6.28	1.33	158.45	25.963	978.87	131.39	1059.3	72.436	3.6031	10.744	12.85	0.03
108.9.27	990		興美段150 151	6.06	1.73	756.26	34.218	1117	118.53	1634.9	46.85	5.8122	13.478	12.515	0.03
108.9.27	990	水	興美段206 207 208 209	7.35		-0.0059	4.0558	104.65	20.484	-0.3462	0	-0.0314	0.0037	15.093	0.64
108.9.27	990	水	興美段150 151	8.09		0.6987	9.3144	115.77	17.682	-0.3483	0	-0.0292	-0.009	13.448	0.65
108.9.27	991	黃秋葵	土庫段1823	7.27	1.1	234.31	41.311	5500.2	118.03	589.91	73.011	6.9144	8.9203	7.4208	0.06
108.9.27	992	蓮霧	麟孝段555-1	6.57	1.47	235.02	51.13	1158.5	189.07	1246.3	120.35	2.0276	6.3898	8.8365	0.05
108.9.27	992	榴槤	麟孝段561-1	5.7	3.36	726.74	72.712	1478.3	160.77	1517.4	58.292	3.1636	10.723	11.333	0.04
108.9.27	993	水稻	新埤打鐵042	7.08	2.69	161.66	30.92	1477.1	214.41	1096.4	109.57	2.559	4.3941	24.22	0.14
108.9.27	993		新埤打鐵043	7.8	4.33	168.69	47.828	7196.1	368.71	1422.6	258.97	6.0134	6.6739	28.846	0.15
108.9.27	993	香蕉	興美段0179	6.49	1.89	562.56	42.183	1011	200.52	1070.9	33.208	4.3261	5.5018	9.7643	0.03
108.9.27	993		興美段0181 0180	7.09	1.12	99.696	38.649	936.26	143.47	496.63	62.635	2.1195	5.5847	12.201	0.06
108.9.27	993		興美段0183 0184 0185	3.36	1.88	481.72	107.58	1088.3	181.07	830.04	49.254	3.8783	10.395	10.885	0.04
108.9.27	993		興美段0560 0561	6.53	4.13	367.33	75.687	1895.7	351.71	1461.8	132.45	3.6554	12.903	12.092	0.1
108.9.27	993	水稻	崙潮段0409-0001 0409-0000	7.28	0.9	20.209	20.967	1004.3	175.54	540.93	70.244	0.6339	2.8789	12.193	0.05
108.9.27	993	香蕉	興美段1555 1557 1556	7.07	3.21	282.05	61.681	1331.5	259.78	1007.9	115.59	4.5044	14.445	14.589	0.05
108.9.27	993	水稻	興美段 1520	7.47	1.74	128.07	39.397	1973.5	149.24	862.59	136.1	3.5752	8.2213	15.916	0.08
108.9.27	993	香蕉	興美段725 726 727	7.22	2.51	343.4	40.084	2033.6	225.74	1221.9	114.24	4.4757	10.681	22.636	0.1
108.9.27	993	香蕉	興美段647	7.03	3.6	152.84	38.598	1194.2	277.93	930.01	98.365	4.5948	9.7659	58.082	0.24

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷(ppm)	鉀(ppm)	鈣(ppm)	鎂(ppm)	鐵(ppm)	錳(ppm)	銅(ppm)	鋅(ppm)	鈉(ppm)	電導度
108.9.27	993	水	打鐵42 43	7.54		-0.0937	1.3593	83.353	14.708	-0.3475	0.4674	-0.0311	-0.009	9.3812	0.42
108.9.27	993	水	打鐵79 84	6.93		-0.0918	3.9044	120.16	18.116	-0.3485	0.2352	-0.0313	-0.0089	10.411	0.58
108.9.27	993	水	打鐵560 561	7.3		-0.0947	1.5965	100.33	19.771	-0.3489	0.4544	-0.032	-0.0085	9.3909	0.5
108.9.27	993	水	崙潮	7.15		-0.0929	1.5158	93.145	15.867	-0.3433	0	-0.0316	-0.0064	8.3398	0.47
108.9.27	993	水	55 57	7.13		-0.0727	2.8413	113.12	19.915	-0.3485	0.4845	-0.0311	-0.0078	17.502	0.65
108.9.27	993	水	興美1520	7.32		-0.0421	3.2948	112.06	19.118	-0.3464	0.3743	-0.0318	-0.0084	15.962	0.63
108.9.27	993	水	725 647	7.24		-0.0839	4.4776	101.48	20.65	-0.3484	0	-0.0322	-0.0051	20.764	0.58
108.9.27	994	芒果	平埔厝段322號	6.5	2.56	394.21	83.442	835.16	175.86	738.55	29.077	1.9694	6.2682	14.745	0.03
108.9.27	994	水	平埔厝段322號	7.02		-0.081	1.5463	42.424	13.172	-0.346	0	-0.0312	-0.0077	11.509	0.31
108.9.27	995		六龜區1	5.74	2.76	105	412.61	1236.5	191.65	1279.3	30.619	3.1575	11.239	15.113	0.05
108.9.27	995		六龜區2	5.01	2.74	135	398.01	809.15	151.96	1022.8	27.524	2.9336	8.1127	10.389	0.06
108.9.27	995	水	六龜區	7.34		-0.0873	3.153	73.953	18.01	-0.3475	0	-0.0314	-0.0089	10.597	0.46
108.9.27	996	火龍果	2121	7.02	2.28	348.26	126.34	1027.5	300.82	387.92	77.226	0.8834	14.824	48.661	0.14
108.9.27	997	鳳梨	道堂邊	3.77	3.3	117.75	34.99	160	85.642	1059	26.226	0.5963	2.7941	8.0198	0.04
108.9.27	997		平和武潭1	4.13	2.93	86.057	38.819	304.78	109.55	722.16	63.842	0.9496	3.5618	9.6995	0.03
108.9.27	997		平和武潭2	4.45	3.05	57.466	36.516	675.89	240.38	657.85	105.4	1.4879	4.3946	10.888	0.03
108.9.27	997		平和武潭3	3.54	3.08	74.07	28.512	141.8	66.422	589.97	47.782	0.8237	2.8986	6.3871	0.07
108.9.27	997		平和武潭4	4.43	3.34	104.3	34.662	165.66	2.9191	443.03	17.439	0.9116	1.3822	3.8471	0.03
108.9.27	997		包裝新農6	3.74	2.44	152.09	32.844	56.435	55.493	1064.2	28.714	0.7629	2.2212	4.3548	0.03
108.9.27	997		美邊富山487	4.26	2.53	92.432	40.677	141.02	74.942	864.03	21.161	0.6157	2.3319	6.1524	0.02
108.9.27	997		沿山(木)新赤0565	3.55	3.41	182.3	46.047	205.93	71.777	975.01	29.881	0.6406	3.1628	7.9519	0.08
108.9.27	997		蘇新赤段	4.24	2.62	170.86	34.71	234.22	59.319	929.27	30.214	0.6491	2.4165	4.7101	0.03
108.9.27	997		富山487	4	3.26	150.23	57.024	186.91	63.291	870.72	21.798	0.8706	3.5544	5.1286	0.04
108.9.27	998	火龍果	崙新段0212	6.35	4.8	732.67	110.51	1087.4	332.27	789.48	44.631	3.1057	20.141	12.119	0.08
108.9.27	998	水	崙新段0212	7.59		-0.0864	1.4929	67.114	17.126	-0.3489	0	-0.0311	-0.0087	6.3858	0.41
108.9.27	999	火龍果	崙新段0212	6.63	4.95	800.14	99.151	1265.1	363.22	819.52	48.105	3.3921	22.834	12.803	0.08
108.9.27	999	水	崙新段0212	7.69		-0.0752	1.4876	61.589	14.878	-0.3501	0	-0.0344	-0.0087	6.276	0.41
108.9.27	1000	紅豆水稻	1	6.17	2.23	137.7	49.954	865.26	179.75	1246	26.909	2.1698	6.032	13.813	0.07
108.9.27	1000		2	6	1.97	312.28	40.201	681.57	159.77	1313.1	12.957	2.1243	6.0498	12.618	0.04
108.9.27	1000		3	5.94	2.02	282.53	55.403	616.9	167.03	1289.1	18.591	2.0727	5.886	12.369	0.05
108.9.27	1000		4	6.35	2.31	483.46	74.179	777.45	180.8	1468.3	18.245	2.8739	7.0428	11.812	0.09
108.9.3	869	苦瓜	新泰山1016 (1)	6.14	1.4624	502.79	132.71	800.09	161.79	853.37	55.261	4.7363	19.469	5.9138	0.06
108.9.3	869	苦瓜	新泰山1016 (2)	5.93	1.4036	656.07	133.33	949.89	152.24	932.2	59.699	5.4502	29.466	5.8262	0.04
108.9.3	870	苦瓜	新泰山1032	5.58	1.388	510.46	101.45	729.55	124.46	923.19	62.226	3.8225	18.424	6.3256	0.04
108.9.3	871	苦瓜	頂新段620	5.56	1.5316	544.78	180.23	689.26	143.25	992.83	28.819	2.2601	17.24	6.0914	0.05
108.9.3	871	苦瓜	頂新段621	5.94	1.2535	290.53	89.963	754.84	147.71	887.36	23.104	2.586	10.95	6.3838	0.03
108.9.3	872		越溪段652	6.22	2.5824	140.26	104.27	1157.4	222	1405.1	56.95	2.2178	5.8807	12.768	0.07
108.9.3	874			7.02	2.0994	109.86	67.424	1039.4	152.5	794.98	109.68	2.9169	7.7899	6.9168	0.05
108.9.3	874	水		7.88		0.3027	0.391	14.164	14.97	0.1226	0.0958	0	0.0132	8.0422	0.11
108.9.30	1001		旗山區半廊段0023-0000Y2	7.47	1.4776	91.647	47.72	1012.7	166.18	958.81	40.294	2.0069	3.7705	7.4161	0.04
108.9.30	1001		旗山區半廊段0023-0000Y1	7.38	1.4693	71.274	50.579	981.97	205.48	707.65	25.683	1.9873	2.6933	8.2597	0.03
108.9.30	1001		旗山區半廊段0023-0000Y3	6.52	2.165	81.969	55.262	1023.1	158.96	661.24	17.253	1.5465	3.5605	6.7648	0.06
108.9.30	1002		旗山區半廊段0024-0000L1	7.73	1.8171	116.26	46.58	1305.1	143.92	738.44	23.8	1.8576	3.2473	7.544	0.06
108.9.30	1002		旗山區半廊段0024-0000L2	7.46	2.0974	144.5	37.405	974.3	148.9	841.97	16.965	1.5745	3.1844	9.1162	0.04
108.9.30	1002		旗山區半廊段0024-0000L3	6.98	1.7377	123.16	42.34	992.37	158	694.83	17.23	1.6384	3.0198	9.6744	0.04
108.9.30	1003	茄子	永興段666-2號	8.16	0.5658	88.144	56.57	2038.1	172.06	420.46	54.712	0.735	4.7973	7.5366	0.06

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷(ppm)	鉀(ppm)	鈣(ppm)	鎂(ppm)	鐵(ppm)	錳(ppm)	銅(ppm)	鋅(ppm)	鈉(ppm)	電導度
108.9.30	1003	絲瓜	永興段666-3號	8.15	2.0029	110.04	35.786	3212.5	159.59	306.17	55.246	3.925	8.3673	11.952	0.06
108.9.30	1004	香蕉,檳榔	旱角段597.603.604號	5.8	2.1567	202.74	54.863	560.53	86.847	637.18	19.215	1.6063	4.322	8.4412	0.03
108.9.30	1004	水		7.83		0.05	4.3684	123.91	21.038	-0.4027	1.4373	0	0	9.9803	0.57
108.9.30	1005	洋蔥	保力小段200-1表土	8.04	1.6748	50.413	93.67	1230.2	340.14	480.79	49.259	1.9354	2.0277	16.073	0.03
108.9.30	1005	洋蔥	保新段872-1表土	8.24	2.0835	17.858	50.513	1412.7	340.17	433.18	56.943	2.1782	1.644	18.929	0.03
108.9.30	1005	洋蔥	保新段872-2表土	8.25	1.9581	15.371	53.759	1387.7	363.81	344.61	80.667	2.0344	1.703	19.208	0.03
108.9.30	1006	果樹	四春段259號上段	7.47	1.8189	230.19	40.353	1802.7	194.08	537.41	84.149	6.7978	8.8326	10.455	0.03
108.9.30	1006	果樹	四春段259號下段	7.34	1.1921	29.965	19.576	642.04	101.83	253.97	39.575	2.2616	2.0377	8.4926	0.01
108.9.30	1007	番石榴	東阿里關段421-10號 1表	7.76	1.8867	59.536	72.081	2179	262.26	467.3	48.951	1.2335	3.8046	4.7157	0.07
108.9.30	1007	番石榴	東阿里關段421-10號 1底	8.43	1.4776	47.449	51.286	2915	247.97	390.22	41.115	1.2415	4.9215	6.14	0.06
108.9.30	1007	番石榴	東阿里關段421-10號 2表	7.1	4.3218	287.5	102.38	2267.7	323.17	470.2	32.751	1.4094	9.3786	11.184	0.08
108.9.30	1007	番石榴	東阿里關段421-10號 2底	8.15	1.1101	56.633	54.322	1384.3	232.08	386.83	40.409	0.9312	3.2693	6.0395	0.03
108.9.30	1007	番石榴	東阿里關段421-10號 3表	6.46	2.4363	141.85	57.124	1274.5	198.12	536.35	29.313	1.0986	2.8214	6.8716	0.02
108.9.30	1007	番石榴	東阿里關段421-10號 3底	8.15	1.5273	15.647	40.997	1460	173.31	344.63	44.226	1.082	2.2517	5.237	0.03
108.9.30	1008	茄子	麟和段554-1號	6.9	2.2888	81.568	58.09	923.05	102.72	331.91	17.27	1.4432	2.1093	9.6189	0.04
108.9.30	1009	檸檬	九清段495號	5.75	1.8102	415.3	146.18	860.27	87.536	531.42	48.677	4.0843	13.498	9.3081	0.07
108.9.30	1010	檸檬	東庄段530 538號	6.37	1.7966	423.18	51.167	1197.1	88.397	592.55	42.789	9.4193	21.016	7.0254	0.02
108.9.30	1011	酪梨 荔枝		6.04	1.9287	94.406	43.595	639.19	71.206	213.84	40.633	0.6285	2.9973	4.9686	0.02
108.9.30	1041			7.89	2.1733	456.94	127.02	2483.4	240.04	673.36	67.159	3.1459	20.036	11.913	0.08
108.9.4	875	檸檬	大港洋段0000-69	6.67	1.947	373.24	103.61	1500.8	218.66	1110	52.414	5.8665	11.799	6.6885	0.05
108.9.4	876	辣椒	玉成	6.29	1.7525	309.66	118.54	1342.3	206.84	989.13	52.723	2.4034	8.8222	6.5684	0.06
108.9.5	877	蓮霧	三民段342號	4.33	3.1451	1167	416.68	913.34	240.91	2172.5	17.66	1.988	7.4454	12.539	0.09
108.9.5	878	玉米筍	永興段1049-000. 001	7.83	1.7476	146.4	66.787	1659.6	188.26	1063	80.12	2.0396	4.5529	4.5296	0.04
108.9.5	878	玉米筍	永興段1049-000. 002	7.62	1.4515	156.2	63.236	1879.2	152.78	1271.4	103.5	2.2265	5.1459	6.3757	0.04
108.9.5	878	玉米筍	永興段1049-000. 003	7.5	1.5403	232.92	59.66	2358.6	191.55	1562.8	70.63	2.4753	6.2005	4.9742	0.03
108.9.5	879	諾厲.木鱉果	新厝段57號	6.96	1.7344	56.706	87.032	1285.8	154.86	996.91	119.4	1.2841	2.6095	6.3772	0.04
108.9.5	880	檸檬	頭前溪段1329 1329-2號	7.18	3.7688	396.24	240.99	3644.2	273.66	890.79	210.88	9.5527	31.687	4.9757	0.07
108.9.5	881	棗子	牛稠段0491-0000 1號土	6.24	1.6701	304.63	335.11	2293.3	551.82	966.08	108.9	0.8199	6.7336	6.4674	0.1
108.9.5	881	棗子	牛稠段0491-0000 2號土	5.13	2.6418	564.36	411.14	1685.3	444.85	1285	36.639	1.0186	10.559	9.4183	0.02
108.9.5	881	棗子	牛稠段0491-0000 3號土	5.94	2.5799	578.43	419.25	2921	550.07	1422.9	47.729	1.464	7.6054	7.9931	0.15
108.9.5	881	水	牛稠段0491-000	8.13		0.5277	4.9959	101.58	23.521	0.3038	0.1005	0	0.0107	7.2099	0.23
108.9.6	882	鳳梨	新厝一小段56	4.41	1.5316	56.425	32.561	116.85	109.13	920.5	41.234	0.704	2.2821	4.1156	0.04
108.9.6	882	鳳梨	新農段343	4.7	2.165	93.417	54.949	295.9	135.25	1161	58.269	1.1734	2.9182	4.7215	0.04
108.9.6	882	鳳梨	新厝一小段79.80	5.43	2.0934	162.74	51.503	890.39	109.01	843.17	53.945	1.2628	3.3814	4.4953	0.06
108.9.6	883	芒果	獅子鄉	5.56	2.6342	18.575	110.72	821.66	460.71	382.28	64.703	0.4554	1.8136	6.8155	0.02
108.9.6	884	火龍果	(三千)同安段299	5.73	2.2346	915.96	230.53	1323.1	265.57	1667.6	61.429	1.8128	9.9697	6.4859	0.05
108.9.6	884	蓮霧	二高段	4.09	4.4522	1383.9	804.47	1151.4	279.37	2335.2	16.049	1.1965	5.9293	33.985	0.28
108.9.6	884	水	紅龍果段	7.22		0.1685	11.393	282.25	63.228	0.1659	0.6622	0	0.0195	17.122	0.68
108.9.6	884	水	二高段	7.2		0.3232	8.212	166.45	70.636	0.1242	0.3593	0	0.008	36.727	0.69
108.9.6	884	水	三千段	6.96		0.2543	0.4362	132.06	25.653	0.1156	0.5124	0	0.0036	10.414	0.35
108.9.6	884	蓮霧	(三千)同安段299	4.3	>6	2413.5	800.67	2170.9	201.14	1941.3	20.858	1.9341	8.3862	16.083	0.38
108.9.6	885	蓮霧	三千段556	7	1.8	411.1	432.94	2602	459.78	1033.7	129.27	6.6197	9.8551	17.522	0.32
108.9.6	885	水		7.39		0.27	0.3354	131.09	24.519	0.1181	0.5323	0	0.0033	11.334	0.34
108.9.6	886	蓮霧	同安段0376	7.6	3.2242	125.42	276.44	6322.8	726.02	603.08	204.13	7.0346	6.0297	30.975	0.36
108.9.6	886	水		7.54		0.2089	0.3797	113.48	23.997	0.1154	0.3327	0	0.0021	10.274	0.31
108.9.6	887	蓮霧	米崙段1320	5.38	3.8967	2091.4	930.71	4930.3	791.35	2336.9	104.5	4.1212	37.597	20.701	0.44

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
108.9.6	887	水		7.89		0.1176	0.5293	133.45	27.383	0.1564	0.8017	0	0.0069	7.4178	0.25
108.9.6	888	蓮霧	南州段1463	5.88	5.0771	1568.4	1182.9	3708.9	1053.4	2374.6	43.863	2.74	13.758	46.723	0.45
108.9.6	888	水		7.66		0.0846	0.5219	121.89	25.993	0.2104	0.7042	0	0.0259	8.5736	0.32
108.9.6	889	蓮霧	萬華段0121	6.69	4.6289	1164.1	471.54	4666.1	660.71	1573.9	89.444	3.1892	22.014	23.35	0.14
108.9.6	889	水		7.62		0.1886	0.5891	114.22	24.293	0.1241	0.7704	0	0.0063	10.26	0.32
108.9.6	890	蓮霧	南州段1454	7.08	>6	1793.9	358.94	8785.5	966.18	1249.6	273.9	17.906	74.197	35.646	0.14
108.9.6	890	水		7.56		0.1016	0.4126	133.29	29.056	0.1139	0.0944	0	0.003	9.0141	0.35
108.9.6	891	蓮霧	南州段1436	6.87	4.62	563.37	60.691	6757.4	853.42	2807.2	165.35	2.0522	13.78	13.83	0.06
108.9.6	891	水		7.57		0.0965	0.404	136.6	28.992	0.1154	0.0935	0	0	10.005	0.34
108.9.6	892	蓮霧	萬隆段1102	5.8	2.1465	1201.7	169.95	2332	247.97	1840.8	72.056	3.0707	18.588	6.887	0.03
108.9.6	892	蓮霧	萬隆段1103	6.05	1.6812	374.78	100.33	1019.2	240.41	986.68	95.06	1.6748	7.2938	7.631	0.01
108.9.6	893	蓮霧	七塊段1386	6.58	3.7361	1684	520.57	3790.6	798.72	1032	79.674	7.5686	33.88	134.38	0.17
108.9.6	893	水		6.98		0.3574	35.233	160.29	95.824	0.3691	0.1747	0	0.0087	160.75	1.56
108.9.6	894	蓮霧	萬華段800	6.93	>6	1650.1	532	8264.9	1789.2	1495.4	172.04	18.847	41.437	29.847	0.7
108.9.6	894	水		7.43		0.9193	22.687	104.69	99.056	0.1384	0.1628	0	0.0031	27.004	0.04
108.9.6	895	蓮霧	萬華段788	6.7	8.1724	1537.9	446.92	6201.2	1408.3	1347.7	160.91	19.585	34.244	23.48	0.14
108.9.6	895	水		7.48		0.9314	22.368	102.06	96.75	0.1272	0.1601	0	0.0032	25.907	0.66
108.9.9	896	葉菜.玉米		6.95	0.9814	148	91	2452	130	624	119	1.5	12	8.1	0.05
108.9.9	896	苦瓜.粉豆		6.46	1.3893	497	287	1256	144	1347	58	3.1	12	7.8	0.04
108.9.9	897	蕃茄	美和583 No1089A	6.58	2.5032	220	338	2583	364	1151	126	2.6	6.6	30	0.39
108.9.9	897	蕃茄	美和582 No1089B	6.63	3.1962	288	267	3089	422	1502	104	3.4	7.2	26	0.31
108.9.9	897	蕃茄	美和582 No1089C	6.25	3.19	270	374	3778	480	1148	116	3	9	37	0.22
108.9.9	897	南瓜	美和582 No1089D	7.03	4.3913	448	421	4035	541	1142	183	5.1	11	27	0.19
108.9.9	897	蔬菜	美和583 No1089E	6.92	2.8497	290	189	2586	375	1851	186	2.5	11	9	0.05
108.9.9	898		長治鄉進興段0930-0000A	6.31	1.6685	458	109	1061	172	1578	31	4	8.5	10	0.03
108.9.9	898		長治鄉進興段0923-0000B	6.45	1.5993	541	75	1694	172	1276	16	5.4	15	10	0.04
108.9.9	898		麟洛鄉農場段 0100-0000C	7.43	1.1877	229	133	4393	223	1573	168	6.9	20	7.3	0.04
108.9.9	898		長治鄉進興段0908-0000D	6.52	1.4583	330	41	1651	226	1581	56	2.6	8.2	9.1	0.03
108.9.9	898	水	進興段0930-0000A	7.11		0.2	2.1	351	43	0.08	0.2	0	0	9.4	0.75
108.9.9	898	水	進興段0923-0000B	7.26		0.1	2.1	352	42	0	0.2	0	0	10	0.73
108.9.9	898	水	農場段 0100-0000C	7.38		0.1	2	333	55	0	0.2	0	0.02	9.4	0.72
108.9.9	898	水	進興段0908-0000D	7.85		0.1	2.3	145	39	0	0.2	0	0	10	0.43
109.1.2	1471	胡麻	本場特作物田區表土	6.01	1.26	60.913	98.373	906.41	90.484	151.45	37.217	3.0369	3.2687	13.667	0.25
109.1.2	1471		本場特作物田區底土	6.21	1.18	62.021	83.064	934.73	81.061	162.85	40.112	3.2067	3.3312	7.7676	0.15
109.1.2	1471	胡麻	本場特作物田區表土	6.01	1.26	60.913	98.373	906.41	90.484	151.45	37.217	3.0369	3.2687	13.667	0.25
109.1.2	1471		本場特作物田區底土	6.21	1.18	62.021	83.064	934.73	81.061	162.85	40.112	3.2067	3.3312	7.7676	0.15
109.1.2	1472	高麗菜玉米	協昌~1	5.67	1.83	251.76	68.288	737.91	109.63	403.58	10.781	2.0644	2.6715	10.807	0.12
109.1.2	1472	高麗菜玉米	協昌~1	5.67	1.83	251.76	68.288	737.91	109.63	403.58	10.781	2.0644	2.6715	10.807	0.12
109.1.2	1473	香蕉	新威段790(黃葉病)	7.66	1.04	23.741	146.05	1312.6	133.28	303.95	59.423	1.7693	2.4779	9.2743	0.09
109.1.2	1473		新威段790A(表土)	7.98	0.91	32.034	38.672	1479.4	134.22	359.76	52.057	1.8634	2.9245	12.348	0.06
109.1.2	1473		新威段790B(底土)	8.1	0.91	18.059	33.406	1514.3	129.07	381.17	65.693	1.5795	2.7144	8.4085	0.05
109.1.2	1473		新威段791A(表土)	7.94	7.99	90.913	45.442	1821.4	140.49	469.95	59.529	2.3983	5.2944	17.97	0.07
109.1.2	1473		新威段791B(底土)	7.99	0.92	44.268	42.408	1623.2	128.25	410.52	60.266	1.8549	3.2455	8.1225	0.09
109.1.2	1473	水	新威灌溉水	8.33		0.08	2.4	69	23	0.2	0	0.1	0.01	513	0.44
109.1.2	1473	香蕉	新威段790(黃葉病)	7.66	1.04	23.741	146.05	1312.6	133.28	303.95	59.423	1.7693	2.4779	9.2743	0.09
109.1.2	1473		新威段790A(表土)	7.98	0.91	32.034	38.672	1479.4	134.22	359.76	52.057	1.8634	2.9245	12.348	0.06

日期	上網編號	作物名稱	處理	酸鹼度	有機質%	磷 (ppm)	鉀 (ppm)	鈣 (ppm)	鎂 (ppm)	鐵 (ppm)	錳 (ppm)	銅 (ppm)	鋅 (ppm)	鈉(ppm)	電導度
109.1.2	1473		新威段790B(底土)	8.1	0.91	18.059	33.406	1514.3	129.07	381.17	65.693	1.5795	2.7144	8.4085	0.05
109.1.2	1473		新威段791A(表土)	7.94	7.99	90.913	45.442	1821.4	140.49	469.95	59.529	2.3983	5.2944	17.97	0.07
109.1.2	1473		新威段791B(底土)	7.99	0.92	44.268	42.408	1623.2	128.25	410.52	60.266	1.8549	3.2455	8.1225	0.09
109.1.2	1473	水	新威灌溉水	8.33		0.08	2.4	69	23	0.2	0	0.1	0.01	513	0.44
109.1.2	1474	紅龍果	鳳新段375-0000	7.08	1.52	120.84	170.99	4278.1	118.79	219.29	71.805	3.7022	7.7754	13.341	0.54
109.1.2	1474	水	鳳新段0375-0000	7.62		0.08	1.24	89	18	0.2	0	0.1	0.32	21	0.44
109.1.2	1474	紅龍果	鳳新段375-0000	7.08	1.52	120.84	170.99	4278.1	118.79	219.29	71.805	3.7022	7.7754	13.341	0.54
109.1.2	1474	水	鳳新段0375-0000	7.62		0.08	1.24	89	18	0.2	0	0.1	0.32	21	0.44
109.1.2	1475			7.01	7.61	110.84	109.26	1269.6	150.05	415.42	41.069	3.2774	3.9298	16.867	0.1
109.1.2	1475			7.01	7.61	110.84	109.26	1269.6	150.05	415.42	41.069	3.2774	3.9298	16.867	0.1
109.1.2	1476	檸檬	南華段0803-0000	7.25	7.95	59.677	55.218	685.85	105.37	279.33	31.341	2.3281	2.4785	4.205	0.04
109.1.2	1476		南華段0803-0003	7.31	1.05	49.237	51.275	549.9	94.56	255.06	32.723	1.7624	1.7625	3.8591	0.04
109.1.2	1476	檸檬	南華段0803-0000	7.25	7.95	59.677	55.218	685.85	105.37	279.33	31.341	2.3281	2.4785	4.205	0.04
109.1.2	1476		南華段0803-0003	7.31	1.05	49.237	51.275	549.9	94.56	255.06	32.723	1.7624	1.7625	3.8591	0.04
109.1.2	1477		表土	6	1.68	97.503	49.489	874.33	60.619	230.91	35.414	7.4493	7.3189	4.7957	0.12
109.1.2	1477		表土	6	1.68	97.503	49.489	874.33	60.619	230.91	35.414	7.4493	7.3189	4.7957	0.12
109.1.2	1478	檸檬	鹽埔地段	6.46	1.61	177.64	34.572	898.18	98.757	335.4	13.605	2.2865	3.9561	6.189	0.09
109.1.2	1478	檸檬	鹽埔地段	6.46	1.61	177.64	34.572	898.18	98.757	335.4	13.605	2.2865	3.9561	6.189	0.09
109.1.2	1479	玉米筍	永興段0153-1239A	7.53	2.58	73.094	129.44	2521.4	123.73	212.75	58.612	4.7843	6.1081	6.5716	0.15
109.1.2	1479		永興段0153-1239B	6.61	2.59	130.27	142.2	1582	131.87	358.45	26.327	4.7317	8.1211	5.1179	0.05
109.1.2	1479		永興段0153-1239C	6.91	2.36	116.02	50.604	1614.2	107.92	310.74	39.841	10.05	16.557	4.0017	0.02
109.1.2	1479	玉米筍	永興段0153-1239A	7.53	2.58	73.094	129.44	2521.4	123.73	212.75	58.612	4.7843	6.1081	6.5716	0.15
109.1.2	1479		永興段0153-1239B	6.61	2.59	130.27	142.2	1582	131.87	358.45	26.327	4.7317	8.1211	5.1179	0.05
109.1.2	1479		永興段0153-1239C	6.91	2.36	116.02	50.604	1614.2	107.92	310.74	39.841	10.05	16.557	4.0017	0.02
109.1.2	1480	香蕉	原土	7.36	41.3	2253.4	2591.2	20946	1895.7	172.75	105.49	8.3931	89.262	348.31	1.04
109.1.2	1480		介質	6.63	38.33	2263.5	582.49	15305	1507.9	224.73	73.53	9.4113	104.79	77.011	0.72
109.1.2	1480	香蕉	原土	7.36	41.3	2253.4	2591.2	20946	1895.7	172.75	105.49	8.3931	89.262	348.31	1.04
109.1.2	1480		介質	6.63	38.33	2263.5	582.49	15305	1507.9	224.73	73.53	9.4113	104.79	77.011	0.72
109.1.2	1481	白蘿蔔.花生	尖山段0738 龍門西段0154	7.84	1.66	28.261	113.66	9248.3	672.09	41.841	48.705	1.688	5.6958	91.706	0.08
109.1.2	1481	白蘿蔔.花生	尖山段0738 龍門西段0154	7.84	1.66	28.261	113.66	9248.3	672.09	41.841	48.705	1.688	5.6958	91.706	0.08
109.1.2	1482	白蘿蔔.花生		8.52	3.69	19.848	42.172	19248	1188.2	19.807	14.125	1.1951	2.7273	128.3	0.07
109.1.2	1482	白蘿蔔.花生		8.52	3.69	19.848	42.172	19248	1188.2	19.807	14.125	1.1951	2.7273	128.3	0.07
109.1.2	1483	蓮霧	三隆段1418	7.98	2.99	681.95	41.878	4496.2	371.75	343.99	31.699	6.087	32.282	52.299	0.11
109.1.2	1483	蓮霧	三隆段1418	7.98	2.99	681.95	41.878	4496.2	371.75	343.99	31.699	6.087	32.282	52.299	0.11
109.1.3	1480	水		7.64		0.07	1.5	112	22	0.2	0	0.1	0.01	11	0.53
109.1.3	1480	水		7.64		0.07	1.5	112	22	0.2	0	0.1	0.01	11	0.53
109.1.3	1483	水	三隆段1418	7.28		0.12	16	139	75	0.2	0.04	0.1	0.01	15	1.16
109.1.3	1483	水	三隆段1418	7.28		0.12	16	139	75	0.2	0.04	0.1	0.01	15	1.16